

[1953-1954 Ram Performance Test]

1 2 3 5 6 4

Ram Test No.	Ear Tag No.	Age, Months	Initial Weight 9/2/53	Final Weight 4/14/54	Total Gain	Average Daily Gain	Av. Gain Last 196 Days	Feed Per 100 Lbs. Gain (*1)
--------------	-------------	-------------	-----------------------	----------------------	------------	--------------------	------------------------	-----------------------------

RAMBOUILLETS — INDIVIDUAL PEN FED

Sire EO 655: Owner—H. C. Noelke, Sheffield

1	402	14	74	203	129	.58	.58	
2	404	14	76	217	141	.63	.66	
3	414	13	70	203	133	.59	.60	
4	447	14	70	185	115	.51	.48	
	Average		72	202	130	.58	.58	727

Sire R-230: Owner—R. Q. Landers, Menard

5	J 61	15	85	175	90	.40	.39	
6	F 65	14	83	162	79	.35	.36	
7	R497	15	82	173	91	.41	.42	
8	R501	15	90	221	131	.58	.57	
	Average		85	183	98	.44	.44	825

Sire ABC 339: Owner—W. L. Davis, Sonora

9	957	15	73	162	89	.40	.38	
10	968	15	83	206	123	.55	.53	
11	973	15	73	192	119	.53	.54	
12	982	15	82	193	111	.50	.46	
	Average		77	188	110	.49	.48	788

Sire WLD 809: Owner—W. L. Davis, Sonora

13	1002	12	77	200	123	.55	.54	
14	1022	12	73	197	124	.55	.55	
15	1028	12	71	194	123	.55	.55	
16	1062	12	56	172	116	.52	.50	
	Average		69	191	122	.54	.53	766

Sire PR 1295: Owner—Pat Rose, Jr., Del Rio

17	1591	14	60	154	86	.38	.39	
18	1621	13	76	196	120	.54	.50	
19	1607	13	80	211	131	.58	.58	
20	1609	13	70	193	123	.55	.53	
	Average		71	188	117	.52	.50	736

Sire 2929 RW: Owner—Bluebonnet Farm, McGregor

21	1576	17	91	186	95	.42	.41	
22	1593	17	107	193	86	.38	.36	
23	1674	16	87	177	90	.40	.38	
24	1684	16	97	215	118	.48	.51	
	Average		95	193	97	.43	.42	794

Fleece Record
3 5 5 D A Y S

Grease Weight	Clean Weight	Staple, Inches	Adjusted Clean Weight (*1)	Spinning Count	Conformation	Belly Wool	Skin Fold	Face Covering
19.5	8.8	3.90	9.0	70s	2.2	3.0	24	3.0
22.4	9.6	3.97	9.7	64s	1.8	3.0	15	3.8
25.2	10.9	3.94	11.1	64s	3.0	2.2	39	2.9
21.4	9.3	3.63	9.5	64s	3.0	1.7	27	4.0
22.1	9.6	3.86	9.8		2.5	2.5	26	3.4
17.0	8.4	3.80	8.4	64s	2.8	2.3	17	2.2
15.3	6.1	3.45	6.1	70s	3.5	3.0	7	2.2
13.5	5.9	3.03	5.9	64s	2.8	2.5	20	2.2
21.5	10.8	4.04	10.7	64s	2.0	1.2	33	2.7
16.8	7.8	3.58	7.8		2.8	2.2	19	2.3
18.8	8.7	3.57	8.9	64s	3.2	2.7	21	4.0
20.4	10.9	3.57	10.9	70s	1.6	2.7	46	3.7
21.9	10.0	3.70	10.2	64s	2.7	2.0	45	2.4
21.9	8.8	3.45	8.8	64s	2.6	2.3	36	3.1
20.6	9.6	3.57	9.7		2.5	2.4	37	3.3
18.8	8.8	3.65	8.9	64s	1.2	2.8	17	2.3
17.5	8.5	3.63	8.7	64s	1.6	1.3	23	1.3
18.8	9.0	3.87	9.2	64s	2.0	2.7	40	3.0
17.4	9.5	3.97	10.0	64s	3.2	2.3	24	4.0
18.1	9.0	3.78	9.2		2.0	2.3	26	2.6
14.0	7.1	3.85	7.5	64s	3.2	2.7	17	2.0
20.7	9.5	3.92	9.6	64s	2.0	1.3	23	2.1
19.5	9.2	3.83	9.3	70s	1.6	2.5	20	1.2
17.0	8.8	4.04	9.0	70s	1.8	2.2	9	2.3
17.8	8.6	3.91	8.8		2.2	2.2	17	1.9
19.3	9.5	4.14	9.4	64s	1.4	3.0	13	2.4
17.8	8.4	3.47	8.0	64s	2.4	3.3	18	2.9
21.1	9.5	3.83	9.4	64s	2.5	2.5	44	3.0
27.7	11.9	3.67	11.7	62s	2.4	1.2	68	4.0
21.5	9.8	3.78	9.6		2.2	2.5	36	3.1

*1. Adjusted for initial body weight.

Ram Test No.	Ear Tag No.	Age, Months 4/1/54	Initial Weight 9/2/53	Final Weight 4/14/54	Total Gain	Average Daily Gain	Av. Gain Last 196 Days	Feed Per 100 Lbs. Gain (*1)
--------------------	-------------------	--------------------------	-----------------------------	----------------------------	---------------	--------------------------	------------------------------	-----------------------------------

RAMBOUILLETS—(Continued)—INDIVIDUAL PEN FED

Sire ABC 247: Owner—C. M. Locklin, Sonora

25	87	16	127	231	104	.46	.45	
26	102	16	112	212	110	.49	.41	
27	122	16	128	237	109	.49	.46	
28	148	16	114	223	109	.49	.49	
7	Average		120	226	105	.47	.45	731

Sire TS 4333: Owner—Texas A. and M. College, College Station

29	6050	17	133	239	106	.47	.48	
30	6068	17	133	236	103	.46	.44	
31	6084	17	116	210	94	.42	.43	
32	6086	17	124	220	96	.43	.45	
8	Average		126	226	100	.45	.45	756

Sire Leo 3310: Owner—Leo Richardson, Iraan

33	980	16	113	217	104	.46	.47	
34	4388	16	121	211	90	.40	.46	
35	4389	16	112	207	95	.42	.49	
36	4424	16	122	226	104	.46	.51	
9	Average		117	215	98	.44	.49	780

Sire Leo 3766: Owner—Rod Richardson, Iraan

37	965	16	91	181	90	.40	.40	
38	986	16	119	222	103	.46	.50	
39	4375	16	126	215	89	.40	.41	
40	4392	16	105	189	84	.38	.37	
10	Average		110	202	92	.41	.42	825

Sire MP 3563: Owner—Miles Pierce, Alpine

41	6407	16	117	239	122	.54	.50	
42	6410	16	102	218	116	.52	.46	
43	6413	16	96	234	138	.62	.56	
44	6414	16	102	204	102	.46	.39	
11	Average		104	224	120	.53	.48	732

Sire MP 3474: Owner—Miles Pierce

45	6376	16	73	206	133	.59	.60	
3646	6381	16	90	217	127	.57	.51	
47	6382	16	114	232	118	.53	.46	
48	6386	16	116	226	110	.49	.46	
12	Average		98	220	122	.54	.51	732

Fleece Record 3 6 5 D A Y S

Grease Weight	Clean Weight	Staple, Inches	Adjusted Clean Weight (*1)	Spinning Count	Conform- ation	Belly Wool	Skin Fold	Face Cover- ing
25.9	10.8	3.47	10.1	64s	2.7	2.0	69	3.5
19.0	8.4	3.41	7.9	70s	2.2	3.5	16	3.4
23.2	11.1	3.92	10.7	70s	2.6	2.7	63	3.7
24.8	11.3	3.60	10.8	70s	3.0	1.5	48	3.1
23.2	10.4	3.60	9.9		2.6	2.4	49	3.4
25.7	9.5	3.63	8.7	64s	1.8	1.5	42	3.2
22.8	9.8	3.72	9.0	64s	1.2	1.3	20	3.0
26.5	12.1	3.94	7.5	64s	3.0	1.7	69	2.3
18.5	7.6	3.43	6.9	80s	1.5	1.7	29	2.4
23.4	9.8	3.68	9.0		1.9	1.6	40	2.7
16.9	8.7	4.04	8.2	70s	2.2	3.3	14	2.7
21.1	9.5	3.53	8.9	64s	2.4	1.2	58	3.0
21.5	10.5	4.28	10.0	64s	2.8	1.7	19	3.6
18.5	8.5	3.82	7.8	64s	1.6	2.2	12	3.0
19.6	9.3	3.92	8.7		2.2	2.1	26	3.1
20.6	12.7	4.41	12.6	64s	3.2	1.5	23	4.0
19.1	9.8	3.57	9.2	64s	1.6	1.8	10	4.0
18.2	10.0	3.99	9.3	64s	1.8	2.5	14	2.0
15.4	8.5	4.19	8.1	64s	2.2	3.5	6	2.7
18.3	10.2	4.04	9.8		2.2	2.3	13	3.2
21.1	9.3	3.67	8.7	64s	2.4	2.0	16	3.9
22.7	9.8	3.60	9.5	64s	2.0	1.0	40	3.0
21.4	9.2	4.09	9.0	64s	2.9	1.7	8	3.9
17.2	9.2	4.09	8.9	70s	2.6	1.5	14	3.0
20.6	9.4	3.86	9.0		2.5	1.6	20	3.4
23.4	12.4	4.31	12.6	62s	3.0	1.5	70	3.9
23.7	11.1	4.41	11.0	64s	2.8	1.0	34	3.9
21.6	9.6	4.11	9.1	64s	1.5	1.8	24	3.3
19.6	10.0	4.26	9.4	64s	3.3	2.2	8	3.9
22.1	10.8	4.27	10.5		2.6	1.6	34	3.8

*1. Adjusted for initial body weight.

1 2 3 5 6 4

Fleece Record
3 6 5 D A Y S

Ram Test No.	Ear Tag No.	Age, Months 4/1/54	Initial Weight 9/2/53	Final Weight 4/14/54	Total Gain	Average Daily Gain	Av. Gain Last 196 Days	Feed Per 100 Lbs. Gain (*1)	Grease Weight	Clean Weight	Staple, Inches	Adjusted Clean Weight (*1)	Spinning Count	Conform- ation	Belly Wool	Skin Fold	Face Cover- ing
RAMBOUILLETS—(Continued)—INDIVIDUAL PEN FED																	
Sire Rod 556: Owner—E. G. Branch, Rankin																	
49	757	12	67	183	116	.52	.51		18.0	9.5	3.87	9.8	70s	2.9	2.0	51	3.6
50	762	12	58	171	113	.50	.50		13.7	7.7	3.57	8.2	64s	2.5	2.0	15	2.9
51	796	12	68	171	103	.46	.49		18.3	9.0	3.73	9.3	64s	3.5	1.5	30	3.0
52	810	12	57	177	120	.54	.56		16.1	9.0	3.57	9.5	64s	2.5	1.8	33	3.0
13	Average		62	175	113	.50	.52	783	16.5	8.8	3.69	9.2		2.8	1.8	32	43.1 3.1
Sire TS 4344: Owner—F. M. Bierschwale, Segovia																	
53	5923	14	83	232	149	.67	.65		20.6	10.5	4.15	10.5	64s	1.9	2.0	24	2.2
54	5925	14	80	203	123	.55	.54		21.9	10.6	4.04	10.7	64s	2.6	1.2	27	2.7
55	5927	14	83	206	123	.55	.56		21.7	8.0	3.33	8.0	64s	3.0	2.0	24	1.4
56	5931	14	67	171	104	.46	.47		16.6	7.9	3.92	8.2	70s	3.6	1.8	15	3.0
14	Average		78	203	125	.56	.55	728	20.2	9.2	3.86	9.4		2.8	1.8	22	2.3
Sire 4428: Owner—Substation No. 14, Sonora																	
57	4716	13	67	186	119	.53	.52		18.0	9.3	3.68	9.6	64s	2.6	1.5	61	1.3
58	4717	13	57	188	131	.58	.61		15.6	8.4	3.63	8.9	64s	2.6	2.5	51	2.3
59	4817	13	63	176	113	.50	.53		20.3	9.8	4.15	10.2	62s	3.0	1.2	54	2.2
60	4829	13	48	178	130	.58	.61		17.4	7.6	4.00	8.2	70s	3.8	2.5	35	2.7
15	Average		58	182	123	.55	.57	761 761	17.4	8.8	3.86	9.2	70s	3.0	1.9	50	2.1
Sire 4459: Owner—Substation No. 14, Sonora																	
61	4698	13	76	201	125	.56	.56		15.8	7.6	3.63	7.7	70s	2.6	2.2	25	1.8
62	4731	13	64	187	123	.55	.57		19.3	10.1	4.07	10.4	64s	3.7	1.7	30	3.1
63	4843	13	68	187	119	.53	.53		19.0	8.0	3.53	8.3	64s	3.0	1.5	39	2.8
64	4894	13	52	175	123	.55	.55		15.9	8.7	3.85	9.3	70s	3.7	2.5	34	3.7
16	Average		65	188	122	.55	.55	767	17.5	8.6	3.77	8.9		3.2	2.0	32	2.8
Sire 4478: Owner—Substation No. 14, Sonora																	
65	4694	14	62	183	121	.54	.57		19.3	8.4	3.16	8.8	70s	3.2	1.7	68	3.1
66	4743	13	76	180	104	.46	.48		15.9	7.4	3.18	7.5	70s	2.6	2.0	37	2.2
67	4762	13	63	177	114	.51	.50		16.9	7.1	3.13	7.5	70s	3.0	1.5	49	3.0
68	4814	13	52	172	120	.54	.53		17.0	8.4	4.45	9.0	70s	3.6	3.0	12	2.9
17	Average		63	178	115	.51	.52	778	17.2	7.8	3.48	8.2		3.1	2.0	42	2.8
Sire 4544: Owner Substation No. 14, Sonora																	
69	4795	13	54	153	99	.44	.47		14.0	7.7	3.43	8.2	64s	3.6	1.5	40	4.0
70	4712	13	73	196	123	.55	.54		17.7	10.0	4.14	10.2	64s	1.8	2.2	21	2.6
71	4722	13	67	215	148	.66	.65		22.7	11.7	4.22	12.0	64s	2.4	1.2	27	2.3
72	4864	13	67	201	134	.60	.61		17.2	8.0	3.26	8.3	64s	2.5	2.5	20	1.7
18	Average		65	191	126	.56	.57	749	17.9	9.4	3.76	9.7		2.6	1.8	27	2.6

*1. Adjusted for initial body weight.

Ram Test No.	Ear Tag No.	Age, Months 4/1/54	Initial Weight 9/2/53	Final Weight 4/14/54	Total Gain	Average Daily Gain	Av. Gain Last 196 Days	Feed Per 100 Lbs. Gain (*1)
--------------------	-------------------	--------------------------	-----------------------------	----------------------------	---------------	--------------------------	------------------------------	-----------------------------------

RAMBOUILLETS—(Continued)—INDIVIDUAL PEN FED

Sire 4425. Owner—Substation No. 14, Sonora

73	4693	14	62	194	132	.59	.61	
74	4748	13	56	170	114	.51	.50	
75	4776	13	62	190	128	.57	.56	
76	4780	13	73	197	124	.55	.55	
14	Average		63	188	124	.56	.56	781
Average, All Rambouillets			84	198	114	.51	.50	

COLUMBIAS — INDIVIDUAL PEN FED

Sire E 633: Owner—L. A. Nordan, Boerne

1	250	14	118	239	121	.54	.56	
3	233	15	103	212	109	.49	.48	
4	223	15	99	214	115	.51	.52	
x	Average		106	222	115	.51	.52	727

Sire E 639: Owner—L. A. Nordan, Boerne

5	305	13	58	179	121	.54	.58	
6	319	12	89	225	136	.61	.62	
7	327	12	55	148	93	.42	.47	
8	331	12	58	168	110	.49	.51	
x	Average		65	180	115	.51	.54	806
Average, All Columbias:			83	198	115	.51	.53	

CORRIEDALES — INDIVIDUAL PEN FED

Sire SLS 322: Owner—T. C. Stanford, Eldorado

9	151	12	59	140	81	.36	.40	
10	605	12	64	143	79	.35	.43	
11	616	12	68	162	94	.42	.44	
12	617	12	49	139	90	.40	.42	
x	Average		60	146	86	.38	.42	847

CROSS-BREDS — INDIVIDUAL PEN FED

Sire 1263: Owner—Bluebonnet Farms, McGregor

14	1907	14	79	166	87	.39	.47	
15	1922	14	75	183	108	.48	.49	
16	1928	14	68	157	89	.40	.39	
x	Average		74	170	95	.42	.45	781

Fleece Record 3 6 5 D A Y S

Grease Weight	Clean Weight	Staple, Inches	Adjusted Clean Weight (*1)	Spinning Count	Conform- ation	Belly Wool	Skin Fold	Face Cover- ing
19.0	9.5	3.94	9.9	70s	3.0	1.0	61	2.6
20.7	9.5	3.72	10.0	64s	4.0	2.0	83	3.7
18.8	9.5	4.24	9.9	70s	2.7	1.5	27	1.1
19.0	7.9	3.90	8.1	70s	2.9	1.5	14	3.7
19.4	9.1	3.95	9.5		3.2	1.5	46	2.8
19.5	9.3	3.80	9.3		2.6	2.0	31	2.9
23.3	12.9	5.79	12.3	50s	1.0	3.0	9	1.0
19.0	11.1	5.50	10.8	50s	2.5	3.0	4	1.0
25.1	15.1	5.89	14.8	50s	2.0	2.5	10	1.5
22.5	13.0	5.73	12.6		1.8	2.8	8	1.2
19.1	8.2	4.48	8.7	56s	2.4	2.5	4	1.6
20.0	10.5	4.93	10.4	58s	1.6	2.0	12	1.0
14.0	6.6	4.41	7.1	60s	4.0	2.5	5	1.0
12.2	5.1	3.85	5.6	58s	2.7	2.0	4	1.0
16.5	7.6	4.42	8.0		2.7	2.2	6	1.2
19.0		4.98	9.9		2.3	2.5	7	1.2
14.5	7.7	4.26	8.1	56s	2.2	2.0	8	2.3
14.3	8.0	4.78	8.3	50s	1.6	2.0	4	1.0
19.6	11.4	5.58	11.7	50s	2.6	2.0	3	2.3
16.4	10.5	5.25	11.1	50s	2.2	2.0	6	3.3
16.2	9.4	4.97	9.8		2.2	2.0	5	2.2
18.3	8.0	4.00	8.3	70s	3.0	2.8	25	2.8
17.5	6.9	3.78	7.1	70s	2.4	2.0	18	1.1
16.9	6.8	4.14	7.3	64s	3.4	2.5	11	2.7
17.6	7.2	3.97	7.7		2.8	2.4	18	2.2

*1. Adjusted for initial body weight.

Ram Test No.	Ear Tag No.	Age, Months 4/1/54	Initial Weight 9/2/53	Final Weight 4/14/54	Total Gain	Average Daily Gain	Av. Gain Last 198 Days	Feed Per 100 Lbs. Gain (*1)
--------------------	-------------------	--------------------------	-----------------------------	----------------------------	---------------	--------------------------	------------------------------	-----------------------------------

CROSSBREDS — INDIVIDUAL PEN FED (Continued)

Sire 1185: Owner—Bluebonnet Farms, McGregor

17	1803	14	89	199	110	.49	.46	
18	1855	14	85	181	96	.43	.43	
19	1884	14	91	208	117	.52	.52	
20	1925	14	83	185	102	.46	.45	
	Average		87	193	106	.47	.47	774
Average, All Cross-Breds			81	183	101	.45	.46	

Fleece Record 365 DAYS

Grease Weight	Clean Weight	Staple, Inches	Adjusted Clean Weight (*1)	Spinning Count	Conform- ation	Belly Wool	Skin Fold	Face Cover- ing
21.5	7.7	3.57	7.6	70s	3.0	2.5	24	2.1
21.5	8.0	4.07	8.0	64s	2.8	1.8	9	2.3
17.0	7.2	4.20	7.1	70s	2.0	2.0	22	1.0
17.0	7.1	4.00	7.1	70s	3.1	2.5	20	1.0
19.2	7.5	3.96	7.5		2.7	2.2	19	1.6
18.5	7.4	3.97	7.5		2.8	2.3	18	1.9

1. Adjusted for initial body weight.