

[1955-1956 Ram Performance Test]

Ram Test No. Ear Tag No. Age, Months 5/1/56 Initial Weight 9/14/55 Final Weight 4/25/56 Total Gain Average Daily Gain Feed Per 100 Lbs. Gain (1)

RAMBOUILLETS — FED IN PROGENY GROUPS

Sire Leo 4375: Owner—Leo and Rod Richardson, Iraan

1	5044	17	107	197	90	.40	
2	2209	17	124	222	98	.44	
3	5041	17	111	226	115	.51	
Average			114	215	101	.45	848

Sire Leo 3728: Owner—Leo and Rod Richardson, Iraan

5	2208	17	98	180	82	.37	
6	5036	17	108	203	95	.42	
7	5037	17	122	228	106	.47	
8	2213	17	138	260	122	.54	
Average			117	218	101	.45	872

Sire PR 1515: Owner—Mrs. H. C. Noelke, Sheffield

9	R878	17	80	189	109	.49	
10	R819	17	97	208	111	.50	
11	R810	17	106	205	99	.44	
12	R843	17	102	215	113	.50	
Average			96	204	108	.48	831

Sire TS 4273: Owner—Mrs. H. C. Noelke, Sheffield

13	R805	17	109	231	122	.54	
14	R928	17	87	170	83	.37	
15	R894	17	113	241	128	.57	
16	R886	17	91	220	129	.58	
Average			100	216	116	.52	818

Sire COB1619: Owner—O. Sudduth, Eldorado

17	217		123	223	100	.45	
18	257		117	229	112	.50	
19	262		101	197	96	.43	
20	260		99	199	100	.45	
Average			110	212	102	.46	855

FLEECE RECORD 365 DAYS

Grease Weight Clean Weight Adjusted Clean Weight (1) Staple, Inches Spinning Count Conformation Belly Wool Skin Folds Face Covering

21.8	11.4	11.2	4.03	17	1.5	36	3.1
23.1	10.0	9.4	3.91	13	1.6	36	3.0
25.9	11.1	10.8	3.90	16	1.3	51	3.1
23.6	10.8	10.5	3.95	1.5	1.5	41	3.1

17.4	8.6	8.7	4.27	23	2.2	10	3.7
18.1	8.7	8.5	4.07	19	2.2	17	2.5
23.1	11.0	10.4	4.10	19	2.1	39	3.2
25.9	10.1	9.1	4.03	20	2.0	20	3.5
21.1	9.6	9.2	4.12	20	2.1	21	3.2

22.9	9.7	10.3	3.83	2.5	2.5	30	3.1
19.8	8.4	8.5	4.20	2.0	3.0	15	2.0
19.0	8.1	8.2	3.83	1.8	2.5	10	2.9
20.4	8.6	8.6	4.27	2.0	3.3	10	3.0
20.5	8.7	8.9	4.03	2.1	2.8	16	2.8

22.0	10.4	10.2	4.36	1.8	2.6	31	2.2
17.6	8.4	8.8	3.95	2.8	2.4	31	3.3
22.9	10.7	10.4	4.26	1.5	2.4	16	1.0
20.1	8.8	9.1	4.05	1.9	3.1	19	3.0
20.7	9.6	9.6	4.16	2.0	2.6	24	2.4

20.9	7.6	7.0	3.17	2.0	2.4	65	2.9
19.8	7.6	7.2	3.43	2.6	1.9	46	1.4
25.4	10.2	10.2	3.49	2.3	2.3	61	1.6
20.3	10.5	10.6	4.28	2.0	2.4	17	4.0
21.6	9.0	8.8	3.59	2.2	2.2	47	2.5

(1) Adjusted for Initial Body Weight

1
6.0

Ram Test No.	Ear Tag No.	Age, Months	Initial Weight 9/14/55	Final Weight 4/25/56	Total Gain	Average Daily Gain	Feed Per 100 Lbs. Gain (1)
--------------	-------------	-------------	------------------------	----------------------	------------	--------------------	----------------------------

2 3 4 6 7 5
+ 4.9 + 16.9
- 0.1 - 3.2

FLEECE RECORD — 365 DAYS				Spinning Count	Conformation	Belly Wool	Skin Folds	Face Covering
Grease Weight	Clean Weight	Adjusted Clean Weight (1)	Staple, Inches					

RAMBOUILLETS — (Continued) — FED IN PROGENY GROUPS

Sire R-965: Owner—Pat Rose, Jr., Del Rio

21	1857	17	126	221	95	.42	
22	1861	17	138	223	85	.38	
23	1881	15	107	205	98	.44	
24	1873	16	141	250	109	.49	
6 Average			128	225	97	.43	885

22.9	11.1	10.4	4.37	1.3	2.5	19	2.9	76.04
22.1	12.1	11.1	4.27	1.7	2.1	31	3.5	71.52
21.0	10.0	9.8	4.08	2.1	1.4	20	3.4	70.40
24.3	11.4	10.3	4.02	1.4	1.4	27	3.6	73.30
22.6	11.1	10.4	4.19	1.6	1.9	24	3.3	

Sire C. O. 889: Owner—Pat Rose, Jr., Del Rio

25	1935	13	104	216	112	.50	
26	1927	12	87	209	122	.54	
27	1933	13	90	185	95	.42	
28	1925	12	94	206	112	.50	
7 Average			94	204	110	.49	845

24.0	10.2	10.1	4.06	1.7	1.6	11	2.8	79.10
20.1	10.1	10.5	4.10	1.7	2.6	11	2.7	83.86
17.0	8.7	9.0	3.76	2.1	1.9	16	2.7	68.12
19.0	10.4	10.6	4.36	1.7	2.7	11	2.1	86.54
20.0	9.9	10.1	4.07	1.8	2.2	12	2.6	

Sire R-2336: Owner—W. L. "Tom" Davis, Sonora

29	1330	16	91	196	105	.47	
30	1309	16	101	196	95	.42	
31	1308	16	116	204	88	.39	
32	1341	16	110	209	99	.44	
8 Average			105	201	97	.43	887

20.1	7.6	7.9	3.60	2.0	2.6	25	2.7	64.86
23.6	11.6	11.6	3.88	2.0	2.4	41	3.1	74.66
19.8	8.3	7.9	3.72	2.1	2.8	35	3.0	58.22
20.7	9.9	9.7	4.01	1.9	2.1	42	2.7	71.02
21.1	9.4	9.3	3.80	2.0	2.5	36	2.9	

Sire RR-2104: Owner—R. Q. Landers, Menard

33	14	14	98	219	121	.54	
34	47	14	101	215	114	.51	
35	564	14	78	200	122	.54	
36	547	14	76	176	100	.45	
9 Average			88	203	114	.51	838

19.0	8.8	8.9	4.20	1.5	2.5	20	1.0	86.00
18.5	8.9	8.9	3.66	1.6	1.9	28	1.8	76.00
18.4	8.6	9.2	3.87	2.6	2.8	44	2.2	76.58
14.1	6.2	6.9	3.06	3.0	3.8	7	1.0	47.06
17.5	8.1	8.5	3.70	2.2	2.8	25	1.5	

Sire E. G. B. 657: Owner—E. G. Branch, Rankin

37	849	13	107	221	114	.51	
38	834	13	90	209	119	.53	
39	899	13	87	217	130	.58	
40	846	13	100	209	109	.49	
10 Average			96	214	118	.53	812

20.4	9.4	9.2	3.51	1.8	2.8	37	2.9	69.68
18.8	9.1	9.4	3.93	1.7	3.0	26	2.1	79.46
19.5	9.2	9.6	3.58	1.9	2.5	23	2.1	81.46
19.3	8.9	8.9	3.16	2.0	2.5	32	2.7	66.72
19.5	9.2	9.3	3.55	1.8	2.7	29	2.4	

1
18

2 3 4
+4.0 +6.0

6 7 5
- 2.1 - 5.2

FLEECE RECORD — 365 DAYS

Ram Test No.	Ear Tag No.	Age, Months 5/1/56	Initial Weight 9/14/55	Final Weight 4/25/56	Total Gain	Average Daily Gain	Feed Per 100 Lbs. Gain (1)	Grease Weight	Clean Weight	Adjusted Clean Weight (1)	Staple, Inches	Spinning Count	Conform- ation	Belly Wool	Skin Folds	Face Cover- ing
RAMBOUILLETS — (Continued) — FED IN PROGENY GROUPS																
Sire BBF 1576: Owner—Clyde Thate, Burkett																
41	959	17	122	230	108	.48		19.2	9.5	8.9	3.39		1.6	2.7	33	3.8 61.68
42	992	17	142	223	81	.36		18.8	8.5	7.4	3.78		1.8	2.6	13	2.5 59.58
43	990	17	157	227	70	.31		19.2	9.1	7.6	3.64		1.7	2.4	16	3.0 53.64
44	952	17	154	261	107	.48		23.6	10.2	8.7	3.74		1.4	3.2	24	2.9 67.56
11	Average		144	235	92	.41	835	20.2	9.3	8.2	3.64		1.6	2.7	21	3.0
Sire CH 128: Owner—C. M. Locklin, Sonora																
45	219	17	152	246	94	.42		17.9	8.0	6.6	3.29		2.0	3.2	9	2.7 58.40
46	231	17	146	248	102	.46		24.5	11.1	9.9	3.54		1.9	2.9	39	2.4 52.06
47	202	17	145	256	111	.50		22.9	12.7	11.5	3.82		1.8	2.5	35	2.7 58.68
48	211	17	152	245	93	.42		19.6	9.2	7.8	3.18		1.5	3.3	18	2.7 59.64
12	Average		149	249	100	.45	801	21.2	10.3	9.0	3.46		1.8	3.0	25	2.6
Sire RR 818: Owner—Don Cooper, Ozona																
49	418	13	88	195	107	.48		17.7	8.2	8.6	3.53		1.8	2.3	32	3.0 65.58
50	394	13	83	193	110	.49		18.5	8.5	9.0	3.53		2.3	1.9	25	3.3 66.92
51	406	13	92	221	129	.58		20.1	8.9	9.1	3.84		1.8	2.1	30	2.3 79.28
52	384	13	92	199	107	.48		17.3	7.9	8.1	3.82		2.8	2.7	18	3.6 63.60
13	Average		89	202	113	.51	818	18.4	8.4	8.7	3.68		2.2	2.3	26	3.1
Sire TS 4722: Owner—Substation No. 14, Sonora																
53	5136	17	99	220	121	.54		21.5 47.0	10.1	10.2	3.54		1.9	1.9	40	2.9 75.36
55	5137	17	90	206	116	.52		22.0 41.8	9.2	9.5	4.36		2.0	1.7	31	1.4 84.98
56	5123	17	85	192	107	.48		20.4 43.6	8.9	9.3	3.74		2.2	1.9	59	2.5 69.50
14	Average		90	206	115	.51	808	21.3	9.4	9.7	3.88		2.0	1.8	43	2.3
Sire TS 4722: Owner—Substation 14, Sonora																
57	5124	17	115	225	110	.49		22.1 48.0	10.6	10.2	3.90		1.7	2.2	49	1.0 83.50
58	5118	17	107	214	107	.48		17.7 49.7	8.8	8.6	4.14		1.6	2.2	26	1.2 79.20
59	5126	17	98	204	106	.47		18.4 45.7	8.4	8.5	3.55		2.3	2.3	54	3.2 61.46
60	5123	17	103	196	93	.42		17.1 47.4	8.1	8.0	3.84		2.0	2.4	18	2.7 64.46
15	Average		106	210	104	.47	845	18.8	9.0	8.8	3.86		1.9	2.3	37	2.0

1
68

Ram Test No.	Ear Tag No.	Age, Months	Initial Weight	Final Weight	Total Gain	Average Daily Gain	Feed Per 100 Lbs. Gain (1)
		5/1/56	9/14/55	4/25/56			

RAMBOUILLETS — (Continued) — FED IN PROGENY GROUPS

Sire TS 4722: Owner—Substation 14, Sonora

61	5167	14	77	201	124	.55	
62	5202	14	80	194	114	.51	
63	5268	13	76	182	106	.47	
64	5168	14	80	193	113	.50	
16 Average			78	193	114	.51	865

Sire TS 4712: Owner—Substation No. 14, Sonora

65	5204	14	79	195	116	.52	
66	5169	14	81	204	123	.55	
67	5219	14	83	209	126	.56	
68	5198	14	94	227	133	.59	
17 Average			84	209	125	.56	793

Sire RR 818: Owner—Don Cooper, Ozona

69	399	13	97	209	112	.50	
70	395	13	83	169	86	.38	
71	396	13	83	196	113	.50	
72	390	13	81	205	124	.55	
18 Average			86	195	109	.48	845

Sire TS 4776: Owner—Substation No. 14, Sonora

73	5175	14	82	201	119	.53	
74	5174	14	80	195	115	.51	
75	5157	14	84	207	123	.55	
76	5195	14	76	198	122	.54	
19 Average			81	200	120	.53	809

Sire MP 3474: Owner—Miles Pierce, Alpine

77	A752		90	211	121	.54	
78	A761		86	208	122	.54	
79	A765		82	205	123	.55	
80	A790		89	211	122	.54	
20 Average			87	209	122	.54	814

2 3 4 6 7 5

+4.0 +6.0

-0.7 -5.2

FLEECE RECORD — 365 DAYS									
Grease Weight	Clean Weight	Adjusted Clean Weight (1)	Staple, Inches	Spinning Count	Conformation	Belly Wool	Skin Folds	Face Covering	
19.2	49.0	10.1	3.70	1.9	2.0	52	1.5	72.60	
17.7	48.0	9.1	3.64	2.0	2.3	31	2.7	71.70	
14.6	54.8	8.7	3.66	2.7	2.3	25	3.3	65.30	
19.8	48.5	10.2	4.07	2.6	1.7	58	2.8	74.86	
17.8	8.9	9.5	3.77	2.3	2.1	41	2.6		
17.6	47.2	8.9	3.57	2.6	3.2	29	2.9	70.24	
17.7	45.2	8.5	3.92	2.2	2.3	26	2.7	73.88	
19.0	48.9	9.3	3.79	1.8	2.0	25	3.6	74.32	
20.3	48.8	10.1	3.88	1.8	2.0	34	2.8	81.12	
18.7	8.9	9.3	3.79	2.1	2.4	28	3.0		
18.8	10.1	10.2	4.38	2.0	1.8	17	3.3	78.22	
13.8	6.9	7.4	3.94	2.2	3.3	5	3.6	56.82	
15.7	7.6	8.1	3.88	2.2	2.9	9	3.6	66.06	
16.3	7.3	7.8	3.69	1.8	2.8	12	3.5	66.94	
16.2	8.0	8.4	3.97	2.0	2.7	11	3.5		
19.5	44.1	9.1	4.25	2.3	2.5	23	1.3	90.70	
19.3	50.3	10.3	4.19	2.3	2.6	34	1.7	84.90	
20.7	46.9	10.2	3.93	2.0	2.0	27	2.9	79.60	
18.7	52.9	10.6	4.28	2.2	2.2	57	2.7	80.74	
19.6	9.5	10.1	4.16	2.2	2.3	35	2.2		
19.2	8.9	9.2	4.41	1.8	2.3	25	3.0	77.56	
18.4	8.6	9.0	3.80	2.1	2.5	23	2.6	75.38	
20.9	8.2	8.7	3.80	1.6	2.1	18	2.9	73.72	
18.8	9.2	9.5	4.05	1.8	2.2	17	2.6	79.48	
19.3	8.7	9.1	4.02	1.8	2.3	21	2.8		

60

Ram Test No.	Ear Tag No.	Age, Months	Initial Weight	Final Weight	Total Gain	Average Daily Gain	Feed Per 100 Lbs. Gain (1)
		5/1/56	9/14/55	4/25/56			

RAMBOUILLETS — (Continued) — FED IN PROGENY GROUPS

Sire MP 6381: Owner—Miles Pierce, Alpine

81	A361	114	217	103	.46	
82	A346	106	219	113	.50	
83	A355	108	203	95	.42	
84	A359	136	240	104	.46	
Average		116	220	104	.46	853

Sire 1271: Owner—Substation No. 23, McGregor

85	4534	18	90	188	98	.44
86	4696	17	92	188	96	.43
87	4701	17	92	192	100	.45
88	4682	17	99	215	116	.52
Average		93	196	103	.46	905

Sire TS 4712 and 1884: Owner—Substations No. 14 and 23

89	5148	14	69	181	112	.50
90	4681	17	99	203	104	.46
91	4641	18	91	180	89	.40
92	4691	17	86	185	99	.44
Average		86	187	101	.45	895

Sire 1855 and 1271: Owner—Substation No. 23, McGregor

93	5030	15	93	209	116	.52
94	5058	14	72	190	118	.53
95	4600	18	91	180	89	.40
Average		79	193	108	.48	882

FLEECE RECORD — 365 DAYS

+44.0 +6.0

Grease Weight	Clean Weight	Adjusted Clean Weight (1)	Staple, Inches	Spinning Count	Conformation	Belly Wool	Skin Folds	Face Covering
21.2	10.0	9.6	4.18		2.0	1.4	19	3.2 72.54
23.7	10.8	10.7	4.19		2.2	1.9	23	3.4 77.96
21.0	8.4	8.2	3.99		2.1	1.6	7	3.1 65.12
21.2	9.7	8.7	4.65		1.9	1.6	12	3.3 71.94
21.8	9.7	9.3	4.25		2.1	1.6	15	3.2
18.4	8.7	9.0	3.55		1.8	2.4	16	3.5 63.90
18.2	7.4	7.6	3.69		2.0	2.9	10	3.0 61.74
18.1	7.0	7.2	3.21		1.7	3.0	10	3.5 55.86
17.6	7.1	7.2	3.38		1.6	3.0	7	2.6 66.06
18.1	7.6	7.8	3.46		1.8	2.8	11	3.2
16.0	8.3	9.2	4.23		2.1	2.4	13	3.6 72.16
18.5	8.0	8.1	3.90		2.7	2.9	25	1.0 75.70
16.2	7.0	7.3	3.55		3.0	3.2	8	1.0 69.50
18.8	8.2	8.6	3.83		2.0	2.3	12	3.3 65.42
17.4	7.9	8.3	3.88		2.5	2.7	14	2.2
20.6	9.5	9.7	3.55		1.6	2.5	22	3.5 70.90
18.5	6.7	7.5	3.49		2.5	2.2	29	1.5 72.04
19.2	8.2	8.5	4.13		2.6	2.2	11	1.7 72.84
19.4	8.1	8.6	3.73		2.2	2.3	21	2.2

93/66332
71.3