

[1957-1958 Ram Performance Test]

Ram Test No.	Flock Number	Age in Months 4/1/58	Initial Weight 10/2/57	Final Weight 3/19/58	Total Gain	Average Daily Gain	Feed Per 100 Lbs. Gain (1)
--------------------	-----------------	----------------------------	------------------------------	----------------------------	---------------	--------------------------	----------------------------------

FALL DROPPED LAMBS FED IN PROGENY GROUPS

Sire: Lehfeldt P-161 Owner—Clyde Thate, Coleman

1	1014	16	137	246	109	.65	
2	1142	16	127	207	80	.48	
3	1157	16	128	229	101	.60	
4	1164	16	129	223	94	.56	
Average			130	226	96	.57	1281

Sire: USDA 4271 Owner—Texas A & M College, College Station

6	A425	16	137	229	92	.55	
7	A427	16	138	252	114	.68	
8	A433	16	99	188	89	.53	
Average			125	223	98	.58	1271

Sire: Pat Rose 1795 Owner—Edwin S. Mayer, Jr., Barnhart

9	13	15	94	198	104	.62	
10	17	15	92	173	81	.48	
11	29	15	82	162	80	.48	
12	37	16	100	204	104	.62	
Average			92	184	92	.55	1292

Sire: Pat Rose 1767 Owner—Edwin S. Mayer, Jr., Barnhart

13	19	15	94	189	95	.57	
14	27	15	97	176	79	.47	
15	45	15	88	182	94	.56	
16	47	16	93	183	90	.54	
Average			93	182	89	.53	1498

Sire: L. R. 4662 Owner—Jack Preston, Utopia

17	135	16	125	212	87	.52	
18	139	16	132	210	78	.46	
19	142	16	133	215	82	.49	
20	158	16	128	205	77	.46	
Average			130	211	81	.48	1345

Average for Fall Dropped Rambouillets 113 204 91 .54 1337

SPRING DROPPED LAMBS FED IN PROGENY GROUPS

Sire: 5069 Owners—Leo and Rod Richardson, Iraan

21	3305	14	110	224	114	.68	
22	3313	14	123	228	105	.62	
23	3314	14	76	163	87	.52	
Average			103	205	102	.61	1274

Sire: R 965 Owners—Leo and Rod Richardson, Iraan

25	7181	14	111	203	92	.55	
26	3554	12	101	191	90	.54	
27	6566	14	117	235	118	.70	
Average			110	210	100	.60	1228

(1) Adjusted for Initial Body Weight

FLEECE RECORD — 365 DAYS														6	7	5
Grease Fleece Weight	Clean Fleece Weight	Adjusted Clean Fleece Weight (1)	Staple Length (Inches)	Fiber Diameter (Microns)	Spin- ning Count	Con- forma- tion	Belly Wool	Skin Folds	Face Cover							
18.9	8.0	6.9	3.48	23.2	62	1.2	2.8	60	2.5							
15.5	7.5	6.7	3.42	22.9	62	1.8	3.0	42	2.0							
21.3	11.5	10.6	3.46	24.7	60	1.4	3.0	51	2.5							
18.7	8.0	7.1	3.53	21.0	70	1.6	3.2	21	3.0							
18.6	8.75	7.82	3.47	23.0		1.5	3.0	44	2.5							
18.1	9.5	8.4	3.72	22.1	64	1.2	2.5	26	2.5							
19.1	9.8	8.7	4.00	22.6	62	2.5	4.0	24	2.2							
18.5	9.2	9.1	4.21	22.7	62	2.2	2.2	19	2.8							
18.6	9.50	8.73	3.98	22.5		2.0	2.9	23	2.5							
17.4	9.5	9.5	4.32	19.3	80	2.5	2.0	54	3.5							
16.3	7.5	7.6	3.81	21.9	64	2.5	1.5	50	2.5							
17.8	9.8	10.1	4.47	23.3	62	2.3	1.8	21	3.5							
23.9	8.5	8.4	3.81	21.7	64	3.2	2.2	130	2.5							
18.8	8.82	8.90	4.10	21.6		2.6	1.9	64	3.0							
19.6	8.8	8.8	3.68	23.9	62	2.3	2.2	40	3.5							
17.6	8.1	8.0	3.61	23.4	62	2.2	1.1	40	2.8							
19.9	10.4	10.6	3.78	24.7	60	2.5	1.0	71	3.5							
21.4	9.9	10.0	3.61	24.9	60	2.4	2.0	79	2.5							
21.1	9.30	9.35	3.67	22.2		2.4	1.6	58	3.1							
18.7	9.2	8.4	3.78	23.6	62	2.2	1.2	25	3.0							
22.4	10.8	9.8	3.78	22.1	64	2.0	1.0	55	3.2							
18.1	8.7	7.7	3.57	22.5	64	1.2	1.8	28	2.5							
20.9	10.7	9.8	4.21	24.3	60	1.7	1.0	18	2.5							
20.0	9.85	8.92	3.84	23.1		1.8	1.2	32	2.8							
19.5	9.23	8.75	3.80			2.0	2.1	45	2.8							
21.7	10.4	10.0	5.22	23.4	62	1.2	3.5	13	2.5							
18.9	9.8	9.1	4.69	22.0	64	1.3	1.5	13	1.8							
16.8	9.1	9.6	4.64	21.3	64	2.5	1.2	13	2.5							
19.1	9.77	9.57	4.85	22.2		1.7	2.1	13	2.3							
17.4	10.0	9.6	5.05	24.9	60	1.7	3.5	15	3.5							
20.0	10.9	10.7	4.54	20.5	70	1.6	1.0	20	3.0							
23.6	13.4	12.8	4.56	23.7	62	1.8	1.0	83	3.5							
20.3	11.43	11.03	4.72	23.0		1.7	1.8	39	3.3							

Ram Test No.	Flock Number	Age in Months 4/1/58	Initial Weight 10/2/57	Final Weight 3/19/58	Total Gain	Average Daily Gain	Feed Per 100 Lbs. Gain (1)
--------------------	-----------------	----------------------------	------------------------------	----------------------------	---------------	--------------------------	----------------------------------

SPRING DROPPED RAMBOUILLET LAMBS FED IN PROGENY GROUPS (CONTINUED)

Sire: RRR 2104 Owner—Roger Landers, Menard

29	F102	15	98	187	89	.53	
30	F103	15	102	204	102	.61	
31	J105	13	87	184	97	.58	
32	R625	14	99	194	95	.57	
8	Average		96	192	96	.57	1420

Sire: HCN R512 Owner—Wittenburg Company, Rocksprings

33	33	14	99	199	100	.60	
34	35	11	66	164	98	.58	
35	37	11	94	200	106	.63	
9	Average		86	188	102	.61	1342

Sire: R517 Owner—H. C. Noelke, Jr., Estate, Sheffield

37	1343	14	103	225	122	.73	
38	1385	14	97	176	79	.47	
40	1565	12	77	164	87	.52	
10	Average		92	188	96	.57	1292

Sire: R518 Owner—H. C. Noelke, Jr., Estate, Sheffield

41	1386	14	101	203	102	.61	
42	1392	14	92	194	102	.61	
43	1442	13	101	202	101	.60	
44	1581	11	105	202	97	.58	
11	Average		100	200	100	.60	1308

Sire: PR 1935 Owners—Boyd Brothers, Rankin

53	28	14	87	198	111	.66	
54	30	13	84	167	83	.49	
55	32	13	71	194	123	.73	
56	33	12	76	183	107	.64	
12	Average		80	186	106	.63	1233

Sire: Harris 600 Owner—Prentice Harris, Bronco

57	1452	11	78	170	92	.55	
58	1499	11	78	206	128	.76	
13	Average		78	188	110	.65	1169

Sire: Harris 700 Owner—Prentice Harris, Bronco

61	1443	11	89	203	114	.68	
62	1479	11	72	173	101	.60	
63	1498	11	100	212	112	.67	
64	1500	11	98	192	94	.56	
14	Average		90	195	105	.62	1218

(1) Adjusted for Initial Body Weight

FLEECE RECORD — 365 DAYS										6	7	5
Grease Fleece Weight	Clean Fleece Weight	Adjusted Clean Fleece Weight (1)	Staple Length (Inches)	Fiber Diameter (Microns)	Spin- ning Count	Con- forma- tion	Belly Wool	Skin Folds	Face Cover			
19.4	10.1	10.0	4.88	23.2	62	1.8	1.0	17	1.8			
18.9	10.1	9.9	4.69	21.3	64	1.5	1.0	18	1.2			
20.0	9.1	9.3	4.21	24.9	60	1.9	2.0	18	2.2			
18.5	7.5	7.4	3.81	22.7	62	1.9	2.5	34	2.0			
19.2	9.20	9.15	4.40	23.0		1.8	1.6	22	1.8			
17.2	8.6	8.5	3.61	22.4	64	1.7	3.0	38	2.2			
16.1	8.6	9.4	4.49	22.0	64	2.5	2.8	21	2.2			
16.1	8.3	8.3	3.96	22.4	64	2.2	2.5	21	2.5			
16.5	8.50	8.73	4.02	22.3		2.1	2.8	27	2.3			
19.6	9.6	9.4	4.19	23.4	62	2.0	2.5	18	2.2			
15.3	8.8	8.7	4.02	23.6	62	2.4	1.8	27	3.5			
19.8	8.5	9.0	3.96	22.7	62	2.6	2.5	63	2.0			
18.2	8.97	9.03	4.06	23.2		2.3	2.3	36	2.6			
19.1	7.9	7.7	3.61	22.3	64	2.3	3.0	14	3.2			
18.5	8.7	8.8	3.87	23.4	62	3.2	2.0	90	2.8			
19.8	8.9	8.7	4.32	23.5	62	1.8	3.0	11	2.8			
22.1	9.7	9.4	3.96	23.2	62	2.6	2.2	83	2.8			
19.9	8.80	8.65	3.94	23.1		2.5	2.6	50	2.9			
22.1	7.8	8.0	3.31	25.4	60	2.1	2.2	47	3.0			
19.4	9.8	10.1	3.78	25.2	60	2.6	2.5	25	3.0			
21.1	8.9	9.5	3.74	23.0	62	2.0	2.5	48	2.2			
22.6	7.5	8.0	3.63	24.2	60	2.4	2.5	39	3.0			
21.3	8.50	8.90	3.62	24.5		2.3	2.4	40	2.8			
20.6	11.3	11.7	5.12	23.7	62	1.6	2.0	33	1.8			
17.4	9.2	9.6	4.95	22.8	62	1.3	1.0	9	1.0			
19.0	10.25	10.65	5.04	23.3		1.4	1.5	21	1.4			
18.9	9.7	9.9	4.88	21.4	64s	1.4	3.0	10	2.0			
19.6	9.7	10.3	4.90	23.6	62s	2.3	1.5	29	3.2			
22.6	10.1	10.0	4.67	23.3	62s	1.6	1.8	30	3.5			
18.7	9.5	9.4	4.69	21.1	64s	1.4	3.0	8	2.8			
20.0	9.75	9.90	4.78	22.4		1.7	2.3	19	2.9			

1 2 3 4 6 7 5

FLEECE RECORD — 365 DAYS

Ram Test No.	Flock Number	Age in Months 4/1/58	Initial Weight 10/2/57	Final Weight 3/19/58	Total Gain	Average Daily Gain	Feed Per 100 Lbs. Gain (1)
--------------	--------------	-------------------------	---------------------------	-------------------------	------------	--------------------	----------------------------

Grease Fleece Weight	Clean Fleece Weight	Adjusted Clean Fleece Weight (1)	Staple Length (Inches)	Fiber Diameter (Microns)	Spinning Count	Conformation	Belly Wool	Skin Folds	Face Cover
----------------------	---------------------	----------------------------------	------------------------	--------------------------	----------------	--------------	------------	------------	------------

SPRING DROPPED LAMBS FED IN PROGENY GROUPS — (Continued)

Sire: HCN R805 Owner—Substation 14, Sonora

65	5499	13	95	187	92	.55	
66	5508	13	69	182	113	.67	
67	5526	13	96	190	94	.56	
68	5543	13	86	182	96	.57	
Average			86	185	99	.59	1388

17.2	9.6	9.6	4.94	20.6	70s	1.9	3.2	19	1.2
22.4	8.6	9.3	5.01	22.5	64s	2.1	3.2	35	3.0
17.0	9.0	9.0	4.69	21.3	64s	2.0	3.8	11	2.8
16.8	7.5	7.7	3.93	22.2	64s	2.6	2.8	15	1.2
18.4	8.68	8.90	4.64	21.7		2.2	3.2	20	2.0

Sire: TS 5174 Owner—Substation 14, Sonora

69	5485	13	81	201	120	.71	
71	5513	13	88	199	111	.66	
Average			84	200	116	.69	1906

20.4	10.3	10.7	4.41	23.7	62s	2.0	1.0	52	3.0
18.9	11.0	11.2	4.73	21.3	64s	1.2	2.5	23	1.0
19.6	10.65	10.95	4.57	22.5		1.6	1.8	38	2.0

Sire: TS 5174 Owner—Substation 14, Sonora

73	5453	13	80	172	92	.55	
74	5465	13	98	216	118	.70	
75	5479	13	83	195	112	.67	
76	5519	13	88	193	105	.62	
Average			87	194	107	.64	

17.8	8.3	8.7	4.19	21.5	64s	2.6	2.2	89	2.2
19.6	8.6	8.5	3.93	20.6	70s	1.9	3.8	38	1.5
19.4	9.4	9.7	4.41	20.6	70s	2.0	1.0	60	1.0
18.9	10.1	10.3	4.21	20.2	70s	1.8	2.2	47	1.2
18.9	9.10	9.30	4.18			2.1	2.3	58	1.5

Sire: TS 5137 Owner—Substation 14, Sonora

77	5492	13	88	186	98	.58	
78	5531	13	70	178	108	.64	
79	5538	13	86	206	120	.71	
80	5551	13	81	195	114	.68	
Average			81	191	110	.65	

26.2	8.9	9.1	4.41	21.4	64s	2.3	3.0	60	2.0
24.7	8.4	9.0	4.19	23.2	62s	2.6	2.5	82	2.2
20.0	9.1	9.3	4.15	23.5	62s	2.5	1.8	16	1.8
18.4	8.8	9.2	3.78	22.4	64s	1.8	3.0	37	1.5
18.8	8.80	9.15	4.13			2.3	2.6	49	1.9

Sire: JW-5152 Owner—Ed Guy Branch, Rankin, Texas

85	1026	13	104	217	113	.67	
86	1027	13	72	166	94	.56	
87	1028	13	85	179	94	.56	
88	1029	13	108	193	85	.51	
Average			92	189	97	.58	1299

17.8	8.0	7.8	3.59	20.8	70s	1.7	2.2	53	2.8
16.3	8.3	8.9	4.49	25.0	60s	2.6	2.2	9	3.0
17.8	8.7	9.0	4.24	23.0	62s	2.7	2.3	44	2.8
21.3	10.7	10.4	4.30	24.4	60s	1.8	1.5	59	3.0
18.3	8.92	9.02	4.16	23.3		2.2	2.3	41	2.9

Average for Spring-Dropped Rambouillets			91	193	102	.61	1288
Averages—All Rambouillets			95	196	101	.60	

19.5	9.27	9.38	4.32			2.0	2.3	35	2.4
19.2	9.27	9.26	4.20			2.1	2.2	36.4	2.6

Debouillet and Debouillet x Rambouillets

Sire: J132 Owner—Phillip Robbins, Fort Stockton

45	115	11	91	183	92	.55	
46	125	11	89	182	93	.55	
47	128	11	79	142	63	.38	
48	145	11	83	183	100	.60	
Average			85	172	87	.52	1324

22.1	7.2	7.3	4.52	20.2	70	2.4	4.0	14	2.2
17.4*	6.2*		4.19	19.7	70	2.5	4.0	5	2.5
14.8*	6.7*		4.62	20.1	70	3.4	4.0	11	3.0
19.6	7.6	7.9	4.21	21.8	64	1.9	3.9	31	2.2
20.8	7.40	7.60	4.38	20.5		2.6	4.0	15	2.5

Sire: TS 5157 Owner—Phillip Robbins, Fort Stockton

49	119	11	75	182	107	.64	
50	139	11	93	190	97	.58	
51	141	11	81	184	103	.61	
52	158	11	79	178	99	.59	
Average			82	184	102	.61	1327

17.8	7.4	7.9	4.47	20.3	70	2.2	3.5	31	1.0
23.2	11.1	11.2	4.75	23.6	62	2.6	2.0	55	3.2
19.6	7.2	7.6	4.08	22.7	62	2.7	3.0	50	2.8
15.5*	7.7*		4.47	22.2	64	2.5	3.0	38	1.0
20.2	8.57	8.90	4.44	22.2		2.5	2.9	44	2.0

(1) Adjusted for Initial Body Weight

*Partially Shedded Records Not Included

Ram Test No.	Flock Number	Age in Months 4/1/58	Initial Weight 10/2/57	Final Weight 3/19/58	Total Gain	Average Daily Gain	Feed Per 100 Lbs. Gain (1)
--------------------	-----------------	----------------------------	------------------------------	----------------------------	---------------	--------------------------	----------------------------------

SPRING DROPPED COLUMBIA LAMBS FED IN PROGENY GROUP

Sire: H 1870 Owner—L. A. Nordan, Boerne

81	7	15	138	231	93	.55	
82	24	14	140	255	115	.68	
83	31	14	81	174	93	.55	
84	33	14	108	206	98	.58	
Average			117	217	100	.60	1274

GROUP FED IN LARGE PEN

Sires: (Test 89 by 0398; others by Davis 1354) Owner—W. L. (Tom) Davis, Sonora

89	13	12	76	181	105	.62	
90	1781	11	87	180	93	.55	
91	1785	11	77	176	99	.59	
92	1801	11	72	150	78	.46	
Average			78	172	94	.56	

Sires Unknown Owners—Mayer & Mertz, San Angelo

93	1	13	100	200	100	.60	
94	7	13	104	222	118	.70	
95	9	13	97	190	93	.55	
96	10	13	99	215	116	.69	
97	11	13	97	196	99	.59	
98	12	13	97	187	90	.54	
99	14	13	92	202	110	.65	
100	16	13	97	181	84	.50	
101	17	13	94	173	79	.47	
102	19	13	89	197	108	.64	
Average			97	197	100	.60	

Sires: Unknown Owner—Peterson Ranch Company, Bracketville

103	20	14	96	192	96	.57	
104	21	14	104	201	97	.58	
105	22	14	107	199	92	.55	
106	23	14	95	230	135	.80	
107	24	14	99	229	130	.77	
108	25	14	94	193	99	.59	
109	26	14	76	170	94	.56	
110	27	14	99	189	90	.54	
111	28	14	88	174	86	.51	
112	29	14	85	187	102	.61	
Average			94	196	102	.61	

(1) Adjusted for Initial Body Weight

FLEECE RECORD — 365 DAYS											6	7	5
Grease Fleece Weight	Clean Fleece Weight	Adjusted Clean Fleece Weight (1)	Staple Length (Inches)	Fiber Diameter (Microns)	Spin- ning Count	Con- forma- tion	Belly Wool	Skin Folds	Face Cover				
24.1	13.2	12.1	5.72	30.8	50s	1.4	3.0	8	1.0				
24.1	10.6	9.4	4.52	29.9	50s	1.1	3.0	6	1.0				
14.4	6.3	6.7	5.07	26.3	58s	2.7	4.0	5	1.0				
24.5	10.1	9.8	5.14	28.4	56s	1.4	3.0	27	1.0				
21.8	10.05	9.50	5.11	28.9		1.6	3.2	12	1.0				
19.4	9.8	10.3	4.15	20.4	70	3.0	2.2	36	1.0				
15.5	8.2	8.4	4.45	22.8	62	2.4	2.0	18	2.8				
19.8	10.3	10.8	4.30	19.9	70	3.0	3.0	37	3.0				
14.2	7.4	8.0	4.02	22.5	64	2.4	1.5	24	3.0				
17.2	8.92	9.38	4.23			2.7	2.2	29	2.4				
14.6	8.8	8.7	4.19	25.2	60	2.9	2.2	10	2.8				
14.0	7.5	7.3	4.30	22.5	64	2.5	4.0	10	3.0				
14.6	8.0	7.9	3.81	23.2	62	2.4	3.2	13	3.0				
14.4	7.8	7.7	4.60	24.7	60	1.4	3.8	9	2.8				
16.3	9.1	9.0	4.30	22.5	64	2.0	4.0	15	2.5				
17.2	9.0	8.9	3.91	23.1	62	2.9	3.5	7	3.2				
15.5	7.8	7.9	4.47	24.5	60	2.0	3.5	10	3.5				
13.5	7.1	7.0	3.83	22.0	64	2.2	3.5	6	3.8				
12.7	7.3	7.3	4.13	23.1	62	3.0	2.5	7	2.8				
14.2	8.3	8.5	4.56	22.2	64	2.2	2.5	2	2.8				
14.7	8.07	8.02	4.21			2.4	3.3	9	3.0				
15.0	8.5	8.5	4.30	23.3	62	2.5	3.0	16	2.8				
12.7	6.8	6.6	4.11	21.7	64	1.9	3.5	9	2.2				
15.3	8.9	8.6	3.89	22.9	62	2.2	3.8	10	3.5				
12.5*	6.1*		3.70*	21.9	64	1.2	3.8	11	2.2				
19.4	9.1	9.0	4.43	23.3	62	1.8	3.0	24	3.0				
14.4	8.2	8.2	4.11	20.7	70	2.6	3.0	11	2.8				
12.3	8.0	8.5	4.69	21.9	64	2.7	3.5	3	3.5				
14.6	7.5	7.4	3.42	23.5	62	2.0	4.0	14	2.2				
11.6	6.1	6.3	3.72	25.3	60	2.2	3.0	13	3.0				
13.3	7.9	8.2	3.72	25.5	60	2.2	3.0	11	3.0				
14.3	7.89	7.92	4.04			2.1	3.4	12	2.8				

* Partially Shedded Records Not Included

Ram Test No.	Flock Number	Age in Months 4/1/58	Initial Weight 10/2/57	Final Weight 3/19/58	Total Gain	Average Daily Gain	Feed Per 100 Lbs. Gain (1)
--------------------	-----------------	----------------------------	------------------------------	----------------------------	---------------	--------------------------	----------------------------------

GROUP FED IN LARGE PEN — (Continued)

Sires: 600 (113) and 700 Owner—Prentice Harris, Bronco

113	1540	11	83	200	117	.70
114	1574	11	76	189	113	.67
Average			79	194	115	.68

Sires: PR1601, TS5175, HCNR523, TS5137, TS5137 Owner—Substation 14, Sonora

115	5442	13	70	168	98	.58
116	5460	13	78	198	120	.71
117	(5488)	13	93	192	99	.59
118	5516	13	69	193	124	.74
119	5554	12	78	194	116	.69
Average			78	189	111	.66

Sires: J132, J12, J12, TS4776 Owner—Phillip Robbins, Fort Stockton

120	118	11	74	168	94	.56
121	142	11	84	156	72	.43
122	147	11	77	178	101	.60
123	157	11	91	186	95	.57
Average			82	172	90	.54

Sire: R-965 Owners—Leo and Rod Richardson, Iraan

124	3249	12	106	208	102	.61
-----	------	----	-----	-----	-----	-----

Sires: Unknown Owner—Pat Rose, Jr., Del Rio

125	30	12	81	154	73	.43
126	31	12	84	185	101	.60
127	32	12	85	170	85	.51
128	33	12	100	210	110	.65
129	34	12	86	181	95	.57
Average			87	180	93	.55

Sires: TS5235, Hodges 275, Hodges 275, TS5235 Owner—Jess Barton, Sonora

130	12	13	89	184	95	.57
131	24	13	119	228	109	.65
132	25	13	115	212	97	.58
133	28	14	115	238	123	.73
Average			110	216	106	.63

Average for Open-Lot Group 91 191 100 .60

(1) Adjusted for Initial Body Weight

FLEECE RECORD — 365 DAYS										1	2	3	4	5	6	7	5
Grease Fleece Weight	Clean Fleece Weight	Adjusted Clean Fleece Weight (1)	Staple Length (Inches)	Fiber Diameter (Microns)	Spin- ning Count	Con- forma- tion	Belly Wool	Skin Folds	Face Cover								
16.8	8.9	9.2	4.94	21.1	64	2.6	3.5	11	3.0								
16.8	9.6	10.1	4.67	22.8	62	2.8	1.8	51	3.2								
16.8	9.25	9.65	4.80			2.7	2.6	31	3.1								
15.7	7.3	7.9	3.87	23.2	62	3.0	1.5	40	2.5								
15.5	7.1	7.5	3.74	24.5	60	2.5	2.0	33	2.2								
22.4	13.0	13.1	4.21	24.4	60	3.1	1.5	78	3.0								
19.8	9.1	9.8	4.62	21.7	64	2.4	2.0	24	3.0								
17.4	7.8	8.2	4.64	21.9	64	2.4	1.0	21	3.0								
18.2	8.86	9.30	4.22			2.7	1.6	39	2.7								
18.1	8.2	8.7	4.34	23.0	62	2.5	3.5	29	3.0								
18.1	7.5	7.8	3.83	21.5	64	3.1	4.0	11	3.0								
16.3	8.0	8.5	4.41	22.2	64	2.4	3.0	16	1.0								
15.7	6.8	6.9	4.24	20.4	70	2.8	3.5	17	3.0								
15.7	7.62	7.98	4.20			2.7	3.5	18	2.5								
21.1	13.7	13.4	5.59	24.7	60s	2.4	1.0	16	3.5								
18.7	9.1	9.5	4.45	20.6	70s	3.1	1.0	7	3.0								
16.1	8.4	8.7	4.45	21.3	64s	2.2	2.2	16	2.8								
17.6	8.9	9.2	5.14	24.2	60s	2.9	2.2	12	2.2								
18.5	9.5	9.4	4.26	25.5	60s	2.2	1.0	11	3.0								
23.4	11.2	11.4	5.07	25.0	60s	2.9	1.0	21	1.8								
18.9	9.42	9.64	4.68			2.7	1.5	13	2.6								
17.4*	8.4*		4.28	24.1	60s	2.3	2.8	20	3.5								
20.4	10.0	9.4	3.93	24.3	60s	1.7	3.5	21	3.5								
18.5	9.1	8.6	3.55	24.0	62s	1.7	3.0	44	3.5								
18.3	8.9	8.4	3.93	25.5	60s	1.4	2.0	36	3.0								
18.6	9.33	8.80	3.92			1.8	2.8	30	3.4								
16.5	8.59	8.71	4.26			2.4	2.7	19	2.8								

* Shedded Records Not Included