

[1958-1959 Ram Performance Test]

Ram Test No.	Flock No.	Age in Months 4/1/59	Initial Weight 10/1/58	Final Weight 3/18/59	Total Gain	Average Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Fleece Clean Weight	Adj. Cl. Fleece Wt. (1)	Staple Length Inches	Fiber Diam. Micr.	Spin- ning Count	Con- forma- tion	Belly Wool	Skin Folds	Face Cover	Selec- tion Index
FALL-DROPPED LAMBS FED IN PROGENY GROUPS																		
Sire: 5926 Owner - Leo and Rod Richardson																		
1	3148	16	113	171	57	.34		18.2	11.1	10.1	4.87	20.8	64s	2.8	1.0	23	3.5	67.2
2	3179	16	111	192	81	.48		15.9	9.8	8.9	5.18	22.2	62s	2.5	1.8	10	3.8	73.7
3	7255	16	103	180	76	.45	783	17.8	11.1	10.5	5.02	22.2	62s	1.9	1.0	30	2.0	82.7
4	7318	16	121	202	80	.47		20.1	11.3	10.0	5.02	22.0	64s	1.4	1.3	21	4.0	73.3
Average			112	186	74	.44		18.0	10.83	9.88	5.02	21.8	64s	2.2	1.3	21.0	3.3	74.2
Sire: Rodney Davis 6 Owner - Frank W. Anderson, Round Rock																		
5P	60	17	116	203	87	.52		18.0	10.0	8.9	4.33	22.0	64s	2.3	2.2	36	3.3	68.4
6P	61	17	134	202	68	.40		14.4	7.3	5.6	3.14	21.2	64s	1.3	4.0	10	2.7	49.2
7P	62	17	116	181	65	.39	801	16.7	8.2	7.1	3.66	22.0	64s	1.7	2.2	22	3.3	52.2
8P	63	17	110	172	62	.37		16.3	8.8	8.0	3.66	22.4	62s	1.8	1.7	63	3.8	43.8
Average			119	190	71	.42		16.4	8.58	7.40	3.70	21.9	64s	1.8	2.5	32.8	3.3	53.4
Sire: P116 Owner - H. C. Noelke, Jr. Estate, Sheffield																		
9	1606	15	106	208	102	.61		17.3	9.0	8.3	3.93	21.9	64s	2.3	1.5	51	3.2	66.6
10	1626	15	88	166	78	.46		16.1	8.6	8.6	4.01	23.0	62s	2.2	1.7	22	4.0	60.9
11	1638	15	81	170	89	.53	742	15.9	8.2	8.5	4.03	21.5	64s	2.5	1.3	23	3.8	65.6
12	1705	13	79	153	74	.44		13.6	7.9	8.2	4.08	22.0	64s	2.7	2.3	29	1.8	68.5
Average			88	174	86	.51		15.7	8.43	8.40	4.01	22.1	62s	2.4	1.7	31.2	3.2	65.4
Sire: MP A592 Owner - Miles Pierce, Alpine																		
13	A4352	16	119	192	73	.43		16.3	9.4	8.2	4.22	22.6	62s	1.8	1.5	19	3.5	61.9
14	A4384	17	134	195	61	.37		20.5	9.4	7.7	4.18	20.8	64s	2.3	1.2	29	3.5	54.1
15	A4389	17	131	203	72	.43	733	21.5	10.7	9.1	4.60	23.8	60s	2.5	1.8	34	3.5	64.8
16	A4393	17	141	225	84	.50		21.3	10.9	8.9	4.24	22.1	62s	1.8	2.2	20	3.0	71.4
Average			131	204	73	.43		19.90	10.10	8.48	4.31	22.3	62s	2.1	1.7	25.5	3.4	63.1
Sire: R. R. Richardson 2104 Owner - R. Q. Landers, Menard																		
17	J106	15	107	176	69	.41		11.5	6.3	5.6	3.30	22.0	64s	1.8	3.0	15	1.5	56.0
18	F117	15	109	189	80	.47		14.8	6.9	6.1	3.49	23.7	60s	1.8	1.5	17	2.2	58.7
19	R654	15	99	178	79	.47	856	15.5	10.0	9.6	3.72	23.7	60s	1.4	2.0	7	3.0	71.9
20	R648	15	103	185	82	.49		14.0	7.3	6.7	3.51	22.5	62s	1.6	2.5	13	1.7	65.9
Average			104	182	78	.46		14.0	7.63	7.00	3.51	23.0	62s	1.6	2.2	13.0	2.1	63.1
Ave. Fall Dropped Lambs			111	187	76	.45	783	16.8	9.1	8.2	4.11	22.2	62s	2.0	1.9	24.7	3.1	

(1) Adjusted for Initial Body Weight

Fleece Record - 365 days																		
Ram	Age in	Initial	Final		Average	Feed Per	Grease	Clean	Adj. Cl.	Staple	Fiber	Spin-	Con-					
Test	Months	Weight	Weight	Total	Daily	100 lbs.	Fleece	Fleece	Fleece	length	Diam.	ning	forma-	Belly	Skin	Face	Selec-	
No.	No.	4/1/59	10/1/58	Gain	Gain	Gain (1)	Weight	Weight	Wt. (1)	inches	Micr.	Count	tion	Wool	Folds	Cover	tion	Index
Sire: Beal 2089 Owner - Clyde Thate, Burkett																		
29P	1279	12	75	165	90	.54		15.9	7.1	7.6	3.76	20.5	70s	2.8	2.7	40	2.8	62.8
30P	1280	12	79	153	74	.44		13.0	6.5	6.8	3.59	21.5	64s	2.3	3.3	8	4.0	52.7
31P	1289	12	66	149	83	.49	774	12.1	5.4	6.2	3.55	20.2	70s	2.3	3.5	8	3.7	54.7
32P	1290	12	77	182	105	.62		17.1	7.3	7.7	3.80	21.8	64s	2.4	2.5	23	3.2	69.6
Average			74	162	88	.52		14.5	6.58	7.08	3.68	21.0	64s	2.4	3.0	19.8	3.4	60.0
Sire 2712 Owner - Leo and Rod Richardson, Iraan																		
33	3832	12	91	178	87	.52		14.2	7.1	7.0	3.93	20.0	70s	2.5	3.3	17	3.8	59.6
34	3921	12	76	146	70	.41		11.1	6.5	7.0	4.45	20.4	70s	2.9	1.5	10	3.8	57.5
35	8250	12	106	195	89	.53	782	17.1	8.4	7.7	4.64	20.4	70s	1.4	3.3	11	2.2	76.8
36	8283	12	80	145	65	.39		14.5	7.7	8.0	4.39	21.0	64s	3.1	1.0	20	3.2	61.6
Average			88	166	78	.46		14.0	7.43	7.42	4.35	20.4	70s	2.5	2.3	14.5	3.2	63.9
Sire: AWK 259 Owner - A. W. Keys, Eldorado																		
37	471	13	103	180	77	.46		15.0	7.3	6.7	4.01	21.0	64s	1.4	3.0	24	2.7	59.7
38	474	13	84	156	72	.43		15.0	7.7	7.9	4.18	22.9	62s	2.2	2.8	15	3.7	60.3
39	478	13	81	156	75	.45	803	11.5	6.5	6.8	3.66	12.9	70s	2.6	2.7	17	2.7	58.8
40	488	12	77	153	76	.45		13.2	6.7	7.1	4.08	12.8	70s	2.6	2.2	21	2.2	64.3
Average			86	161	75	.45		13.7	7.05	7.12	3.98	20.9	64s	2.2	2.7	19.2	2.8	60.8
Sire: 1066 Owner - W. L. (Tom) Davis, Sonora																		
41P	19	12	68	147	79	.47		11.9	5.9	6.7	3.97	21.0	64s	2.3	2.3	21	4.0	53.8
42P	1922	12	72	148	76	.45		15.0	8.2	8.8	4.33	21.9	64s	1.6	1.5	22	4.0	63.0
43P	1948	12	91	163	72	.43	793	13.8	7.7	7.6	4.28	21.0	64s	2.4	2.5	32	3.0	52.9
44P	1951	12	80	165	85	.51		12.7	6.7	7.0	3.51	21.3	64s	2.2	2.3	19	3.8	56.1
Average			78	156	78	.46		13.4	7.13	7.52	4.02	21.3	64s	2.1	2.2	23.5	3.7	58.2
Sire: 1094 Owner - W. L. (Tom) Davis, Sonora																		
45P	1886	12	95	182	87	.52		16.1	6.7	6.4	3.39	20.9	64s	1.9	2.3	26	2.0	61.5
46P	1888	12	91	170	79	.47		16.9	10.2	10.1	4.12	20.9	64s	1.7	2.3	17	2.3	71.9
47P	1889	12	95	184	89	.53	734	14.6	7.5	7.2	3.76	22.1	62s	2.0	2.5	22	2.2	67.4
48P	1918	12	83	188	105	.62		17.3	9.8	10.0	4.49	21.1	64s	1.7	2.2	22	1.0	94.5
Average			91	181	90	.53		13.2	8.55	8.42	3.94	21.2	64s	1.8	2.3	21.8	1.9	75.3

(1) Adjusted for Initial Body Weight

Fleece Record - 365 Days																	
Ram	Age in	Initial	Final	Average	Feed per	Grease	Clean	Adj. Cl.	Staple	Fiber	Spin-	Con-	Belly	Skin	Face	Selec-	
Test	Flock	Months	Weight	Weight	Total	Daily	Fleece	Fleece	Length	Diam.	ning	forma-	Wool	Folds	Cover	tion	
No.	No.	4/1/59	10/1/58	3/18/59	Gain	Gain	100 lbs.	Weight	Wt. (1)	Inches	Count	tion				Index	
Sire: TS 4425 Owner - F. M. Bierschwale, Segovia																	
49	8828	12	68	140	72	.43		12.5	6.7	7.5	4.66	20.1	70s	3.3	4.0	2.8	66.6
50	8829	12	85	169	84	.50		15.3	7.7	7.8	4.35	20.6	64s	2.5	3.3	3.3	64.7
51	8830	12	77	161	84	.50	766	15.3	8.4	8.8	4.28	21.0	64s	2.5	3.2	2.8	71.3
52	8832	12	86	194	108	.64		17.1	10.0	10.1	4.45	20.1	70s	1.5	3.3	2.5	89.7
11	Average		79	166	87	.52		15.1	8.20	8.55	4.44	20.4	70s	2.4	3.4	2.8	73.1
Sire: JBP 128 Owner - Prentice Harris, Bronco																	
53	1637	11	100	161	61	.36		12.7	7.5	7.0	4.03	19.3	70s	2.0	2.8	3.0	55.6
54	1664	11	90	164	74	.44		12.5	6.9	6.8	4.18	19.9	70s	2.2	2.7	2.7	61.9
55	1667	11	74	143	69	.41	770	11.9	5.2	5.7	4.03	19.3	70s	2.8	2.2	2.3	58.4
56	1698	11	83	176	93	.55		14.2	8.4	8.6	4.08	20.7	64s	1.8	2.2	3.3	70.9
12	Average		87	161	74	.44		12.8	7.00	7.02	4.08	19.8	70s	2.2	2.5	2.8	61.7
Sire: PHH 932 Owner - Prentice Harris, Bronco																	
57	54	11	86	164	78	.46		15.3	8.6	8.7	4.79	21.0	64s	1.8	1.0	1.7	80.9
58	1612	11	72	157	85	.50		14.4	8.4	9.0	4.97	20.7	64s	1.1	1.7	2.3	81.8
59	1625	11	78	154	76	.45	782	15.3	7.7	8.1	4.64	21.8	64s	1.4	1.5	2.7	71.6
60	1685	11	76	159	83	.49		14.2	8.4	8.9	4.54	20.1	70s	1.4	2.0	2.0	79.4
13	Average		78	159	81	.48		14.8	8.28	8.68	4.74	20.9	64s	1.4	1.6	2.2	78.4
Sire: R805 Owner - Frieda Kay and Herbie Noelke, Sheffield																	
61	H-16	15	108	219	111	.66		18.2	9.2	8.4	4.12	22.1	62s	2.3	2.5	2.0	72.7
62	H-18	15	90	156	66	.39		11.9	6.7	6.6	3.93	20.8	64s	2.4	3.7	3.5	52.2
63	K-14	14	109	204	95	.56	764	15.5	8.6	7.8	3.72	21.4	64s	2.6	3.8	3.3	61.5
64	K-18	11	66	147	81	.48		13.6	7.3	8.1	3.91	23.5	60s	2.7	1.5	1.8	62.3
14	Average		93	181	88	.52		14.8	7.95	7.72	3.92	22.0	64s	2.5	2.9	2.6	62.2
Sire: B889 Owner - Ed Guy Branch, Rankin																	
65	1030	12	81	151	70	.41		15.3	8.6	8.9	4.01	20.2	70s	2.6	2.0	4.0	54.7
66	1034	12	93	157	64	.38		15.5	8.4	8.2	4.28	21.8	64s	2.7	1.0	3.7	55.7
67	1036	12	83	166	83	.49	753	19.9	10.0	10.2	4.33	22.1	62s	2.7	1.7	2.0	73.4
68	1050	12	72	158	86	.51		15.9	8.6	9.2	4.56	20.6	64s	2.7	1.5	2.8	74.0
15	Average		82	158	76	.45		16.7	8.90	9.12	4.30	21.2	64s	2.7	1.6	3.1	64.5

(1) Adjusted for Initial Body Weight

									Fleece Record - 365 Days												
Ram Test No.	Flock No.	Age in Months 4/1/59	Initial Weight 10/1/58	Final Weight 3/18/59	Total Gain	Average Daily Gain	Feed Per 100 lbs. Gain (1)		Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Wt. (1)	Staple Length Inches	Fiber Diam. Micr.	Spinning Count	Con-formation	Belly Wool	Skin Folds	Face Cover	Selection Index		
Sire: CH626 Owner - Boyd Brothers, Rankin																					
69	74	14	70	148	78	.46			14.0	7.7	8.4	4.49	22.2	62s	2.5	1.3	22	3.8	63.9		
70	76	14	74	164	90	.54			16.5	7.1	7.6	3.82	21.4	64s	2.5	2.7	43	3.2	60.5		
71	79	14	83	177	94	.56	775		18.0	9.0	9.2	4.74	20.1	70s	1.6	1.0	44	2.3	78.0		
72	81	14	66	155	89	.53			16.9	8.4	9.2	4.43	23.5	60s	2.6	1.3	33	3.3	71.4		
Average			73	161	88	.52			16.4	8.05	8.60	4.37	21.8	64s	2.3	1.6	35.5	3.2	68.5		
Sire: TS 4722 Owner - Substation 14, Sonora																					
73	5699	13	94	195	101	.60			17.1	9.2	9.0	4.39	22.8	62s	1.7	2.3	25	2.3	81.3		
74	5719	13	87	178	91	.54			14.8	7.7	7.7	4.01	19.6	70s	1.8	2.5	28	1.5	73.9		
75	5741	13	83	151	68	.40	758		12.5	6.1	6.3	4.01	19.2	70s	2.3	2.5	17	3.7	50.7		
76	5810	13	76	148	72	.43			12.7	7.1	7.6	3.93	21.0	64s	2.4	2.3	33	3.7	54.0		
Average			85	168	83	.49			14.3	7.53	7.65	4.08	20.6	64s	2.0	2.4	25.8	2.8	65.0		
Sire: TS 5157 Owner - Substation 14, Sonora																					
77	5668	14	93	172	79	.47			14.8	7.1	6.9	4.70	19.3	70s	1.8	2.7	10	3.3	64.8		
78	5731	13	93	179	86	.51			13.6	7.1	6.9	4.39	20.4	70s	1.5	2.2	13	3.7	62.7		
79	5773	13	86	171	85	.50	764		16.9	8.4	8.5	4.03	23.9	60s	2.1	1.3	61	3.0	60.4		
80	5818	13	81	170	89	.53			16.1	7.5	7.8	4.56	20.0	70s	2.3	3.2	51	2.8	65.6		
Average			88	173	85	.51			15.4	7.53	7.52	4.42	20.9	64s	1.9	2.4	33.8	3.2	63.4		
Sire: TS 4776 Owner - Substation No. 14, Sonora																					
81	5677	13	80	175	95	.57			15.0	7.1	7.4	4.08	21.2	64s	1.9	2.2	38	3.2	64.1		
82	5734	13	80	164	84	.50			11.9	6.1	6.4	3.82	20.1	70s	2.4	4.0	24	2.5	60.7		
83	5749	13	68	140	72	.43	788		13.8	7.1	7.9	4.49	21.1	64s	2.6	1.2	37	2.0	66.5		
84	5799	13	72	161	89	.53			15.0	8.2	8.8	4.22	21.3	64s	2.8	1.3	40	3.2	67.7		
Average			75	160	85	.51			13.9	7.13	7.62	4.15	20.9	64s	2.4	2.2	34.8	2.7	64.8		
Sire: TS 4776 Owner - Substation No. 14, Sonora																					
85	5686	13	74	160	86	.51			15.9	7.1	7.6	4.03	21.3	64s	2.8	1.8	35	3.3	61.0		
86	5698	13	81	162	81	.48			14.8	7.5	7.8	3.93	21.2	64s	1.9	1.8	32	3.8	57.4		
87	5720	13	97	198	101	.60	776		16.3	8.4	8.1	4.49	20.2	70s	1.8	1.8	28	2.3	77.7		
Average			84	173	89	.53			15.4	7.95	7.83	4.15	20.9	64s	2.2	1.8	31.7	3.1	65.4		

(1) Adjusted for initial Body Weight

Fleece Record - 365 Days																		
Ram	Age in	Initial	Final	Average	Feed per	Grease	Clean	Adj. Cl.	Staple	Fiber	Spin-	Con-	Belly	Skin	Face	Selec-		
Test	Flock	Months	Weight	Weight	Total	Daily	Fleece	Fleece	Length	Diam.	ning	forma-	Wool	Folds	Cover	tion		
No.	No.	4/1/59	10/1/58	3/18/59	Gain	Gain	100 lbs.	Weight	Weight	Wt. (1)	Inches	micr.	Count			Index		
Sire: TS 5388 Owner - Substation 14, Sonora																		
89	5640	14	91	192	101	.60		18.4	9.0	8.9	4.39	21.1	64s	1.8	2.0	42	3.7	70.3
90	5654	14	72	168	96	.57		15.9	8.4	9.0	4.70	21.1	64s	2.0	3.0	24	4.0	72.8
91	5679	13	71	145	74	.44	743	15.3	7.9	8.5	3.82	21.5	64s	2.9	1.2	50	4.0	52.5
Average			78	168	90	.54		16.5	8.43	8.80	4.30	21.2	64s	2.2	2.1	38.7	3.9	65.2
Sire TS 5278 Owner - Substation No. 14, Sonora																		
92	5645	14	83	163	80	.47		13.6	7.5	7.7	3.66	20.7	64s	2.1	4.0	21	2.5	63.8
93	5651	14	103	204	101	.60		16.9	7.9	7.3	4.03	21.3	64s	1.5	3.8	17	2.3	74.0
94	5673	14	83	155	72	.43	852	14.6	7.1	7.3	3.93	22.1	62s	2.3	1.5	8	4.0	56.2
Average			90	174	84	.50		15.0	7.50	7.43	3.87	21.4	64s	2.0	3.1	15.3	2.9	64.7
Average Spring-Dropped Lambs																		
			83	166	83	.49		14.8	7.7	7.9	4.17	21.0	64s	2.2	2.3	26.2	3.0	
Average All Rambouillets																		
			88	171	83	.49	775	15.4	8.0	8.0	4.16	21.2	64s	2.2	2.2	26.3	3.0	65.5
DEBOUILLETS AND DEBOUILLET CROSSES																		
Sire: JD 11 Owner - Phillip Robbins, Ft. Stockton																		
21	183	12	82	162	80	.48		15.3	8.4	8.6	4.39	20.0	70s	2.7	3.0	12	3.0	
22	184	12	85	163	78	.46		16.7	6.7	6.8	3.93	23.5	60s	2.5	3.8	18	1.0	
23	191	12	86	147	61	.36	774	14.4	6.7	6.8	3.91	21.3	64s	2.8	2.3	12	2.3	
24	208	12	90	177	87	.52		16.7	8.6	8.5	4.08	22.9	62s	2.8	2.0	21	4.0	
Average			86	162	76	.45		15.8	7.60	7.68	4.08	21.9	64s	2.7	2.8	15.8	2.6	
Sire: JD 23 Owner - Phillip Robbins, Ft. Stockton																		
25	222	12	85	166	81	.48		20.5	7.7	7.8	4.12	22.1	62s	2.4	2.0	44	1.5	
26	228	12	86	171	85	.51		19.0	8.6	8.7	4.77	22.2	62s	1.6	2.0	13	2.8	
27	234	12	84	174	90	.54	791	24.0	8.4	8.6	4.49	22.1	62s	1.8	1.8	23	3.2	
28	235	12	91	157	66	.39		21.1	9.2	9.1	4.77	21.2	64s	2.7	1.0	23	3.8	
Average			87	167	80	.48		21.1	8.48	8.55	4.54	21.9	64s	2.1	1.7	25.8	2.8	

(1) Adjusted for initial Body Weight

Ram Test No.	Flock No.	Age in Months 4/1/59	Initial Weight 10/1/58	Final Weight 3/18/59	Total Gain	Average Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Fleece Record - Adj. Cl. Fleece Wt. (1)	365 Days Staple Length Inches	Fiber Diam. Micr.	Spin- ning Count	Con- forma- tion	Belly Wool	Skin Folds	Face Cover	Selec- tion- Index
PURE-BRED RAMS FED IN OPEN LOT																		
Owner - J. F. Whittenburg & Son, Rocksprings																		
Sire - P.R. 1997																		
95	1	13	88	155	67	.40		17.3	9.6	9.6	4.77	23.4	62s	3.1	1.5	10	4.0	
96	2	13	79	159	80	.48		18.8	8.2	8.5	4.39	21.7	64s	3.0	2.7	16	2.8	
97	3	13	82	167	85	.51		16.1	7.9	8.1	4.56	23.6	60s	2.4	1.8	16	3.2	
98	4	13	78	163	85	.51		15.0	7.9	8.3	4.77	20.7	64s	2.5	3.3	8	2.5	
99P	5	13	79	156	77	.46		14.0	7.9	8.2	4.28	21.8	64s	2.1	2.7	18	3.7	
100	6	13	107	213	106	.63		22.8	11.3	10.6	4.33	24.2	60s	1.8	1.2	17	3.8	
101	7	13	72	134	62	.36		16.3	8.4	9.0	4.24	21.6	64s	3.3	1.2	22	2.8	
102	8	13	102	197	95	.57		16.7	7.7	7.2	3.59	21.9	64s	1.3	3.5	27	3.8	
103	9	13	99	198	99	.59		15.5	7.9	7.5	3.76	21.2	64s	1.6	2.8	16	3.2	
104	10	13	101	200	99	.59		16.9	8.6	8.1	4.28	22.2	62s	1.8	3.7	18	1.7	
105	11	13	96	171	75	.45		17.3	7.7	7.4	3.97	21.2	64s	2.3	3.2	18	3.8	
106P	12	13	80	150	70	.42		15.0	6.1	6.4	3.41	21.6	64s	2.5	3.2	17	3.2	
Average			89	172	83	.49		16.8	8.27	8.24	4.20	22.1	62s	2.3	2.6	16.9	3.2	
RAMBOUILLETS FED IN OPEN LOT																		
Sire TS 5157																		
Owner - Substation No. 14, Sonora																		
107	5736	13	74	170	96	.57		21.9	8.8	9.3	3.91	22.0	64s	2.8	1.5	71	2.7	66.7
108	5751	13	79	174	95	.56		19.0	8.8	9.1	4.49	21.0	64s	2.0	2.3	18	2.2	81.9
109	5770	13	60	156	96	.57		14.0	7.9	9.0	4.24	19.5	70s	2.8	3.0	14	3.3	75.6
Average			71	167	96	.57		18.3	8.50	9.13	4.21	20.8	64s	2.5	2.3	34.3	2.7	74.7
Sire: TS4722																		
Owner - Substation 14, Sonora																		
110	5682	13	83	171	88	.52		15.7	6.1	6.3	3.91	20.6	64s	1.7	3.5	17	3.0	60.9
111	5760	13	73	183	110	.65		17.8	8.8	9.4	4.01	20.8	64s	2.7	1.0	41	3.0	76.9
112	5805	13	79	175	96	.57		16.3	6.9	7.2	3.41	21.7	64s	1.7	2.0	27	2.7	64.1
Average			78	176	98	.58		16.6	7.27	7.63	3.78	21.0	64s	2.0	2.2	28.3	2.9	67.3
Sires: TS4776, LR5926, BL100																		
Owner - Substation No. 14, Sonora																		
113	5768	13	63	139	76	.45		15.5	7.1	8.1	3.97	20.9	64s	2.9	1.0	36	4.0	55.2
114	5721	13	90	192	102	.60		19.2	10.2	10.1	4.87	20.1	70s	2.0	1.7	38	3.3	80.8
115	5752	13	81	157	76	.45		14.4	6.7	7.0	4.54	19.7	70s	2.7	2.0	24	3.3	60.2
116	5687	13	76	150	74	.44		12.7	6.3	6.8	4.49	19.0	80s	2.3	2.5	10	3.5	60.3
Average Open Lot Group, Including Kothmann's 85																		
			85	166	81	.48		16.4	7.7	7.8	4.20	20.9	64s	2.3	2.5	20.0		

(1) Adjusted for Initial Body Weight

Fleece Record - 365 Days																		
Ram	Age in	Initial	Final		Average	Feed Per	Grease	Clean	Adj. Cl.	Staple	Fiber	Spin-	Con-					Selec-
Test	Flock	Months	Weight	Weight	Total	Daily	100 lbs.	Fleece	Fleece	Fleece	length	Diam.	ning	forma-	Belly	Skin	Face	tion
No.	No.	4/1/59	10/1/58	3/18/59	Gain	Gain	Gain (1)	Weight	Weight	Wt. (1)	inches	Micr.	Count	tion	Wool	Folds	Cover	Index

FEEDLOT-PASTURE COMPARATIVE PERFORMANCE TEST

Aubrey Kothman, Junction - Feedlot Group

117P	130	13	114	190	76	.46		21.7	8.8		4.14	21.1	64s	1.9	1.5	27	2.2
118P	192	13	87	159	72	.43		15.7	6.3		3.49	19.2	70s	2.5	3.0	16	2.0
119P	94	13	102	164	62	.37		15.1	7.5		4.24	20.3	70s	2.0	3.3	20	2.5
120P	234	13	97	163	66	.40		14.0	6.1		4.33	17.5	80s	1.8	3.3	11	2.8
121P	148	13	92	146	54	.32		13.2	6.1		4.28	19.3	70s	2.2	3.5	11	3.2
122P	84	13	92	156	64	.38		11.7	6.1		4.08	22.5	62s	2.2	3.8	3	1.3
123P	242	13	85	157	72	.43		17.8	8.4		4.35	19.9	70s	2.0	2.0	21	3.0
124P	149	13	82	157	75	.45		15.3	7.9		4.77	20.1	70s	2.6	3.0	6	2.0
125P	216	13	76	124	48	.29		13.4	5.2		4.33	18.2	80s	2.9	3.8	6	2.5
Average			92	157	65	.39		15.43	6.93		4.22	19.8	70s	2.2	2.3	13.4	2.4

Aubrey Kothmann, Menard - Pasture Group

126P	233	13	98	143	45	.27		14.0	7.3		4.60	23.5	60s	2.2	3.2	5	1.7
127P	75	13	110	142	32	.19		11.1	5.6		3.82	20.6	64s	3.2	3.0	6	1.7
128P	163	13	96	139	43	.26		15.3	6.3		3.97	19.3	70s	2.3	3.3	40	2.7
129P	189	13	99	133	34	.20		13.2	7.1		4.43	20.3	70s	1.8	1.8	9	1.0
130P	126	13	90	129	39	.23		15.3	7.1		4.43	19.2	70s	2.3	1.2	32	1.0
131P	127	13	94	146	52	.31		15.3	7.3		4.22	20.5	70s	2.2	4.0	12	1.0
132P	404	13	90	130	40	.24		13.2	5.6		4.28	20.5	70s	2.7	3.8	11	1.0
134P	193	13	85	124	39	.23		13.4	6.1		4.08	20.7	64s	1.5	3.3	14	2.0
Average			95	136	41	.24		13.85	6.55		4.23	20.6	64s	2.3	3.0	16.1	1.5

(1) Adjusted for Initial Body Weight