[1962-1963 Ram Performance Test]

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/18/62	Final Weight 3/6/63	Total Gain	Average Daily Gain	Feed per 100 lbs. Gain (1)	Fleece Record - 365 Days: Grease Fleece Wt. (365-day)	Clean Fleece Weight	Adj. Cl. Fleece Wt. (1)	Staple Length Inches	Fiber Diam Micr.	Spinning Count	Conformation	Belly Wool	Skin Folds	Face Cover	Selection Index
RAMBOUILLETS																		
Pen 1 - Leo and Rod Richardson - Sire 8568																		
1	5986	1/1/62	110.0	194.5	84.5	.50		21.53	13.50	13.32	4.55	21.6	64's	1.7	2.0	1.4	4.0	75.1
2	1875	1/1/62	92.5	171.0	78.5	.47		18.25	11.67	11.17	4.35	20.5	70's	2.1	1.5	1.4	4.0	63.9
3	1831	1/1/62	100.5	189.5	89.0	.53		25.07	15.44	14.34	4.87	22.9	62's	2.6	1.5	3.1	4.0	75.4
4	1852	1/1/62	87.5	165.0	77.5	.46		19.34	12.25	12.05	4.55	22.5	62's	2.4	1.7	1.4	4.0	67.6
Average			97.6	180.0	82.4	.49	983	21.05	13.22	12.72	4.58	21.9	64's	2.20	1.68	1.80	4.0	70.5
Pen 2 - Leo and Rod Richardson - Sire 464 Q																		
5	5957	1/1/62	98.0	181.0	83.0	.49		16.42	10.27	9.37	4.76	22.6	62's	1.9	1.7	1.6	2.9	64.4
6	1865	1/1/62	101.5	163.5	62.0	.37		19.67	11.63	10.53	5.18	27.4	56's	3.7	1.5	1.6	3.2	62.0
7	1888	1/1/62	87.0	170.0	83.0	.49		16.49	10.62	10.52	4.76	21.1	64's	2.3	2.0	1.3	4.0	64.5
8	1894	1/1/62	97.5	169.0	71.7	.42		18.65	11.05	10.15	4.76	26.4	58's	2.0	1.3	2.3	4.0	54.8
Average			96.0	170.9	74.9	.44	1081	17.79	10.89	10.14	4.87	24.4	60's	2.48	1.63	1.70	3.53	61.4
Pen 3 - Scottie Menzies - Sires 6120 & 5176																		
9	276	4/10/62	62.0	151.0	89.0	.53		14.70	7.85	9.45	3.52	21.5	64's	1.9	1.7	2.2	3.6	56.2
10	275	4/5/62	59.0	132.0	73.0	.43		14.49	7.82	9.62	2.69	21.6	64's	2.1	1.5	3.1	3.3	45.5
11	281	4/8/62	63.5	151.0	87.0	.52		16.17	8.98	10.48	3.52	22.3	62's	2.6	1.5	3.2	2.0	64.0
12	284	3/21/62	52.5	137.0	85.5	.51		11.60	5.52	7.82	3.11	23.7	60's	1.8	1.7	1.5	2.2	56.9
Average			59.2	142.9	83.7	.50	971	14.24	7.54	9.34	3.21	22.3	62's	2.10	1.60	2.50	2.78	55.7
Pen 4 - Clinton Hodges - Sire 3887																		
13	R4674	11/17/61	118.5	214.5	96.0	.57		17.81	9.67	7.37	4.14	23.6	60's	3.0	2.3	1.3	2.8	60.5
14	1227	2/19/62	124.0	235.5	111.5	.66		17.63	9.38	6.68	3.52	23.4	62's	1.9	2.8	1.1	2.3	64.0
15	1199	11/8/61	113.0	186.0	73.0	.43		14.09	7.72	5.72	3.73	25.3	58's	2.4	2.5	1.1	2.5	46.2
16	1218	2/17/62	127.5	206.0	78.5	.47		21.97	11.03	8.03	4.14	25.2	58's	3.3	2.0	1.3	3.1	55.6
Average			120.7	210.5	89.8	.53	890	17.88	9.45	6.95	3.88	24.5	60's	2.65	2.40	1.20	2.68	56.6
Pen 5 - Clinton Hodges - Sires 5 and 3887																		
17	R4745	12/15/61	108.5	200.5	92.0	.55		20.11	9.67	8.07	3.52	24.5	60s	2.4	2.0	1.4	2.4	61.3
18	1205	11/10/61	122.0	205.5	83.5	.50		13.69	7.20	4.60	3.93	22.2	62's	2.7	2.7	1.2	1.1	53.6
19	1229	2/23/62	84.5	163.5	79.0	.47		16.79	8.67	8.67	4.14	24.0	60's	1.8	2.2	2.0	3.2	54.8
20	1242	2/29/62	96.0	173.5	77.5	.46	975	18.87	9.87	9.07	4.35	22.6	62's	2.1	2.3	1.5	3.7	56.0
Average			102.8	185.7	82.9	.50		17.37	8.85	7.60	3.99	23.3	60's	2.25	2.30	1.53	2.60	56.4

(1) Adjusted for initial body weight

Fleece Record - 365 Days

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/19/62	Final Weight 3/6/63	Total Gain	Average Daily Gain	Feed Per 100# Gain(1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Wt. (1)	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Conformation	Belly Wool	Skin Folds	Face cover	Selection Index
Pen 6 - P. H. Harris - Sire A4562 (21) 1895 (22,23), 1500 (24)																		
21	340	3/22/62	74.5	157.0	84.5	.50		14.31	7.31	6.61	4.14	19.7	70's	2.7	2.3	1.1	2.5	55.6
22	345	3/27/62	97.5	186.5	89.0	.53		16.79	7.72	6.82	3.93	21.7	64's	2.2	2.3	1.1	2.4	57.9
23	354	4/12/62	87.5	173.5	85.5	.51		15.95	8.67	8.47	4.35	22.3	62's	2.6	2.3	1.3	3.0	61.1
24	385	3/20/62	85.0	157.0	72.0	.43	960	15.15	7.87	7.87	4.35	23.8	60's	1.5	1.5	1.1	1.5	52.0
Average			85.2	168.8	83.6	.49		15.55	7.89	7.44	4.19	21.9	64's	2.25	2.10	1.15	2.85	56.7
Pen 7 - P. H. Harris - Sire B585 (25,26,27) 1744 (28)																		
25	371	3/20/62	86.5	180.5	94.0	.56		19.89	11.50	11.40	4.35	20.0	70's	2.0	1.7	1.6	1.4	82.9
26	372	3/25/62	86.0	170.5	84.5	.50		18.47	11.24	11.14	4.35	20.5	70's	2.5	1.5	1.3	1.0	81.6
27	375	4/13/62	83.0	172.5	89.5	.53		20.11	11.72	11.62	4.76	22.2	62's	3.8	1.7	3.3	3.6	65.4
28	369	4/12/62	100.5	183.5	83.0	.49	1038	18.65	9.75	8.65	4.14	22.9	62's	2.9	1.7	2.0	1.6	64.2
Average			89.0	176.7	87.7	.52		19.28	11.05	10.70	4.40	21.4	64's	2.80	1.65	2.05	1.90	73.5
Pen 8 - H. H. Hughes - Sire 5956																		
29	7819	3/27/62	96.0	189.0	93.0	.55		18.65	8.88	8.08	3.93	23.8	60's	1.7	2.2	1.5	2.3	63.1
30	7822	3/30/62	101.5	187.0	85.5	.51		17.81	8.96	7.76	3.93	22.7	62's	1.6	2.2	1.3	2.8	58.6
31	7824	4/2/62	95.5	200.5	105.0	.63		20.73	9.77	9.07	4.14	23.7	60's	1.6	1.8	1.5	2.9	69.5
32	7835	4/2/62	95.0	197.0	102.0	.61	995	19.67	10.02	9.32	4.55	20.5	70's	2.0	2.6	1.6	2.2	74.2
Average			97.0	193.4	96.4	.58		19.21	9.41	8.56	4.14	22.7	62's	1.73	2.20	1.48	2.55	66.4
Pen 9 - R. Q. Landers, Sire 8652 FMB (616776)																		
33	R794	12/15/61	97.5	173.5	76.0	.45		14.49	7.13	6.28	4.35	22.7	62's	3.7	2.0	1.1	3.0	49.5
34	R789	12/15/61	88.0	185.0	97.0	.58		14.49	8.03	7.83	4.76	21.9	64's	1.8	2.0	1.1	2.3	68.8
35	131	1/15/62	94.0	166.5	72.5	.43		15.33	8.76	8.16	3.93	23.0	62's	2.0	1.8	1.7	2.3	55.4
36	R799	12/15/61	87.0	174.5	87.5	.52	982	16.42	8.26	8.16	4.14	24.0	60's	1.8	2.5	1.3	2.2	63.8
Average			91.6	174.9	83.3	.50		15.18	8.06	7.61	4.30	22.9	62's	2.33	2.08	1.30	2.45	59.4
Pen 10 - R. Q. Landers - Sire R737 (620207)																		
37	793	12/15/61	96.0	201.5	105.5	.63		15.95	8.18	7.38	3.52	21.2	64's	3.7	1.5	1.2	2.8	62.0
38	710	12/15/61	103.0	196.0	93.0	.55		15.33	8.47	7.17	3.73	23.2	62's	1.6	2.0	1.1	1.9	62.3
39	788	12/15/61	107.0	193.5	86.5	.51		16.79	9.38	7.88	3.73	23.7	60's	2.2	2.3	1.4	2.4	59.0
40	198	1/15/62	100.0	185.5	85.5	.51	938	18.47	8.01	6.91	3.93	22.4	62's	1.5	2.3	1.2	2.8	54.6
Average			101.5	194.1	92.6	.55		16.64	8.51	7.34	3.73	22.6	62's	2.25	2.03	1.23	2.48	59.5

(1) - Adjusted for initial body weight

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/19/62	Final Weight 3/6/63	Total Gain	Average Daily Gain	Feed Per 100# Gain(1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Conformation	Belly Wool	Skin Folds	Face Cover	Selection Index
Pen 11 - W. L. Davis - Sires 48 (41,42,89) and 239 (43,44)																		
41	A771	3/15/62	83.0	161.5	73.5	.44		15.95	8.78	8.58	3.73	21.0	64's	1.5	1.8	1.5	3.4	51.8
42	A756	3/15/62	78.5	160.5	82.0	.49		14.09	6.87	7.37	3.52	21.8	64's	2.4	2.2	1.3	2.7	53.7
43	A615	3/5/62	78.0	158.0	80.0	.48		16.17	7.93	8.43	4.55	21.1	64's	1.5	2.2	1.3	1.8	66.2
44	A633	3/9/62	95.0	174.0	79.0	.47		14.70	7.66	6.96	4.14	23.1	62's	2.2	2.3	1.3	2.8	52.8
89	A778	3/15/62	77.5	158.5	81.0	.48	993	14.31	8.42	8.92	3.93	22.7	62's	3.3	1.8	1.2	2.2	64.0
Average			83.4	162.5	79.1	.47		15.04	7.93	8.05	3.97	21.9	64's	2.18	2.06	1.32	2.58	72.1
Pen 12 - Miller Robinson - Sire B33																		
45	B64	3/1/62	89.5	160.5	71.0	.42		17.81	10.49	10.19	4.55	23.0	62's	1.4	1.0	1.2	3.2	62.7
46	B65	3/1/62	113.5	199.5	86.0	.51		16.17	9.36	7.36	4.35	24.5	60's	1.7	1.5	1.2	3.5	54.4
47	B81	3/1/62	120.0	216.0	96.0	.57		15.95	9.36	6.86	4.16	22.0	64's	1.9	1.8	1.2	3.9	53.2
48	B93	3/1/62	113.0	199.0	86.0	.51	978	19.27	10.12	8.12	4.35	21.3	64's	2.9	1.7	1.2	3.6	57.0
Average			109.0	193.7	84.7	.50		17.30	9.83	8.13	4.35	22.7	62's	1.98	1.50	1.20	3.55	56.8
Pen 13 - Miller Robinson - Sire B11																		
49	B75	3/1/62	109.0	193.5	84.5	.50		20.33	12.66	10.96	4.14	24.8	60's	2.9	1.0	1.2	3.1	69.5
50	B79	3/1/62	112.0	207.0	95.0	.57		15.15	9.32	7.42	4.14	20.9	64's	2.4	1.5	1.2	2.1	64.7
51	B83	3/1/62	109.5	178.0	68.5	.41		16.42	8.67	6.97	4.35	22.0	64's	2.5	1.5	1.2	3.1	49.0
52	R96	3/1/62	109.0	204.0	95.0	.57	1049	17.41	9.11	7.41	4.76	22.5	62's	2.7	2.5	1.4	2.6	63.8
Average			109.8	195.6	85.8	.51		17.33	9.94	8.19	4.35	22.6	62's	2.63	1.63	1.25	2.73	61.6
Pen 16 - Substation No. 14 - Sire 6252																		
61	6491	2/17/62	91.0	184.5	93.5	.56		17.41	8.65	8.25	4.35	21.2	64's	2.5	2.5	1.5	1.9	68.1
62	6616	3/7/62	78.5	172.0	93.5	.56		16.39	8.18	8.68	4.14	20.4	70's	2.3	2.5	1.3	3.5	61.5
63	6672	3/21/62	68.0	155.0	87.0	.52		15.33	8.28	9.48	4.35	22.9	62's	2.4	2.0	1.7	1.9	69.8
64	6598	3/5/62	65.0	163.0	98.0	.58	911	17.81	9.25	10.65	4.35	21.9	64's	3.0	2.8	2.5	1.0	79.6
Average			75.6	168.6	93.0	.56		16.74	8.59	9.27	4.30	21.6	64's	2.55	2.45	1.75	2.08	69.8
Pen 17 - Substation No. 14 - Sire 6178																		
65	6531	2/27/62	83.5	203.5	120.0	.71		23.21	12.30	12.40	4.53	21.8	64's	2.2	1.3	1.8	1.0	97.9
66	6594	3/5/62	69.5	184.5	115.0	.68		17.81	7.08	8.18	2.90	20.7	64's	2.7	3.0	2.2	1.0	70.9
67	6603	3/6/62	83.5	196.0	112.5	.67		17.81	8.74	8.84	4.14	20.7	64's	2.1	2.0	1.4	1.8	77.2
68	6673	3/24/62	68.5	176.0	107.5	.64	875	18.65	8.49	9.69	4.55	21.3	64's	2.3	1.8	2.1	1.0	81.8
Average			76.2	190.0	113.8	.68		19.37	9.15	9.78	4.03	21.1	64's	2.33	2.03	1.88	1.20	82.0

(1) Adjusted for initial body weight

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/19/62	Final Weight 3/6/63	Total Gain	Average Daily Gain	Feed per 100# Gain(1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Wt.(1)	Staple Length Inches	Fiber Diam Microns	Spinning Count	Conformation	Belly Wool	Skin Folds	Face Cover	Selection Index
Pen 18 - Miles Pierce - Sire A 7288																		
69	6170	3/12/62	86.0	189.5	103.5	.62		15.15	7.35	7.25	4.14	22.4	62's	2.4	2.0	1.3	1.2	71.3
70	6178	3/11/62	85.0	189.0	104.0	.62		17.01	9.25	9.25	5.18	22.0	64's	2.1	2.5	1.2	3.0	74.5
71	6158	3/11/62	69.5	147.0	77.5	.46		17.23	7.58	8.78	4.14	22.0	64's	3.5	1.5	1.8	3.5	53.4
72	6155	3/6/62	87.0	189.5	102.5	.61	946	15.33	7.78	7.68	3.52	20.6	64's	1.8	2.8	1.5	2.1	64.5
Average			81.8	173.7	96.9	.58		16.18	8.02	8.24	4.25	21.8	64's	2.45	2.20	1.45	2.48	65.9
Pen 19 - Miles Pierce - Sire A 7288																		
73	6154	3/19/62	65.5	181.5	116.0	.69		17.41	7.89	9.29	5.59	20.3	70's	2.0	2.3	1.1	2.6	83.0
74	6177	3/9/62	77.0	177.5	100.5	.60		17.23	10.04	10.64	4.35	21.4	64's	2.8	1.8	1.5	3.4	72.3
75	6161	3/20/62	76.0	176.0	100.0	.60		18.03	8.63	9.23	3.93	20.4	70's	2.6	2.5	1.5	3.7	63.4
76	6174	3/11/62	104.0	219.0	115.0	.68	851	24.89	10.08	8.78	4.14	23.2	62's	1.9	1.8	1.7	3.0	70.1
			80.6	188.5	107.9	.64		19.39	9.16	9.49	4.50	21.3	64's	2.33	2.10	1.45	3.18	72.2
Pen 20 - Pat Rose - Sire CLI - 72																		
77	2647	12/1/61	91.5	170.5	79.0	.47		18.25	9.54	9.04	4.14	23.8	60's	1.5	2.3	1.3	4.0	54.9
78	2653	12/15/61	115.5	222.5	107.0	.64		23.21	10.68	8.58	4.35	23.2	62's	1.6	2.0	1.5	2.7	70.1
79	2669	12/15/61	95.0	185.0	90.0	.54		18.87	9.34	8.64	4.14	25.7	58's	1.4	2.0	1.8	1.2	70.1
80	2671	12/15/61	91.0	169.5	78.5	.47	915	16.79	8.84	8.44	5.18	22.5	62's	2.2	2.3	1.5	3.0	61.1
			98.3	186.9	88.7	.53		19.28	9.60	8.68	4.45	23.8	60's	1.68	2.15	1.53	2.73	64.1
Pen 21 - Pat Rose - Sire 2279 (81,83 and 84) and CLI - 72 (82)																		
81	2677	12/15/61	118.0	190.0	72.0	.43		17.23	9.58	7.28	3.93	22.3	62's	1.7	3.0	2.0	2.0	52.2
82	2705	2/15/62	81.0	179.5	98.5	.59		16.42	9.09	9.39	4.35	22.5	62's	2.3	2.5	2.0	1.3	75.6
83	2741	4/15/62	72.5	159.0	86.5	.51		17.41	9.94	10.84	4.76	22.4	62's	2.0	2.0	1.7	3.6	67.5
84	2743	4/15/62	65.0	157.5	92.5	.55	959	16.39	9.52	10.92	4.55	22.6	62's	2.0	2.5	1.8	3.0	72.1
			84.1	171.5	87.4	.52		16.86	9.53	9.61	4.40	22.5	62's	2.00	2.50	1.88	2.48	66.9
Pen 22 - Substation No. 14 - Sire 6148																		
85	6513	2/23/62	63.0	173.5	110.5	.66		14.31	7.10	8.60	3.11	22.9	62's	2.8	2.7	2.1	1.7	69.2
86	6606	3/6/62	63.0	144.0	81.0	.48		11.42	6.71	8.21	4.14	19.2	70's	3.5	2.5	1.5	2.6	59.5
87	6559	3/2/62	59.0	166.0	107.0	.64		13.29	7.12	8.92	4.35	22.0	64's	2.1	2.5	1.5	2.6	72.0
88	6590	3/5/62	70.0	176.5	106.5	.63	936	15.77	7.91	9.01	3.52	23.9	60's	2.5	1.9	2.5	1.0	72.7
			63.7	165.0	101.3	.60		13.70	7.21	8.69	3.78	22.0	64's	2.73	2.40	1.90	1.98	68.4

(1) Adjusted for initial body weight

1 2 3 4 6 7 5

Fleece Record - 365 Days

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/13/62	Final Weight 3/6/63	Total Gain	Average Daily Gain	Feed per 100 lbs. Gain(1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Fleece Wt.(1)	Cl. Staple Length Inches	Fiber Diam Microns	Spinning Count	Conformation	Belly Wool	Skin Folds	Face Cover	Selection Index
COLUMBIAS																		
Pen 14 - L.A. Nordan - Sire N 919																		
53	M177		96.0	192.5	96.5	.57		20.33	9.46	8.66	5.18	26.9	56's	2.3	1.5	1.1	1.5	
54	M164		90.0	176.0	86.0	.51		18.65	10.27	9.87	4.35	24.3	60's	1.5	1.8	1.2	2.0	
55	M34		93.5	182.5	89.0	.53		16.42	9.07	8.47	4.97	28.0	54's	2.2	2.0	1.2	1.9	
56	M167		86.5	173.5	87.0	.52	974	15.15	8.57	8.47	4.76	26.2	58's	1.5	2.0	1.0	1.0	
15 Average			91.5	181.1	89.6	.53		17.64	9.34	8.87	4.82	26.4	58's	1.88	1.83	1.13	1.60	
Pen 15 - L. A. Nordan - Sire 9197																		
57	M187		92.0	193.5	101.5	.60		18.87	10.99	10.49	4.55	28.5	54's	2.5	1.8	1.0	1.0	
58	M120		103.0	187.0	84.0	.50		18.25	10.16	8.66	4.76	28.9	54's	1.6	1.3	1.2	1.8	
59	M135		89.5	191.5	102.0	.61		19.09	9.60	9.50	4.55	28.0	54's	2.0	1.3	1.2	1.6	
60	M75		104.0	193.0	89.0	.53	988	14.95	7.41	6.11	3.73	27.1	56's	1.5	2.0	1.2	2.0	
16 Average			97.1	191.2	94.1	.56		17.79	9.54	8.69	4.40	28.1	64's	1.90	1.60	1.15	1.60	
OPEN LOT RAMS (RAMBOUILLETS)																		
Leo and Rod Richardson - Sire A-67																		
90	1818	1/1/62	115.5	193.0	77.5	.46		21.13	11.14	9.04	4.76	22.6	62's	1.6	1.3	1.9	1.3	68.4
91	1835	1/1/62	101.0	166.0	65.0	.39		17.23	10.31	9.21	4.14	24.4	60's	2.3	1.0	1.6	3.1	54.3
Average			108.2	179.5	71.3	~~.43~~		19.18	10.73	9.13	~~4.45~~	23.5	60's	1.95	1.15	1.75	2.20	61.4
Substation No. 14 - Sire 6178																		
92	6592	3/5/62	76.5	196.0	119.5	.71		21.35	9.05	9.65	3.73	21.2	64's	3.0	3.4	3.0	3.0	68.5
95	6514	2/23/62	73.0	171.0	98.0	.58		17.63	7.51	8.31	3.93	20.3	70's	2.4	3.9	1.9	2.0	65.8
98	6494	2/18/62	79.0	198.0	119.0	.71	1	19.67	7.62	8.02	3.73	21.3	64's	1.6	2.5	1.5	1.4	77.2
101	6633	3/8/62	72.0	160.5	88.5	.53		18.89	9.89	10.79	3.93	20.9	64's	2.4	2.0	2.6	3.2	63.6
104	6667	3/18/62	63.5	147.5	84.0	.50		14.79	7.29	8.79	3.93	21.9	64's	1.9	2.8	1.6	2.3	52.5
105	6536	2/27/62	67.5	172.0	104.5	.62		20.11	9.34	11.14	3.73	22.0	64's	2.5	2.2	2.5	2.9	71.6
Average			71.9	174.0	102.1	.61		18.89	8.45	9.44	3.83	21.3	64's	2.30	2.65	2.18	2.47	66.5
Substation No. 14 - Sire 6168																		
93	6650	3/10/62	72.0	174.5	102.5	.61		17.41	8.51	9.41	3.73	20.8	64's	1.5	2.9	2.4	1.7	70.7
106	6612	3/6/62	75.5	171.0	95.5	.57		15.33	8.38	9.08	4.14	21.9	64's	1.8	2.6	1.7	2.7	66.2
Average			73.7	172.7	99.0	.59		16.37	8.45	9.25	3.95	21.4	64's	1.65	2.75	2.05	2.00	68.5

(1) Adjusted for initial body weight

Fleece Record - 365 Days

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/19/62	Final Weight 3/6/63	Total Gain	Average Daily Gain	Feed per 100 lbs Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Wt. (1)	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Conformation	Belly Wool	Skin Folds	Face Cover	$Selection Index
Substation No. 14 - Sire 6254																		
94	6589	3/5/62	73.5	173.0	99.5	.59		19.08	8.43	9.33	4.14	22.8	62's	1.9	2.3	1.7	2.7	68.4
109	6535	2/27/62	76.0	184.0	108.0	.64		18.47	7.60	8.24	3.73	23.2	62's	2.0	2.0	1.9	3.0	62.9
113	6574	3/4/62	75.5	181.5	106.0	.63		19.69	8.36	9.04	4.14	21.4	64's	1.4	2.0	1.3	3.9	65.1
Average			75.0	179.5	104.5	.62		19.15	8.13	8.87	4.00	22.5	62's	1.77	2.1	1.63	3.20	65.5
Substation No. 14, Sonora - Sire 6424																		
96	6540	3/9/62	58.0	164.0	106.0	.63		18.65	8.89	10.80	4.35	21.5	64's	2.3	1.4	2.2	3.1	73.5
93	6589	3/9/62	67.0	165.0	98.0	.58		15.95	7.73	9.84	4.35	22.0	62's	1.9	2.5	1.5	2.7	68.3
Average			62.5	164.5	102.0	.61		17.30	8.27	9.92	4.35	22.3	62's	2.10	1.95	1.85	2.9	70.9
Substation No. 14 - Sire 6252																		
107	6501	2/20/62	78.5	176.5	98.0	.58		20.71	10.10	10.64	3.73	21.4	64's	2.3	2.0	3.3	2.6	65.4
108	6492	2/18/62	62.5	155.0	92.5	.55		17.65	7.39	8.30	3.31	22.5	60's	2.7	3.0	2.0	2.4	61.3
97	6576	3/4/62	69.5	174.0	104.5	.62		17.63	6.84	8.78	3.11	20.3	64's	2.5	3.0	1.9	2.0	66.6
100	6484	3/13/62	54.0	151.0	97.0	.58		13.47	6.07	8.27	3.52	21.4	64's	2.5	2.3	2.2	3.4	55.5
102	6478	3/24/62	46.5	150.5	105.0	.63		15.38	6.77	9.37	3.93	21.7	64's	1.4	2.5	2.3	2.7	68.6
105	6482	3/13/62	68.5	243.5	115.0	.68		22.41	10.16	9.26	4.14	22.6	62's	2.4	1.8	2.0	1.8	77.0
110	6491	4/4/62	75.5	185.5	107.0	.64		16.79	8.38	8.43	4.14	21.9	64's	2.2	2.8	1.3	3.5	67.1
111	6655	3/12/62	67.0	178.0	111.0	.66		13.60	6.75	7.61	3.73	23.4	62's	1.8	3.3	1.2	2.4	68.8
112	6607	3/6/62	58.5	161.0	102.5	.65		14.93	7.48	9.73	3.93	21.9	64's	2.8	2.6	1.8	2.9	71.4
Average			66.2	170.6	104.4	.65		16.89	7.77	9.09	3.73	22.1	64's	2.24	2.59	1.89	2.63	66.9
Pens 23-24 - Carl Martin - Sires 6 and 13 Delaines (Feedlot Group)																		
263	56M		107.5	180.5	73.0	.46		21.25	8.22	6.62	3.95	21.8	64's	1.9	2.50	1.4	1.00	
264	57M		87.5	160.5	73.0	.46		15.77	6.91	6.71	4.14	21.2	64's	2.0	2.50	1.3	1.45	
265	60M		85.5	157.5	72.0	.46		17.01	6.77	6.37	4.76	20.2	70's	2.4	1.99	1.5	1.90	
266	66P		79.0	143.5	64.5	.38		17.63	7.83	7.85	5.14	24.3	60's	1.9	1.99	1.3	2.60	
267	64M		72.0	137.0	65.0	.39		18.47	7.74	8.61	4.14	21.3	64's	2.6	2.50	2.1	3.35	
268	61M		75.5	135.5	60.0	.36		16.39	7.37	8.97	4.35	20.6	64's	1.9	2.00	1.3	2.56	
269	65P		72.0	145.5	73.5	.44		16.47	6.71	9.04	4.97	19.7	70's	2.0	2.00	2.5	2.06	
270	62M		72.0	136.5	64.5	.38	1095	11.61	5.39	6.16	3.52	20.2	70's	1.9	2.00	1.3	1.10	
XAverage			81.3	152.4	71.1	.41		16.84	7.22	7.97	4.45	21.2	67's	1.96	1.94	1.64	2.00	

(1) Adjusted for initial body weight

Fleece Record - 365 Days

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/19/62	Final Weight 3/6/63	Total Gain	Average Daily Gain	Feed per 100 lbs Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Wt.(1)	Staple Length Inches	Fiber Diam-Microns	Spinning count	Conformation	Belly Wool	Skin Folds	Face Cover	Selection Index
Carl Martin (Pasture Group)- Menard																		
301	54H		76.0	146.0	70.0	.42		14.31	7.93	8.53	3.52	21.5	64's	2.5	2.50	2.0	2.75	
302	55H		80.0	162.0	82.0	.49		19.34	7.87	8.27	3.93	20.2	70's	2.2	1.75	2.3	3.00	
303	51H		70.0	144.0	74.0	.44		12.67	6.33	7.43	3.11	22.3	62's	2.4	1.75	1.7	1.00	
304	58H		76.0	147.0	71.0	.42		16.79	6.23	6.83	3.52	21.8	64's	1.9	2.00	1.9	2.00	
305	63H		80.0	188.0	108.0	.64		21.13	8.88	9.28	4.35	22.8	62's	2.0	3.00	2.5	2.75	
306	68F		71.0	167.0	96.0	.57		18.25	6.98	7.98	3.73	22.9	62's	2.0	2.00	2.0	1.00	
307	69P		77.0	143.0	66.0	.39		17.23	7.10	7.70	3.93	20.8	64's	2.3	1.50	1.9	1.75	
308	67P		71.0	134.0	63.0	.37		15.77	6.35	7.35	3.73	20.7	64's	2.5	2.00	1.7	2.50	
Average			75.1	153.9	78.8	.47		16.45	7.21	7.92	3.73	21.6	64's	2.23	2.06	2.29	2.09	
Pens 25-26 Virgil Powell (Feedlot Group)																		
271	C22		84.5	186.0	101.5	.60		18.03	9.89	9.89	4.97	25.1	58's	2.6	2.50	1.7	1.00	
272	C35		80.0	167.5	87.5	.52		18.03	8.71	9.11	3.93	23.6	60's	2.1	1.75	2.4	1.83	
273	C13		87.5	174.5	87.0	.52		18.25	9.48	9.28	4.35	23.7	60's	2.0	1.75	1.3	1.56	
274	C24		84.0	177.0	93.0	.55		17.01	8.61	8.71	4.55	21.9	64's	2.0	1.25	2.4	1.00	
275	C29		86.5	176.0	89.5	.53		15.77	8.34	8.24	4.97	23.4	62's	2.4	1.25	2.0	1.16	
276	C31		75.5	157.0	81.5	.49		18.03	8.65	9.35	4.14	23.3	62's	2.9	1.50	2.4	1.00	
277	C39		77.0	172.0	85.0	.51		15.95	7.47	8.07	3.73	22.0	64's	1.7	1.25	1.9	1.43	
278	C40		85.5	172.0	86.5	.51		16.79	6.60	6.60	3.11	24.2	60's	2.1	1.25	2.7	1.00	
279	C19		99.5	177.5	78.0	.46		17.81	8.67	7.67	4.35	22.8	62's	1.5	1.00	1.2	1.00	
280	C30		87.5	180.0	92.5	.55	961	17.81	8.94	8.74	4.55	22.1	62's	3.1	1.75	3.3	1.00	
Average			84.7	173.9	89.2	.52		17.35	8.54	8.57	4.27	2.32	62's	2.24	1.53	2.13	1.20	
Virgil Powell (Pasture Group) Ft. McKavett																		
317	C26		78.0	105.0	27.0	.16		10.58	6.75	7.25	3.31	21.0	64's	2.0	2.16	1.1	1.00	
318	C18		65.0	114.0	49.0	.29		12.45	6.21	7.61	3.73	21.4	64's	2.3	2.16	1.2	1.00	
319	C33		74.0	100.0	26.0	.15		10.77	5.38	6.18	3.73	21.2	64's	2.3	1.60	1.4	1.00	
320	C21		52.0	94.0	42.0	.25		9.53	4.91	7.21	3.31	22.6	62's	2.5	2.16	1.4	1.00	
321	C14		67.0	118.0	51.0	.30		10.37	6.04	7.34	3.93	21.9	64's	2.3	2.50	1.2	1.00	
322	C15		71.0	115.0	44.0	.26		11.42	5.80	6.80	3.93	22.7	62's	2.0	1.50	1.7	1.00	
323	C27		71.0	115.0	44.0	.26		13.07	6.81	5.81	4.55	21.4	64's	2.7	1.50	1.2	1.00	
324	C34		65.0	101.0	36.0	.21		12.04	5.51	6.91	2.69	23.3	62's	2.0	2.00	1.7	1.16	
325	C28		60.0	101.0	41.0	.24		10.98	6.07	7.87	3.52	20.8	64's	2.1	2.00	1.3	1.00	
326	C38		64.0	117.0	53.0	.32		13.69	6.17	7.67	3.73	21.6	64's	2.7	2.16	1.3	1.00	
(1)Adj.-Init. Bdy Wt. Ave			66.7	108.0	41.3	.24		11.49	5.97	7.07	3.64	21.8	64's	2.29	2.00	1.35	1.02	

Ram Test No.	Flock No.	Initial Weight 9/19/62	Final Weight 3/6/63	Total Gain	Average Daily Gain	Feed per 100 lbs Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Wt.(1)	Staple Length Inches	Fiber Diam-Microns	Spin-ning count	Con-forma-tion	Belly Wool	Skin Folds	Face Cover	Selec-tion Index
Powell, Big Lake (Pasture Group)																	
327	C23	85.0	112.0	27.0	.16		9.96	6.27	6.27	3.52	19.9	70's	2.6	1.62	1.1	1.12	
328	C12	78.0	113.0	35.0	.21		9.13	4.55	5.35	2.90	20.2	70's	2.4	2.75	1.3	1.00	
329	C17	77.0	91.0	14.0	.08		9.53	4.24	5.14	2.48	20.8	64's	2.2	1.60	1.3	1.00	
330	C20	66.0	97.0	31.0	.18		8.50	4.53	5.83	3.73	21.3	64's	2.4	2.50	1.2	1.00	
331	C32	78.0	96.0	18.0	.11		8.72	4.72	5.52	3.52	20.7	64's	2.4	1.50	1.4	1.00	
332	C37	76.0	101.0	25.0	.15		8.72	5,11	5.71	3.73	18.7	80's	2.0	2.25	1.2	1.50	
333	C25	81.0	116.0	35.0	.21		13.07	6.67	6.97	3.31	21.1	64's	1.6	1.60	1.1	1.00	
334	C11	80.0	111.0	31.0	.18		8.10	4.74	5.14	3.11	20.5	70's	1.9	2.25	1.3	1.00	
335	C16	72.0	102.0	30.0	.18		12.23	5.78	6.68	3.93	22.0	64's	2.1	1.50	1.5	1.16	
336	C36	95.0	131.0	36.0	.21		9.96	5.34	4.64	3.31	20.9	64's	2.3	2.50	1.8	1.00	
Average		78.8	107.0	28.2	.17		9.79	5.20	5.73	3.35	20.6	70.s	2.19	2.11	1.32	1.08	
Pens 27-?? Roy Jacoby (?Feedlot Group)																	
281	79	96.5	168.5	72.0	.43		18.47	8.20	7.40	3.52	23.8	60's	2.1	2.00	2.0	1.84	
282	75	96.5	172.0	75.5	.45		14.70	7.85	7.05	3.73	21.5	64's	2.3	2.50	1.3	2.40	
283	78	125.5	215.0	89.5	.53		18.65	9.13	6.33	3.52	21.9	64's	2.4	2.83	1.5	2.57	
284	72P	110.5	210.0	99.5	.59		22.81	10.83	9.03	3.73	22.0	64's	2.1	2.60	2.0	3.05	
285	84P	101.0	179.5	78.5	.47		18.03	8.11	7.01	3.73	22.4	62's	2.0	2.00	1.3	1.60	
286	85P	99.5	174.0	74.5	.44		17.01	8.59	7.59	3.93	21.4	64's	2.0	2.00	1.5	1.57	
287	81P	103.0	184.5	81.5	.49		15.55	7.39	6.09	3.73	22.4	62's	1.9	2.00	1.5	1.70	
288	83P	115.0	206.0	91.0	.54	1010	17.01	8.78	6.68	3.93	25.2	58's	1.9	1.50	1.6	2.50	
Average		105.9	188.7	82.8	.49		17.79	8.61	7.15	3.73	22.6	62's	2.09	2.18	1.59	2.15	
Roy Jacoby - Pasture Group (Menard)																	
309	71	110.0	128.0	18.0	.12		13.29	7.60	5.80	4.14	20.3	70's	3.4	2.75	1.3	2.00	
310	70	90.0	106.0	16.0	.10		12.04	6.98	6.58	3.93	19.6	70's	2.2	2.75	1.2	2.75	
311	74	98.0	122.0	24.0	.14		11.42	6.27	5.37	3.52	20.2	70's	3.3	3.25	1.2	3.50	
312	82	96.0	126.0	30.0	.18		11.61	6.29	5.49	3.31	19.4	70's	2.1	2.00	1.3	1.50	
313	77	99.0	117.0	18.0	.11		9.13	4.95	3.95	3.73	19.3	70's	2.3	2.50	1.2	2.50	
314	80	95.0	122.0	27.0	.16		10.98	5.98	5.28	3.11	21.0	64's	2.5	3.00	1.4	2.75	
315	73	99.0	122.0	23.0	.14		10.58	6.15	5.15	3.52	21.8	64's	2.3	1.75	1.4	2.75	
316	76	100.0	Died														
Average		98.3	120.4	22.1	.14		11.29	6.32	5.37	3.61	20.2	70's	2.59	2.57	1.29	2.54	

(1) Adjusted for initial body weight

Fleece Record - 365 Days

Ram Test No.	Flock No.	Initial Weight 9/19/62	Final Weight 3/6/63	Total Gain	Average Daily Gain	Feed per 100 lbs Gain(1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Wt.(1)	Staple Length Inches	Fiber Diam Microns	Spinning Count	Conformation	Belly Wool	Skin folds	Face cover	Selection
Pens 29-30 Phillip Robbins (Feedlot Group)																	
289	6264	80.0	179.0	98.0	.58		16.79	7.70	8.10	4.35	23.6	60's	2.3	2.75	2.2	2.90	
290	6250	55.0	146.0	89.5	.53		14.70	7.95	10.05	4.14	21.6	64's	3.5	2.00	1.3	3.70	
291	6255	77.5	171.0	93.0	.55		17.23	7.16	7.66	4.14	23.4	62's	1.5	2.50	1.3	2.16	
292	6252	71.5	153.0	82.0	.49		19.27	7.58	8.48	4.35	22.4	62's	3.5	1.50	1.7	3.83	
293	6257	86.5	178.0	91.5	.54		18.65	8.07	7.97	4.35	24.4	60's	1.6	2.25	1.3	1.83	
294	6261	71.0	142.0	71.0	.42	1156	17.63	8.18	9.18	4.55	21.6	64's	3.1	2.50	1.3	1.00	
Average		73.5	161.1	87.0	.52		17.38	7.77	8.57	4.31	22.8	62's	2.58	2.25	1.52	2.57	
Phillip Robbins - Pasture Group (Ft. Stockton)																	
295	6266	69.0	90.0	21.0	.15		6.64	3.77	4.87	3.31	19.3	70's	2.0	2.50	1.3	3.00	
296	6274	68.0	88.0	20.0	.12		9.34	4.84	6.04	3.52	20.1	70's	2.3	2.50	1.2	3.16	
297	6212	80.0	100.0	20.0	.12		10.37	5.68	6.08	3.73	19.2	70's	2.0	2.16	1.3	2.50	
298	6269	71.0	103.0	32.0	.19		10.58	5.36	6.36	3.52	19.4	70's	2.1	2.50	1.2	2.83	
299	6209	72.0	97.5	25.5	.15		10.37	5.51	6.41	3.52	18.9	80's	2.0	2.60	1.1	2.00	
300	6256	59.0	85.0	26.0	.15		7.88	4.22	6.02	3.52	18.8	80's	1.9	2.00	1.1	2.50	
Average		69.8	93.9	24.1	.14		9.20	4.90	5.96	3.52	19.3	70's	2.05	2.38	1.20	2.67	

(1) Adjusted for initial body weight