

[1974-1975 Ram Performance Test]

																		Ultrasonic				
																		Rib-	Fat			
Test Flock	Date	Type	Age	Initial	Final	Ave.	Grease	Clean	%	Staple	Fiber	Spin-	Face	Belly	Body	eye	Thick-	ROM	TAMU			
No.	No.	Birth	of	of	Weight	Weight	Daily	Fleece	Fleece	Clean	Length	Diam.	ning	Cover	Wool	Fold	ness	Index	Index			
No.	No.	Birth	Sire	Dam	Dam	10/2/74	2/12/75	Gain	Lbs.	Wt.Lbs.	Wt.Lbs.	Yield	In.	Micr.	Count	Score	Score	Score	Sq.In.	In.	Index	Index
Pen 1 & 13. Owner: L.W. Whittenburg, San Angelo																						
1	947	1/74	1	804	530	4	154	225	.534	25.7	12.07	47.0	3.92	21.0	64s	3.2	1.6	1.6	3.28	.24	80.0	63.7
2	942	1/74	1	804	526	4	170	240	.526	22.1	10.55	47.7	3.86	21.8	64s	1.9	2.0	1.5	3.00	.32	77.5	60.2
3	923	1/74	1	804	534	4	152	206	.406	25.4	12.71	50.0	4.19	23.6	60s	3.2	2.3	1.7	2.32	.20	77.6	59.8
4	927	1/74	1	804	537	4	153	226	.549	24.9	12.73	51.2	4.91	21.4	64s	1.0	2.6	2.5	3.16	.38	90.5	78.9
5	967	1/74	1	804	521	4	180	255	.564	29.7	14.30	48.2	4.27	21.8	64s	2.8	2.5	2.2	3.80	.44	90.9	69.6
6	939	1/74	1	804		4	165	222	.429	21.9	9.94	45.4	4.09	22.0	64s	1.2	2.8	2.8	2.80	.36	67.1	52.3
Ave.							162.3	229.0	.501	25.0	12.05	48.3	4.21	21.9	64s	2.2	2.3	2.1	3.06	.32	80.1	64.0
Pen 2. Owner: Pat Rose III, Brackettville																						
7	R651	11/2/73	2	R35	R160	5	138	235	.729	26.2	13.93	53.2	5.15	22.2	62s	1.1	1.5	1.2	1.88	.22	112.0	106.0
8	R681	11/10/73	1	R211	R496	2	130	230	.752	25.4	14.35	56.6	5.37	19.8	70s	2.1	1.8	1.2	1.92	.34	112.9	104.3
9	R735	11/14/73	1	R211	R312	3	135	243	.812	22.1	10.74	48.3	5.31	20.4	70s	1.3	3.0	1.3	3.48	.26	103.8	95.6
10	R649	10/28/73	2	R419	R94	5	137	241	.782	27.1	13.05	48.2	4.97	22.2	62s	1.1	2.7	1.8	1.84	.24	108.5	102.8
Ave.							135.0	237.3	.769	25.2	13.02	51.6	5.20	21.2	64s	1.4	2.3	1.4	2.28	.27	109.2	100.8
Pen 3. Owner: Pat Rose III, Brackettville																						
11	R775	12/4/73	1	R35	R212	4	136	261	.940	29.9	15.10	50.4	5.55	19.6	70s	1.0	2.6	1.5	2.72	.26	130.0	122.2
12	R731	11/14/73	2	R35	R200	4	137	220	.624	21.9	12.23	55.8	4.70	22.4	62s	1.2	2.5	1.2	3.04	.24	96.8	90.8
13	R787	1/9/74	1	R35	R430	2	109	205	.722	24.3	12.20	50.1	4.31	22.2	62s	2.0	1.8	1.4	3.64	.30	97.8	94.1
14	R813*	2/13/74	2	R35	R208	4	91	183	.692	24.3	12.07	49.6	5.52	21.2	64s	1.3	3.2	2.1	.36	.36	99.6	103.8
Ave.							118.3	217.3	.745	25.1	12.90	51.5	5.02	21.4	64s	1.4	2.5	1.6	.29	.29	105.8	101.2
Pen 4. Owner: Ralph Allen, Leaday																						
15	190						79	163	.632	15.8	7.91	50.2	4.36	19.1	70s	1.8	2.5	1.2	3.04	.16	76.8	80.3
16	189						81	167	.647	17.0	8.60	50.5	3.89	18.9	80s	3.8	3.0	1.2	2.16	.18	72.6	71.6
17	191						76	164	.662	17.1	7.89	46.1	4.30	20.0	70s	3.2	3.2	1.4	2.40	.24	73.3	74.6
18	192						81	194	.820	18.1	7.99	44.1	3.65	19.8	70s	2.7	1.8	2.0	2.40	.30	79.7	80.9
Ave.							79.3	172.0	.690	17.0	8.10	47.7	4.05	19.5	70s	2.9	2.6	1.5	2.50	.22	75.3	76.5
Pen 5. Owner: Johnny Jamison, Voss																						
19	783	3/74	1	A39	387	2	82	173	.684	18.1	9.54	52.7	4.94	19.4	70s	2.5	1.8	1.3	2.48	.44	86.3	87.6
20	796	3/74	1	A39	378	2	106	217	.835	17.3	9.24	53.4	3.86	20.7	64s	1.4	2.9	1.9	2.40	.42	90.7	88.9
22	781	3/74	1	A39	390	2	102	207	.789	23.3	11.69	50.3	4.39	19.0	80s	1.0	3.0	1.6	2.84	.34	96.7	102.1
Ave.							96.7	199.0	.769	19.6	10.16	52.1	4.40	19.7	70s	1.6	2.6	1.6	2.57	.40	93.2	93.0

* - By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

																Ultrasonic						
Test Flock		Date	Type			Age	Initial	Final	Ave.	Grease	Clean	%	Staple	Fiber	Spin-	Face	Belly	Body	Rib-	Fat	ROM	TAMU
No.	No.	Birth	Birth	Sire	Dam	Dam	10/2/74	2/12/75	Lbs.	Wt.Lbs.	Wt.Lbs.	Yield	In.	Micr.	Count	Score	Score	Score	Area	Thick-	Index	Index
Pen 6. Owner: Clyde Thate, Burkett																						
23p	B306	12/73	1	E2328	B179	3	143	232	.669	21.0	9.80	46.6	3.96	20.8	64s	2.4	2.6	1.0	3.84	.42	84.0	71.8
24p	B303	12/73	1	E2328	B133	4	124	233	.820	16.2	9.35	57.6	4.05	19.8	70s	2.1	3.8	1.0	3.76	.44	92.5	85.2
Ave.							133.5	232.5	.744	18.6	9.58	52.1	4.01	20.3	70s	2.2	3.2	1.0	3.80	.43	88.4	78.7
Pen (Large Lot). Owner: Rodney Davis, Sonora																						
25p	510	3/74	2	D319			103	181	.587	16.3	8.42	51.6	4.53	22.0	64s	2.5	3.0	1.3	3.16	.30	74.3	75.0
Pen 7. Owner: Haby & Haby, Rocksprings																						
26	1702*	3/15/74	2	1939	31	3	93	196	.774	20.8	10.79	51.8	5.32	19.8	70s	2.6	1.7	1.6	2.36	.36	96.7	97.9
27	1649	3/5/74	1	1939	1245	4	107	201	.707	26.2	13.80	52.7	5.07	19.9	70s	2.9	3.1	1.9	2.80	.38	101.6	96.5
28	1607	12/73	2	1939	1240	4	106	172	.496	15.5	7.86	50.9	4.73	18.2	80s	2.1	2.7	1.2	2.96	.24	69.0	68.3
29	1720	3/20/74	1	1939	9	4	104	221	.880	19.5	9.88	50.7	4.35	20.6	64s	1.7	2.5	1.8	3.96	.32	97.4	95.4
Ave.							102.5	197.5	.714	20.5	10.58	51.5	4.87	19.6	70s	2.3	2.5	1.6	3.02	.33	91.3	88.5
Pen 8. Owner: Leo & Rod Richardson, Iraan																						
30	85*	1/74		2041	1983		148	240	.692	26.4	13.13	49.7	4.98	21.0	64s	1.8	1.8	1.8	2.56	.38	101.4	89.2
32	433	12/73		2040	1909		141	249	.812	27.0	14.52	53.9	5.07	22.3	62s	1.6	2.9	1.7	3.88	.48	115.5	105.4
33	434	12/73		2041	1954		160	261	.759	25.7	14.28	55.5	4.59	20.6	64s	1.8	1.8	1.7	3.24	.36	108.8	94.0
Ave.							149.7	250.0	.754	26.4	13.98	53.0	4.88	21.3	64s	1.7	2.2	1.7	3.23	.41	108.8	96.5
Pen 9. Owner: Leo & Rod Richardson, Iraan																						
34	269	1/74		1552	1786		140	222	.617	27.3	14.31	52.5	4.81	21.6	64s	2.6	2.3	1.6	4.40	.34	99.3	87.4
35	266*	12/73		1552	1844		127	211	.632	23.3	13.43	57.7	4.68	23.8	60s	1.1	2.3	1.9	2.28	.32	99.5	93.5
36	270	1/74		1552	1540		118	199	.609	21.6	12.71	58.9	5.41	20.8	64s	2.6	1.4	1.6	2.76	.38	94.8	87.9
37	268	12/73		1552	2069		135	215	.602	28.3	16.12	57.0	5.24	23.8	60s	2.2	2.6	1.9	2.94	.34	107.4	97.4
Ave.							130.0	211.8	.615	25.1	14.14	56.5	5.04	22.5	62s	2.1	2.2	1.8	3.10	.35	100.1	91.5
Pen 10. Owner: Toby Hutto, Del Rio																						
38	253	3/74		1039	RH28	3	102	176	.556	20.9	11.00	52.7	4.56	20.8	64s	1.0	2.7	2.8	2.36	.20	81.4	81.3
39	254	3/74		1039	RH98	2	73	186	.850	18.4	10.79	58.7	5.12	20.7	64s	1.0	2.8	1.6	2.76	.32	105.2	111.7
40	259	3/74		1039	RH47	3	92	178	.602	19.2	10.68	55.6	4.49	21.4	64s	1.2	2.8	3.0	3.60	.28	81.2	82.9
41	255	3/74		1039	RH22	5	96	191	.714	19.8	10.76	54.5	4.92	18.6	80s	1.1	3.4	1.9	2.92	.36	94.7	95.7
Ave.							90.8	182.8	.681	19.6	10.81	55.4	4.77	20.4	70s	1.1	2.9	2.3	2.91	.29	90.7	92.9

p - By test number indicates polled ram.

* - By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

Test Flock No.	Date of Birth	Type of Birth	Sire	Dam	Age of Dam	Initial Weight 10/2/74	Final Weight 2/12/75	Ave. Daily Gain Lbs.	Grease Fleece Wt.Lbs.	Clean Fleece Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spin-ning Count	Face Cover Score	Belly Wool Score	Body Fold Score	Ultrasonic		ROM Index	TAMU Index	
																		Rib-eye Area	Fat Thickness			
Pen 11. Owner: Eddy Smith, Sonora																						
42	1025					98	196	.737	18.9	9.80	51.8	4.24	23.6	60s	2.7	1.8	2.5	3.16	.14	82.3	79.7	
43	1032					91	168	.579	21.4	11.69	54.7	5.35	22.9	62s	3.3	2.1	2.0	2.48	.16	85.0	82.8	
44	1037					95	180	.639	19.0	10.02	52.8	3.94	24.2	60s	3.5	2.4	3.0	2.52	.26	71.7	68.1	
45	1044					91	202	.835	20.0	11.51	57.6	4.83	24.3	60s	3.2	2.1	3.0	2.76	.20	93.7	91.8	
Ave.						93.8	186.5	.698	19.8	10.76	54.2	4.59	23.8	60s	3.2	2.1	2.6	2.73	.19	83.3	80.6	
Pen 12. Owner: Roger Landers, Menard																						
46	277	2/74	1	R993	208	6	112	204	.692	23.2	10.50	45.2	3.89	22.7	62s	2.5	2.4	1.4	3.28	.22	86.0	80.6
47	R1040	1/74	1	R1007	943	8	114	192	.587	17.0	9.16	53.8	4.24	19.6	70s	1.0	2.2	1.6	3.16	.18	79.4	76.6
48	F388	1/74	1	R1007	F314	6	97	191	.707	18.4	10.52	57.2	4.69	20.7	64s	1.1	2.4	1.3	2.76	.22	94.8	95.6
49	R1055	2/74	1	R993	957	6	112	214	.767	20.2	9.94	49.1	4.16	20.2	70s	1.7	3.3	1.4	2.84	.24	91.7	87.9
Ave.						108.8	200.3	.688	19.7	10.03	51.3	4.25	20.8	64s	1.6	2.6	1.4	3.01	.22	88.0	85.1	
Pen 13. Owner: Roger Landers, Menard																						
50	R1045*	1/74	1	R1007	977	5	100	193	.699	20.3	10.66	52.6	5.04	21.3	64s	1.0	2.6	1.4	2.72	.20	96.1	96.5
51	F390	1/74	1	R1007	F349	4	108	215	.805	22.2	13.24	59.7	5.08	22.1	62s	1.9	2.8	1.8	2.80	.24	108.7	105.4
52	R1056	2/74	1	R993	1007	4	113	205	.692	21.4	10.44	48.9	4.89	22.9	62s	1.4	2.6	1.4	1.64	.18	93.0	89.6
Ave.						107.0	204.3	.732	21.3	11.45	53.7	5.00	22.1	62s	1.4	2.7	1.5	2.39	.21	99.5	97.5	
Pen 14. Owner: Vergil Powell, Big Lake																						
53	E1			C4		107	187	.654	15.2	9.78	64.4	4.86	20.6	64s	1.0	3.1	1.1	2.12	.12	90.4	89.1	
54	E6			C4		102	188	.647	19.2	10.18	53.0	4.26	22.7	62s	1.0	1.4	1.7	2.80	.20	86.8	86.7	
55	E5			C4		97	184	.654	14.6	8.52	58.3	4.90	21.4	64s	1.0	3.2	1.2	2.80	.15	85.1	86.1	
56	E10			B24		99	167	.511	15.2	9.43	62.0	5.12	21.2	64s	1.0	3.2	1.1	2.16	.22	81.5	82.0	
57	E3			C4		111	192	.609	18.1	9.59	52.9	4.11	22.2	62s	1.0	3.2	1.9	1.80	.20	80.7	78.6	
Ave.						103.2	183.6	.635	16.5	9.50	58.1	4.65	21.6	64s	1.0	2.8	1.4	2.34	.18	86.1	85.7	
Pen 15. Owner: San Angelo Research & Extension Center (commercial rams fed for slaughter)																						
58	NN					80	146	.492	14.1	6.05	42.9	3.06	20.2	70s	3.8	3.1	1.2	2.40	.20	49.8	49.0	
59	549					114	185	.534	20.3	12.47	61.4	5.02	26.3	58s	1.0	2.5	1.2	2.84	.34	94.2	91.4	
60	250					113	182	.519	18.2	9.46	52.1	3.89	25.4	58s	3.2	2.2	1.3	3.20	.38	69.7	62.7	
61	171					120	200	.602	19.2	9.38	48.9	3.95	22.4	62s	3.3	3.2	1.5	3.32	.24	73.5	64.7	
Ave.						106.8	178.3	.537	18.0	9.34	51.3	3.98	23.6	60s	2.8	2.8	1.3	2.94	.29	71.9	67.1	

* - By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

		Date		Type	Age		Initial	Final	Ave.	Grease	Clean	%	Staple	Fiber	Spin-	Face	Belly	Body	Ultrasonic		ROM	TAMU
Test No.	Flock No.	of Birth	of Birth	Sire	Dam	of Dam	Weight 10/2/74	Weight 2/12/75	Daily Gain Lbs.	Fleece Wt.Lbs.	Fleece Wt.Lbs.	Clean Yield	Length In.	Diam. Micr.	ning Count	Cover Score	Wool Score	Fold Score	Rib- eye Area	Fat Thick- ness	Index	Index
Lot 3. Owner: Clinton Hodges, Sterling City																						
63	8259	12/73	1	6422	2352	2	115	215	.752	19.5	9.62	49.4	4.23	24.0	60s	1.9	2.3	1.2	4.32	.26	90.0	85.2
64	8428	12/73	1	6422	6330	2	133	229	.722	22.4	13.51	60.2	5.54	22.3	62s	2.6	1.8	1.3	3.48	.28	106.5	96.2
65	8312	12/73	1	6422	6391	2	135	224	.669	19.7	8.26	41.8	4.16	22.0	64s	1.0	3.5	1.2	2.96	.38	82.0	74.4
66	8408	12/73	1	6422	6250	2	126	207	.609	17.3	9.72	56.2	4.52	21.2	64s	2.8	2.6	1.1	2.88	.30	80.7	71.6
67	8444	12/73	1	6422	2406	2	133	231	.737	21.1	11.24	53.4	4.90	22.1	62s	1.6	2.0	1.1	2.12	.36	99.6	91.3
68	8191	12/73	1	6422	2424	2	123	199	.571	17.6	11.24	63.9	4.97	24.8	60s	3.0	2.2	1.4	2.32	.34	84.5	75.6
69	8186	12/73	1	6422	2320	2	136	210	.556	19.5	10.44	53.6	4.64	27.0	56s	1.9	2.2	1.3	2.68	.34	82.8	73.2
70	8171	12/73	1	6422	2185	2	132	212	.602	22.7	10.31	45.5	4.20	23.2	62s	1.9	2.2	1.6	2.84	.24	82.1	73.4
Ave.							129.1	215.9	.652	20.0	10.54	53.0	4.65	23.3	62s	2.1	2.4	1.3	2.95	.31	88.4	79.3
Lot 4. Owner: Gerald Porter, Fort Stockton																						
71	1827						141	219	.594	18.4	9.46	51.5	4.74	23.4	62s	2.4	3.6	1.7	3.04	.24	78.4	66.7
72	1900	2/74	1	1279	A867		125	198	.696	21.4	11.69	54.6	4.92	23.4	62s	3.0	1.8	1.9	2.80	.12	91.6	82.3
73	1822	2/74	1	1279	A984		117	185	.549	19.2	10.07	52.4	4.19	21.5	64s	2.4	2.3	2.1	3.28	.20	74.4	68.1
74	1879	2/74	1	1279	1137		136	192	.511	18.1	9.16	50.5	3.76	21.2	64s	1.1	2.9	1.4	3.64	.42	73.4	65.4
75	1806	12/73	1	257	A788		148	225	.421	27.0	12.68	46.9	4.81	24.8	58s	2.8	1.9	2.9	2.64	.20	75.2	61.1
76	1845	12/73	1	257	A866		145	204	.579	21.9	11.69	53.4	4.60	23.3	62s	2.2	2.2	2.0	2.76	.22	85.3	73.1
77	1818	12/73	1	257	1163		137	224	.444	25.0	14.12	56.5	4.56	26.7	56s	2.7	2.1	2.7	2.84	.22	82.5	71.0
78	1801	2/74	1	1279	1167		129	208	.654	19.0	7.17	37.7	3.85	21.5	64s	2.0	3.6	1.5	3.64	.18	71.3	63.1
Ave.							134.8	206.8	.556	21.3	10.76	50.4	4.42	23.2	62s	2.3	2.3	2.0	3.08	.23	79.2	69.1
Lot 5. Owner: Toby Hutto, Del Rio																						
79	211	11/73	2	1039	RH73	3	130	194	.481	21.1	13.67	64.7	5.81	20.6	64s	2.5	3.2	1.2	2.84	.28	94.5	87.5
80	230	11/73	2	1939	RH16	5	145	256	.835	18.9	9.72	51.4	4.55	21.4	64s	1.9	2.6	1.2	2.96	.38	96.7	87.5
81p	220	10/73	2	1939	RH14	5	133	228	.714	24.1	12.97	53.9	5.00	21.8	64s	2.8	3.0	1.4	2.76	.32	100.7	92.5
82	218	11/73	1	1039	RH58	4	137	213	.571	19.5	11.64	59.7	4.79	20.9	64s	1.5	3.3	1.4	3.20	.32	89.9	80.9
83	204*	11/73	1	1039	RH43	5	123	233	.827	22.5	12.12	53.4	4.81	20.7	64s	1.1	2.5	2.4	3.20	.34	104.4	99.4
84	227	11/73	2	1939	RH55	4	124	200	.571	21.4	11.99	56.0	4.29	22.2	62s	3.6	2.5	1.6	2.88	.28	81.3	74.4
85	207	11/73	2	1039	RH72	3	113	182	.519	18.1	9.06	49.9	4.08	21.5	64s	2.2	2.7	1.7	2.12	.22	70.3	67.8
86	232	10/73	1	1039	RH53	4	160	233	.549	23.5	12.81	54.6	4.97	19.6	70s	2.7	3.3	1.8	2.84	.38	88.8	72.1
Ave.							133.1	217.4	.633	21.1	11.75	55.5	4.79	21.1	64s	2.3	2.9	1.6	2.85	.32	90.8	81.1
Lot 6. Owner: Haby & Haby, Rocksprings																						
87	1674	3/5/74	1	CH	1103	5	105	184	.594	18.1	9.80	54.0	4.39	19.6	70s	1.4	2.3	1.6	2.48	.32	81.8	80.2
88	1684	4/1/74	1	CH	1356	3	90	164	.556	18.4	9.46	51.4	4.66	18.9	80s	1.3	3.4	1.4	2.08	.20	80.3	82.3
89	1770	3/25/74	1	1939	1457	2	68	173	.789	19.2	8.84	46.1	4.03	22.5	62s	2.6	2.7	1.8	2.24	.30	83.8	88.2
90	1615	2/18/74	2	CH	1006	6	94	190	.722	18.1	9.72	53.6	4.08	19.4	70s	1.7	3.3	2.0	2.44	.24	85.4	88.2
91	1676	2/27/74	1	CH	1027	6	87	176	.669	18.1	10.26	56.6	4.72	20.0	70s	2.3	2.4	1.8	3.08	.30	86.0	86.6
92	1652*	3/15/74	1	1939	1422	2	93	191	.737	22.9	11.14	48.6	5.64	21.7	64s	1.0	2.7	2.0	3.12	.20	100.3	102.2
93	1693	3/15/74	1	CH	W751		85	191	.797	20.3	10.23	50.4	4.60	21.9	64s	1.4	2.9	2.0	2.68	.34	94.9	97.8
Ave.							88.9	181.3	.695	19.3	9.92	51.5	4.59	20.6	64s	1.7	2.8	1.8	2.59	.27	87.4	88.9

p - By test number indicates polled ram. * - By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

										Ave.				Ultrasonic							
Test Flock	Date	Type	Age	Initial	Final	Daily	Grease	Clean	%	Staple	Fiber	Spin-	Face	Belly	Body	Rib-	Fat	ROM	TAMU		
No.	No.	Birth	of Birth	Sire	Dam	Gain	Fleece	Fleece	Clean	Length	Diam.	ning	Cover	Wool	Fold	eye	Thick-	Index	Index		
						Lbs.	Wt.Lbs.	Wt.Lbs.	Yield	In.	Micr.	Count	Score	Score	Score	Area	ness				
Lot 7. Owner: Miles Pierce, Alpine																					
94	D8115	3/74				76	136	.451	13.6	8.29	61.1	5.09	20.4	70s	3.5	2.7	1.2	2.00	.22	65.3	66.0
95	D8130	3/74				80	169	.669	15.7	8.05	51.2	4.85	21.3	64s	1.8	3.3	1.1	2.44	.14	81.9	85.2
96p	D8101	3/74				83	158	.564	16.5	8.84	53.5	4.32	21.4	64s	3.2	2.2	1.4	2.12	.20	71.3	71.0
97	D8127	3/74				85	183	.737	16.0	9.30	58.3	5.07	21.6	64s	3.0	2.9	1.4	2.20	.24	87.1	86.8
98	D8102	3/74				81	165	.632	16.8	9.11	54.2	4.64	20.8	64s	2.6	2.5	1.1	2.72	.20	80.7	82.1
99	D8381	3/74				73	150	.579	15.7	8.74	55.5	4.17	22.3	62s	3.4	2.0	1.3	1.88	.20	71.0	72.6
100	D8116	3/74				72	135	.474	14.6	7.89	53.9	4.66	18.0	80s	2.8	2.3	1.3	2.44	.20	65.0	68.1
101	D8122	3/74				81	159	.586	15.5	8.34	54.0	4.52	21.1	64s	2.5	3.0	1.2	2.20	.12	74.3	75.9
Ave.						78.9	131.9	.587	15.6	8.57	55.2	4.67	20.9	64s	2.8	2.6	1.3	2.25	.19	74.6	76.1
Lot 8. Owner: Leo & Rod Richardson, Iraan																					
102	306	12/73		1961	1873	143	215	.541	26.0	13.48	51.9	4.91	22.2	62s	1.1	3.0	1.7	2.84	.42	95.9	86.3
103	305	12/73		1961	1829	140	213	.549	21.7	10.87	50.1	4.56	22.3	62s	2.3	2.9	1.7	3.28	.34	81.0	69.7
105	397	12/73		2041	1988	150	238	.662	26.5	13.77	52.0	5.22	21.5	64s	1.4	3.2	1.6	3.36	.40	105.1	93.3
107	394	1/74		2041	2063	139	220	.609	30.1	15.66	52.0	5.04	20.7	64s	1.7	3.3	2.5	2.84	.40	104.2	94.4
108	309	1/74		1961	2084	135	213	.586	28.7	14.44	50.4	4.78	22.7	62s	2.6	2.0	2.2	3.92	.32	95.4	84.7
109	380	1/74		1961	2050	126	209	.624	21.6	12.44	57.5	4.53	20.4	70s	1.5	2.1	1.8	3.20	.38	93.6	87.1
Ave.						138.8	218.0	.595	25.8	13.44	52.3	4.84	21.6	64s	1.8	2.7	1.9	3.24	.38	95.8	85.8

p - By test number indicates polled ram.

Test No.	Flock No.	Date of Birth	Type of Birth	Sire	Dam	Age of Dam	Initial Weight 10/2/74	Final Weight 2/12/75	Ave. Daily Gain Lbs.	Grease Fleece Wt.Lbs.	Clean Fleece Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spin-ning Count	Face Cover Score	Belly Wool Score	Body Fold Score	Ultrasonic		ROM Index	TAMU Index
																			Rib-eye Area	Fat Thick-ness		
Lot 1. Owner: Sonora Research Station																						
110p	8460	3/74	1	8130	B155	3	102	186	.632	17.6	9.27	52.7	4.48	19.8	70s	1.0	2.6	2.8	2.40	.36	78.7	78.6
111	8466	3/74	1	8069	7732	6	97	186	.669	20.6	11.46	55.7	5.39	20.8	64s	1.4	2.3	1.8	2.20	.22	96.1	96.3
112p	8424	3/74	1	8095	A1705	6	93	186	.699	15.2	9.32	61.3	4.99	21.3	64s	1.8	3.8	1.5	2.92	.10	87.8	88.1
113p	8373	3/74	1	8069	B175	3	84	161	.579	16.5	9.00	54.4	4.35	21.4	64s	2.1	2.3	2.3	2.00	.22	72.6	74.4
114	8402	3/74	1	8095	7945	3	91	183	.692	16.3	9.16	56.3	4.43	20.1	70s	2.1	2.3	1.5	2.72	.14	83.6	80.5
115	8368	3/74	1	8069	7915	3	90	175	.639	17.8	9.51	53.3	5.04	21.1	64s	2.8	3.7	1.6	2.36	.22	81.7	80.7
116p	8492	3/74	1	8009	B153	3	90	180	.677	17.6	7.99	45.4	3.91	20.3	70s	2.1	2.5	2.1	2.48	.36	73.5	73.9
117p	24	3/74	1	8058	B60	4	85	176	.684	16.3	8.47	52.1	4.24	20.2	70s	1.4	3.5	1.2	2.40	.30	82.9	85.8
118	8485	3/74	1	8009	A1601	7	77	153	.571	12.5	6.23	50.0	4.43	16.7	80s	2.2	3.6	1.2	2.36	.28	65.5	68.6
119	8456	3/74	1	8133	295	3	97	186	.669	14.7	7.70	52.6	4.51	18.6	80s	1.3	3.3	1.0	2.80	.40	81.1	81.5
120	8423	3/74	1				70	150	.602	11.9	6.61	55.4	4.53	18.9	80s	2.7	3.1	1.6	2.28	.16	66.2	66.9
121	8441	3/74	1				64	147	.624	12.8	6.66	52.2	4.92	16.7	80s	1.6	3.2	1.5	1.84	.22	73.0	80.2
122	8498	3/74	1	8097	7937	3	95	195	.752	19.8	10.47	53.0	4.96	21.9	64s	1.1	2.7	2.6	1.84	.32	93.1	94.4
123p	8453	3/74	1	8133	A1716	6	80	154	.556	15.7	8.87	56.5	4.68	20.7	64s	1.1	2.7	1.1	2.16	.24	79.9	84.5
124p	3	3/74	2	8097	A1807	6	79	165	.647	15.5	8.58	55.5	4.87	23.0	62s	2.9	3.0	1.2	2.68	.22	79.1	82.9
125	8420	3/74	1	8095	7840	4	85	171	.647	14.6	7.97	54.6	4.41	19.8	70s	1.0	3.7	1.3	2.40	.10	80.1	83.8
127p	8380	3/74	1	8069	A1430	8	92	174	.617	19.8	10.36	52.4	4.52	22.3	62s	2.4	1.6	2.0	2.72	.20	81.3	80.7
128	8434	3/74	1	8095	285	4	95	172	.579	13.3	6.82	51.3	4.10	20.7	64s	2.7	3.3	1.2	2.36	.20	65.5	63.6
129	8419	3/74	1	8095	B96	4	90	183	.699	15.7	8.55	54.4	4.93	19.1	70s	1.6	2.3	1.5	2.44	.20	85.1	86.4
130	8389	3/74	1	7923	7897	3	97	178	.609	16.7	8.95	53.5	5.32	20.6	64s	1.4	3.3	1.6	2.84	.20	83.0	83.2
131	8388	3/74	1	7923	7890	3	98	192	.707	17.6	9.70	55.2	4.70	19.3	70s	1.2	2.6	1.8	2.68	.24	89.2	89.6
132	8411	3/74	1	8095	7903	3	81	170	.609	17.4	9.27	53.4	4.39	22.4	62s	2.8	2.3	3.0	2.60	.20	70.8	71.8
133	8412	3/74	1	8095	7610	7	86	154	.511	12.8	7.09	55.5	4.46	19.5	70s	2.5	2.9	1.7	2.00	.20	62.6	63.0
134	8407	3/74	1	8095	B192	3	97	183	.647	15.5	7.73	50.0	4.01	20.1	70s	2.9	2.3	2.6	2.40	.16	66.7	63.9
135	21	3/74	1				70	144	.556	12.5	6.53	52.4	5.04	17.4	80s	1.5	3.6	1.7	1.48	.12	68.3	74.4
Ave.							87.4	172.2	.634	15.9	8.49	53.6	4.62	20.1	70s	1.9	2.8	1.7	2.37	.22	78.0	79.3

p - By test number indicates polled ram.

Test No.	Flock No.	Date of Birth	Type of Birth	Sire	Dam	Age of Dam	Initial Weight 10/2/74	Final Weight 2/12/75	Ave. Daily Gain Lbs.	Grease Fleece Wt. Lbs.	Clean Fleece Wt. Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spin-ning Count	Face Cover Score	Belly Wool Score	Body Fold Score	Ultrasonic		ROM Index	TAMU Index
																			Rib- eye Area	Fat Thick- ness		
Lot 1. Owner: Sonora Research Station																						
110p	8460	3/74	1	8130	B155	3	102	186	.632	17.6	9.27	52.7	4.48	19.8	70s	1.0	2.6	2.8	2.40	.36	78.7	78.6
111	8466	3/74	1	8069	7732	6	97	186	.669	20.6	11.46	55.7	5.39	20.8	64s	1.4	2.3	1.8	2.20	.22	96.1	96.3
112p	8424	3/74	1	8095	A1705	6	93	186	.699	15.2	9.32	61.3	4.99	21.3	64s	1.8	3.8	1.5	2.92	.10	87.8	88.1
113p	8373	3/74	1	8069	B175	3	84	161	.579	16.5	9.00	54.4	4.35	21.4	64s	2.1	2.3	2.3	2.00	.22	72.6	74.4
114	8402	3/74	1	8095	7945	3	91	183	.692	16.3	9.16	56.3	4.43	20.1	70s	2.1	2.3	1.5	2.72	.14	83.6	80.5
115	8368	3/74	1	8069	7915	3	90	175	.639	17.8	9.51	53.3	5.04	21.1	64s	2.8	3.7	1.6	2.36	.22	81.7	80.7
116p	8492	3/74	1	8009	B153	3	90	180	.677	17.6	7.99	45.4	3.91	20.3	70s	2.1	2.5	2.1	2.48	.36	73.5	73.9
117p	24	3/74	1	8058	B60	4	85	176	.684	16.3	8.47	52.1	4.24	20.2	70s	1.4	3.5	1.2	2.40	.30	82.9	85.8
118	8485	3/74	1	8009	A1601	7	77	153	.571	12.5	6.23	50.0	4.43	16.7	80s	2.2	3.6	1.2	2.36	.28	65.5	68.6
119	8456	3/74	1	8133	295	3	97	186	.669	14.7	7.70	52.6	4.51	18.6	80s	1.3	3.3	1.0	2.80	.40	81.1	81.5
120	8423	3/74	1				70	150	.602	11.9	6.61	55.4	4.53	18.9	80s	2.7	3.1	1.6	2.28	.16	66.2	66.9
121	8441	3/74	1				64	147	.624	12.8	6.66	52.2	4.92	16.7	80s	1.6	3.2	1.5	1.84	.22	73.0	80.2
122	8498	3/74	1	8097	7937	3	95	195	.752	19.8	10.47	53.0	4.96	21.9	64s	1.1	2.7	2.6	1.84	.32	93.1	94.4
123p	8453	3/74	1	8133	A1716	6	80	154	.556	15.7	8.87	56.5	4.68	20.7	64s	1.1	2.7	1.1	2.16	.24	79.9	84.5
124p	3	3/74	2	8097	A1807	6	79	165	.647	15.5	8.58	55.5	4.87	23.0	62s	2.9	3.0	1.2	2.68	.22	79.1	82.9
125	8420	3/74	1	8095	7840	4	85	171	.647	14.6	7.97	54.6	4.41	19.8	70s	1.0	3.7	1.3	2.40	.10	80.1	83.8
127p	8380	3/74	1	8069	A1430	8	92	174	.617	19.8	10.36	52.4	4.52	22.3	62s	2.4	1.6	2.0	2.72	.20	81.3	80.7
128	8434	3/74	1	8095	285	4	95	172	.579	13.3	6.82	51.3	4.10	20.7	64s	2.7	3.3	1.2	2.36	.20	65.5	63.6
129	8419	3/74	1	8095	B96	4	90	183	.699	15.7	8.55	54.4	4.93	19.1	70s	1.6	2.3	1.5	2.44	.20	85.1	86.4
130	8389	3/74	1	7923	7897	3	97	178	.609	16.7	8.95	53.5	5.32	20.6	64s	1.4	3.3	1.6	2.84	.20	83.0	83.2
131	8388	3/74	1	7923	7890	3	98	192	.707	17.6	9.70	55.2	4.70	19.3	70s	1.2	2.6	1.8	2.68	.24	89.2	89.6
132	8411	3/74	1	8095	7903	3	81	170	.609	17.4	9.27	53.4	4.39	22.4	62s	2.8	2.3	3.0	2.60	.20	70.8	71.8
133	8412	3/74	1	8095	7610	7	86	154	.511	12.8	7.09	55.5	4.46	19.5	70s	2.5	2.9	1.7	2.00	.20	62.6	63.0
134	8407	3/74	1	8095	B192	3	97	183	.647	15.5	7.73	50.0	4.01	20.1	70s	2.9	2.3	2.6	2.40	.16	66.7	63.9
135	21	3/74	1				70	144	.556	12.5	6.53	52.4	5.04	17.4	80s	1.5	3.6	1.7	1.48	.12	68.3	74.4
Ave.							87.4	172.2	.634	15.9	8.49	53.6	4.62	20.1	70s	1.9	2.8	1.7	2.37	.22	78.0	79.3

p - By test number indicates polled ram.