

[1976-1977 Ram Performance Test]

[1976-1977 Ram Performance Test]										Fleece Data				Scores			Ultrasonic		Indexes		
Flock No.	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length in.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM	TAMU	
				Initial 9-29-76	Final 2-16-77	Total	ADG														
RAMBOUILLETS																					
Pen 1. Tate Randal, Ft. Stockton. Sire: R603 (Feed per lb. gain - 10.0)																					
p	102	11-75		S	147	266	119	.850	24.68	13.34	54.1	4.27	21.49	64s	1.0	1.8	1.7	4.60	.40	111.6	93.3
	111*	11-75		S	169	280	111	.793	22.88	12.54	54.8	4.59	23.52	60s	1.0	2.0	1.7	3.60	.40	106.3	78.9
	136*	12-75		S	135	240	105	.750	25.70	14.16	55.1	4.81	21.60	64s	3.4	1.7	1.6	4.40	.40	104.3	86.1
	139	12-75		S	110	216	106	.757	23.39	13.98	59.8	4.51	24.02	60s	3.0	1.8	1.8	3.68	.40	103.2	96.1
ve.					140.3	250.5	110.3	.788	24.16	13.50	56.0	4.55	22.66		2.1	1.8	1.7	4.07	.40	106.4	88.6
Pen 2. U.S. Sheep Expt. Station, Dubois, Idaho. Sire: (5-9414) (6-9169) (7-9212) (8-8436) (Feed per lb. gain - 10.8)																					
p	0346	4-76	3	S	100	203	103	.736	18.51	10.41	56.3	4.42	20.16	70s	1.3	1.9	2.3	3.60	.20	90.4	90.8
	0102	4-76	5	T	107	209	102	.729	18.76	9.40	50.1	3.85	19.82	70s	1.5	2.1	2.1	4.00	.20	83.8	83.5
	0325	4-76	6	Tr	90	172	82	.586	19.54	10.33	52.9	3.92	21.74	64s	1.0	1.4	3.4	3.60	.30	75.6	83.2
	0198	4-76	4	T	107	197	90	.643	13.62	7.53	55.3	4.61	22.59	62s	1.0	1.4	1.0	4.00	.30	80.1	80.8
	0182	4-76	4	T	91	171	80	.571	18.25	9.74	53.4	3.65	23.55	60s	1.0	1.6	2.5	3.72	.30	74.8	82.0
ve.					99.0	190.4	91.4	.653	17.74	9.48	53.6	4.09	21.57		1.2	1.7	2.3	3.78	.26	80.9	84.1
Pen 3. Haby & Haby, Rocksprings. Sire: (9&10-7923) (11&12-6422) (Feed per lb. gain - 10.2)																					
p	1903	10-75	6	S	108	177	69	.493	20.82	12.75	61.2	5.22	21.43	64s	2.7	1.5	1.5	4.00	.10	87.4	81.7
	1920	10-75	2	S	110	207	97	.693	18.25	9.35	51.3	3.98	21.89	64s	1.0	1.3	1.7	4.08	.40	85.1	82.0
	1926	12-75	3	S	114	202	88	.629	20.82	13.26	63.7	5.03	20.23	70s	2.2	1.5	1.3	3.60	.40	99.3	92.0
	1976	12-75	3	S	84	205	121	.864	19.28	10.28	53.3	4.43	22.48	62s	1.0	1.8	1.4	5.20	.22	102.2	109.7
ve.					104.0	97.8	93.8	.670	19.79	11.43	57.4	4.67	21.51		1.7	1.5	1.5	4.22	.28	93.5	91.4
Pen 4. Clyde Thate, Burkett. Sire: 99 (Feed per lb. gain - 10.3)																					
p	8460	11-75	7	T	117	215	98	.700	20.82	10.43	50.1	4.25	24.15	60s	2.2	1.8	1.4	4.00	.40	88.5	82.7
	8477	11-75	5	S	144	221	77	.550	21.59	11.62	53.8	3.83	24.34	60s	2.3	1.6	1.9	3.60	.50	80.3	60.6
	8485	11-75	6	T	137	233	96	.686	23.13	12.54	54.2	3.66	27.02	56s	1.6	2.1	1.3	4.20	.40	96.0	83.1
	8549	2-76	3	S	103	188	85	.607	17.48	9.95	56.9	4.77	21.30	64s	3.0	2.0	1.2	3.60	.22	81.5	77.3
ve.					125.3	214.3	89.0	.636	20.76	11.14	53.8	4.13	24.20		2.3	1.9	1.5	3.85	.38	86.5	75.9
Pen 5. Toots Hutto, Loma Alta. Sire: 6422 (Feed per lb. gain - 10.2)																					
p	444	1-76	7	S	109	197	88	.629	19.28	9.84	51.1	4.43	21.22	64s	1.0	1.7	1.3	4.32	.20	86.6	83.9
	450	1-76	4	S	113	215	102	.729	18.76	10.77	57.4	4.27	22.37	62s	1.0	1.9	1.3	3.60	.30	95.7	91.4
	451	1-76	3	S	110	215	105	.750	22.11	12.75	57.7	4.78	21.93	64s	1.0	1.6	1.4	3.60	.20	106.5	103.4
	453	1-76	3	S	113	208	95	.679	21.33	12.26	57.5	4.70	23.32	62s	1.8	1.8	1.4	4.20	.40	97.5	91.7
ve.					111.3	208.8	97.5	.696	20.37	11.41	55.9	4.55	22.21		1.2	1.8	1.3	3.93	.28	96.6	92.6

-By test number indicates polled ram.

-By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

Test No.	Flock No.	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data					Scores			Ultrasonic		Indexes								
					Initial 9-29-76	Final 2-16-77	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM	TAMU						
RAMBOUILLETS																											
Pen 7. T.J. Jarrett, Del Rio. Sire: (25-WH1082) (26-28-A547) (Feed per lb. gain - 10.1)																											
25	5	12-76	5	S	124	214	90	.643	16.96	9.69	57.1	4.91	20.57	70s	2.5	2.6	1.1	3.76	.30	85.1	73.2						
26	542	3-76	3	S	83	189	106	.757	15.42	9.23	58.9	4.59	22.03	64s	3.4	2.3	1.3	4.16	.10	85.3	88.5						
27	543	3-76	3	S	104	198	94	.671	19.79	10.13	51.2	4.21	23.56	60s	3.3	1.7	1.4	4.00	.20	82.1	76.9						
28	544	3-76	2	S	96	194	98	.700	16.96	8.82	57.2	4.22	22.13	62s	2.6	1.6	1.5	3.84	.20	80.4	79.8						
Ave.					101.8	198.8	97.0	.693	17.28	9.47	56.1	4.48	22.07		3.0	2.1	1.3	3.94	.20	83.2	79.6						
Pen 8. James Wittenburg Co., Rocksprings. Sire: R619 (Feed per lb. gain - 9.0)																											
29	1501	3-76			78	152	74	.529	18.76	9.87	52.6	3.77	22.38	62s	3.2	1.3	2.2	2.56	.20	67.9	73.6						
30	1542	3-76			92	178	86	.614	16.71	9.41	56.3	4.41	22.63	62s	1.2	2.2	1.6	2.88	.20	82.1	86.0						
31	1550	3-76			83	180	97	.693	20.82	11.67	56.1	5.31	20.68	64s	1.2	1.5	1.4	2.88	.20	100.3	107.9						
32	1553	3-76			80	165	85	.607	15.42	8.20	53.2	3.85	22.84	62s	2.3	1.5	1.7	3.20	.30	70.9	77.6						
33	1558	3-76			67	149	82	.586	14.14	7.79	55.1	4.70	22.29	62s	1.4	1.8	1.8	3.60	.20	73.7	87.5						
Ave.					80.0	164.8	84.8	.606	17.17	9.39	54.7	4.41	22.16		1.9	1.7	1.7	3.02	.22	79.4	86.5						
Pen 9. Bill Karnes, Sonora. Sire: 8144 (Feed per lb. gain - 8.8)																											
34	7	2-76			93	218	125	.893	22.11	12.57	56.9	4.39	23.03	62s	1.2	1.6	2.4	3.20	.40	108.2	111.7						
35	20	2-76			99	198	99	.707	18.76	11.10	59.2	4.23	24.09	60s	1.1	1.4	1.5	2.12	.40	94.4	95.7						
36	22	2-76			88	204	116	.829	19.79	11.54	58.3	4.06	22.42	62s	1.3	1.4	2.5	3.20	.30	98.2	103.6						
37	25	2-76			116	225	109	.779	22.11	12.21	55.2	3.93	22.12	62s	1.5	1.6	3.2	2.92	.30	94.0	87.4						
Ave.					99.0	211.3	112.3	.802	20.69	11.86	57.4	4.15	22.92		1.3	1.5	2.4	2.86	.35	98.7	99.6						
Pen 10. Spanish Farms, Spanish Fork, Utah. Sire: (Feed per lb. gain - 9.4)																											
38p	1664	3-76		S	102	210	108	.771	19.54	9.69	49.6	3.59	23.88	60s	1.1	2.2	1.9	3.60	.24	88.5	88.5						
39	1678	3-76		S	105	229	124	.886	18.76	10.77	57.4	4.01	24.82	60s	3.0	2.3	1.3	3.44	.40	98.1	93.0						
40	1840	3-76		S	112	265	153	1.093	19.02	10.38	54.6	3.94	22.85	62s	3.1	3.1	1.2	3.84	.24	108.8	100.6						
Ave.					106.3	234.7	128.3	.917	19.11	10.28	53.9	3.85	23.85		2.4	2.5	1.5	3.63	.29	98.5	94.0						
Pen 11. Jerald Porter, Ft. Stockton. Sire: 1279 (Feed per lb. gain - 10.4)																											
41	2226	11-75	5	S	144	235	91	.650	18.51	11.26	60.8	4.18	23.42	62s	1.2	2.6	1.3	3.72	.40	92.0	74.5						
42	2244	11-75	5	S	118	201	83	.593	23.65	12.34	52.2	4.61	26.58	56s	1.2	1.7	2.0	2.44	.32	91.8	85.0						
43	2301	11-75	4	S	116	201	85	.607	20.56	12.44	60.5	4.42	23.09	62s	2.0	1.6	2.4	3.40	.22	88.3	80.7						
44	2335	11-75	5	S	131	217	86	.614	23.13	12.82	55.4	4.37	27.10	56s	2.2	1.5	2.5	2.68	.24	89.0	74.9						
Ave.					127.3	213.5	86.3	.616	21.46	12.22	57.2	4.40	25.05		1.7	1.9	2.0	3.06	.30	90.3	78.8						

p - By test number indicates polled ram.

* - By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

Test No.	Flock No.	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data					Scores			Ultrasonic		Indexes																
					Initial 9-29-76	Final 2-16-77	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM	TAMU														
RAMBOUILLETS																																			
Pen 18. Virgil Powell, Big Lake.					Sire:		(Feed per lb. gain - 9.5)																												
70	1				114	201	87	.621	19.28	10.72	55.6	3.61	19.67	70s	1.0	2.0	1.3	2.52	.20	86.4	81.6														
71	3				113	197	84	.600	17.22	9.92	57.6	4.59	24.00	60s	1.0	1.8	1.1	2.80	.40	86.6	82.3														
72	6				104	213	109	.779	21.33	11.41	53.5	4.37	24.92	60s	1.2	2.1	1.4	2.96	.24	100.7	99.6														
73	7				108	220	112	.800	15.42	8.64	56.0	4.72	21.04	64s	1.0	2.3	1.1	2.40	.10	94.0	91.8														
Ave.					109.8	207.8	98.0	.700	18.31	10.17	55.7	4.32	22.41		1.1	2.1	1.2	2.67	.24	91.9	88.8														
Pen 19. Pat Rose, Bracketville.					Sire: R419		(Feed per lb. gain - 10.5)																												
74	1101	11-75	9	T	128	227	99	.707	23.90	11.44	47.9	4.03	24.72	60s	1.5	1.9	1.5	4.08	.40	93.8	84.8														
75	1103	11-75	7	T	156	247	91	.650	25.96	14.14	54.5	5.20	22.68	62s	1.2	1.5	1.4	3.68	.40	107.2	87.3														
76	1109	11-75	3	T	125	210	85	.607	18.51	10.28	55.6	4.44	26.54	56s	1.5	2.0	1.3	3.84	.40	85.6	77.8														
77	1121	11-75	3	S	111	221	110	.786	24.16	14.16	58.6	5.16	24.82	60s	1.6	1.7	1.5	3.48	.22	113.6	108.9														
Ave.					130.0	226.3	96.3	.688	23.13	12.51	54.2	4.71	24.69		1.5	1.8	1.4	3.77	.36	100.1	89.7														
Pen 20. Jerald Porter, Ft. Stockton.					Sire: 1558		(Feed per lb. gain - 10.1)																												
78	2418	2-76	6	S	119	234	115	.821	20.56	12.52	60.9	5.60	23.70	60s	1.4	1.8	1.2	2.88	.20	112.7	105.1														
79	2441	2-76	6	S	126	230	104	.743	25.70	14.67	57.1	5.16	23.56	60s	1.5	2.2	1.3	2.80	.40	114.2	103.6														
80	2518	2-76	6	S	118	217	99	.707	20.56	12.03	58.5	4.76	22.78	62s	2.4	1.9	1.3	2.68	.20	97.2	88.0														
81	2577	2-76	5	S	111	206	95	.679	21.08	12.62	59.9	4.81	21.11	64s	1.2	2.5	1.2	3.60	.24	102.1	98.2														
Ave.					118.5	221.8	103.3	.738	21.98	12.96	59.1	5.08	22.79		1.6	2.1	1.2	2.99	.26	106.6	98.7														
Pen 21. Virgil Powell, Big Lake.					Sire:		(Feed per lb. gain - 9.0)																												
82	4*				99	222	123	.879	24.68	12.72	51.6	4.50	24.45	60s	1.3	1.3	1.7	2.80	.20	110.9	111.7														
83	5*				100	211	111	.793	24.16	13.00	53.8	4.49	26.72	56s	1.0	1.6	3.1	3.68	.24	102.1	103.2														
84	8				103	226	123	.879	20.05	10.97	54.7	4.87	22.51	62s	1.0	2.1	1.5	2.80	.22	107.1	106.9														
85	9				107	193	86	.614	16.71	8.97	53.7	3.30	24.46	60s	1.0	1.5	1.5	2.92	.20	76.9	75.1														
Ave.					102.3	213.0	110.8	.791	21.40	11.42	53.5	4.29	24.54		1.1	1.6	2.0	3.05	.22	99.3	99.2														
Pen 22. Roger Landers, Menard.					Sire: R533		(Feed per lb. gain - 8.9)																												
86p	289	1-76	2	T	104	210	106	.757	19.28	10.85	56.3	3.94	24.39	60s	1.3	1.4	1.8	3.04	.30	93.5	96.3														
87	F416	1-76	5	S	82	173	91	.650	19.02	10.10	53.1	4.31	21.22	64s	1.5	1.9	1.5	3.08	.40	86.1	93.6														
88	F420*	1-76	5	S	85	198	113	.807	19.02	11.00	57.8	5.29	25.35	58s	1.0	2.0	1.4	3.12	.24	105.0	112.2														
89	F425	2-76	6	T	79	196	117	.836	17.99	9.74	54.1	3.79	21.96	64s	1.6	2.2	1.6	3.48	.10	93.1	104.0														
Ave.					87.5	194.3	106.8	.763	18.83	10.42	55.3	4.33	23.23		1.4	1.9	1.6	3.18	.26	94.4	101.5														

p - By test number indicates polled ram.

* - By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certification minimum requirements.

Test No.	Flock	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data					Scores			Ultrasonic		Indexes			
					Initial 9-29-76	Final 2-16-77	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM	TAMU	
RAMBOUILLETS																						
Pen 12. Roger Landers, Menard. Sire: R993 (Feed per lb. gain - 9.8)																						
		R1082	2-76	8	S	94	193	99	.707	17.74	11.31	63.8	4.06	24.59	60s	1.4	1.6	1.9	3.28	.22	92.1	94.8
		R1083	2-76	8	S	89	179	90	.643	20.05	11.80	58.9	4.87	22.63	62s	2.5	2.5	1.2	3.12	.20	93.0	95.5
		R1085	2-76	4	S	104	167	63	.450	17.74	8.46	47.7	3.55	21.17	64s	1.0	1.0	1.5	2.28	.16	66.0	65.4
ave.						95.7	179.7	84.0	.600	18.51	10.52	56.8	4.16	22.80		1.6	1.7	1.5	2.89	.19	83.7	85.2
Pen 14. Tools Hutto, Loma Alta. Sire: R213 (Feed per lb. gain - 10.2)																						
		383*	11-75	7	S	102	235	133	.950	29.30	13.90	47.5	4.53	23.24	62s	1.0	1.7	3.7	3.20	.24	112.9	113.2
		394	10-75	7	S	123	232	109	.779	24.68	13.21	53.5	4.68	20.11	70s	1.2	1.4	2.0	4.00	.22	106.7	97.9
		399	11-75	6	S	138	249	111	.793	23.90	13.44	56.2	4.65	20.91	64s	1.5	1.5	1.8	3.60	.22	108.2	92.6
		402	11-75	5	S	130	253	123	.879	26.99	15.50	57.4	4.72	22.75	62s	1.8	1.7	2.1	4.00	.22	119.8	106.9
ave.						123.3	242.3	119.0	.850	26.22	14.01	53.7	4.65	21.75		1.4	1.6	2.4	3.70	.23	111.9	102.7
Pen 15. Joe Freeman, Ballinger. Sire: (57-CH6422) (58-PH1600) (59-R637) (60-PH1600) (Feed per lb. gain - 10.8)																						
		352	1-76	2	S	106	236	130	.929	21.85	11.80	54.0	4.56	23.30	62s	1.5	1.9	1.2	3.60	.36	111.9	109.4
		354	10-75	4	T	139	230	91	.650	18.76	10.05	53.6	4.14	26.42	56s	1.3	1.9	1.2	4.56	.24	87.1	73.9
		356	10-75	5	T	143	249	106	.757	22.36	11.64	52.1	3.95	22.67	62s	2.4	2.2	1.2	3.60	.40	95.8	78.8
ap		357*	10-75	2	T	137	240	103	.736	24.42	13.85	57.3	4.08	25.90	58s	3.5	1.6	1.4	4.48	.44	99.8	84.6
ave.						131.3	238.8	107.5	.768	21.85	11.84	54.3	4.18	24.57		2.2	1.9	1.2	4.06	.36	98.7	86.7
Pen 16. Leo and Rod Richardson, Iraan. Sire: 50 (Feed per lb. gain - 11.3)																						
		825	12-75	4	S	138	219	81	.579	20.82	12.23	58.8	4.95	26.77	56s	3.4	1.4	1.3	2.80	.50	88.1	68.7
		834	12-75	3	S	133	221	88	.629	22.88	12.54	54.8	4.98	23.35	62s	1.4	1.5	1.7	3.72	.60	96.8	83.5
		836	12-75	2	S	132	214	82	.586	21.85	12.28	56.2	4.89	23.71	60s	1.2	1.2	1.3	4.40	.42	95.0	82.5
		850*	12-75	5	S	148	247	99	.707	21.85	12.77	58.5	4.61	24.70	60s	1.0	1.4	1.4	3.48	.50	103.3	84.6
ave.						137.8	225.3	87.5	.625	21.85	12.46	57.1	4.86	24.63		1.8	1.4	1.4	3.60	.51	95.8	79.8
Pen 17. Miles Pierce, Alpine. Sire: (Feed per lb. gain - 9.0)																						
		D9354				105	204	99	.707	16.19	10.13	62.5	4.33	23.27	62s	2.4	1.7	1.4	2.80	.20	87.5	83.6
		D9355				81	175	94	.671	17.48	10.97	62.8	4.71	21.86	64s	2.9	1.9	1.3	2.40	.20	89.1	94.2
		D9359				109	213	104	.743	15.42	8.48	55.0	4.52	20.06	70s	3.0	2.0	1.3	3.48	.30	82.4	75.7
		D9365				84	164	80	.571	17.22	10.31	59.9	4.55	19.69	70s	3.2	1.9	1.5	3.00	.24	78.1	96.2
ave.						94.8	189.0	94.3	.673	16.58	9.97	60.1	4.53	21.22		2.9	1.9	1.4	2.92	.24	84.3	87.4

- By test number indicates polled ram.
- This ram was sick at time of final weigh day and died after shearing.
- By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

Test No.	Flock No.	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data				Scores			Ultrasonic		Indexes																	
					Initial 9-29-76	Final 2-16-77	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM	TAMU														
RAMBOUILLETS																																			
Pen 23. Joe Freeman, Ballinger.					Sire: CH6422		(Feed per lb. gain - 10.5)																												
90p	358	2-76	4	S	109	212	103	.736	23.65	10.10	54.6	4.58	19.71	70s	1.0	1.8	1.1	2.80	.22	95.5	92.8														
91	360	2-76	4	S	105	217	112	.800	20.31	12.57	61.9	4.95	19.99	70s	1.2	1.8	1.2	2.56	.20	109.7	108.2														
92	361	2-76	5	T	101	194	93	.664	19.54	10.38	53.2	4.22	22.81	62s	1.0	1.6	1.6	2.08	.22	88.8	91.9														
93	362	2-76	5	S	109	186	77	.550	18.25	10.20	55.9	3.82	19.87	70s	1.4	1.8	1.8	3.84	.24	77.7	74.2														
Ave.					106.0	202.3	96.3	.688	20.44	10.81	56.4	4.39	20.60		1.2	1.8	1.4	2.82	.22	92.9	91.3														
Pen 24. Fred Campbell, Sonora.					Sire:		(Feed per lb. gain - 13.7) (Not ROM)																												
94p	918				135	220	85	.607	16.19	9.35	57.8	4.11	25.40	58s	2.1	2.3	1.2	4.00	.40	79.2	63.6														
95p	520				122	218	96	.686	18.25	10.30	56.5	4.46	24.54	60s	1.0	1.7	1.7	3.00	.50	90.4	82.4														
Ave.					128.5	219.0	90.5	.647	17.22	9.83	57.2	4.29	24.97		1.6	2.0	1.4	3.50	.45	84.8	73.0														
Pen 25. Pat Rose, Bracketville.					Sire: (97-R597) (98-R35) (100-R907)		(Feed per lb. gain - 9.6)																												
97	1079	10-75	2	T	127	234	107	.764	24.93	12.57	50.4	5.58	22.18	62s	1.2	1.9	1.3	4.80	.40	109.6	103.2														
98	1125	11-75	2	S	139	272	133	.950	23.65	13.54	57.3	4.69	24.51	60s	1.0	2.4	1.2	4.80	.40	122.1	107.1														
100	1223	12-75	3	S	114	242	128	.914	23.65	13.11	55.4	5.29	20.11	70s	1.2	2.0	1.3	5.04	.30	119.6	114.5														
Ave.					126.7	249.3	122.7	.876	24.08	13.07	54.4	5.19	22.27		1.1	2.1	1.3	4.88	.37	117.1	108.3														
Pen 26. Angelo State University.					Sire: R607		(Feed per lb. gain - 9.3)																												
101	4*	3-76	6	S	97	178	81	.579	23.39	13.52	57.8	5.72	20.32	70s	1.3	1.4	2.1	2.92	.24	99.4	101.1														
102	6*	3-76	2	S	88	206	118	.843	22.88	12.49	54.6	5.29	23.14	62s	1.0	1.6	1.6	2.92	.40	112.3	118.3														
103	14	3-76	6	S	100	194	94	.671	19.54	11.33	58.0	4.86	22.68	62s	2.9	1.5	1.4	2.80	.20	90.7	88.0														
104	28	4-76	2	S	81	171	90	.643	21.08	11.80	56.0	4.68	22.41	62s	1.9	1.5	1.7	2.00	.22	92.0	99.0														
Ave.					91.5	187.3	95.8	.684	21.72	12.29	56.6	5.14	22.14		1.8	1.5	1.7	2.66	.27	98.6	101.6														
Pen 27. Leo and Rod Richardson, Iraan.					Sire: (105-108-68) (106-107-9)		(Feed per lb. gain - 11.7)																												
105	908	12-75	3	S	130	202	72	.514	21.85	13.65	62.5	5.08	25.28	58s	1.2	1.4	1.3	2.92	.20	97.0	85.2														
106	924	12-75	3	S	148	206	58	.414	20.56	12.21	59.4	5.25	23.70	60s	1.3	1.5	1.3	2.80	.34	85.6	66.3														
107	926	12-75	5	S	139	229	90	.643	22.62	14.00	61.9	5.45	25.97	58s	3.6	1.2	1.5	3.32	.42	99.6	79.4														
108	931	12-75	5	S	140	221	81	.579	22.11	13.24	59.9	4.89	20.97	64s	1.3	1.3	1.3	3.72	.40	98.2	82.1														
Ave.					139.3	214.5	72.3	.538	21.79	13.28	60.9	5.17	23.98		1.9	1.4	1.3	3.19	.34	95.1	78.3														

p* - By test number indicates polled ram.

* - By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

Test No.	Flock No.	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data					Scores			Ultrasonic		Indexes		
					Initial 9-29-76	Final 2-16-77	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM	TAMU
RAMBOUILLETS																					
Pen 28. Haby and Haby, Rocksprings. Sire: (109-7923) (110-6422) (111-6422) (112-1483) (Feed per lb. gain - 8.9)																					
109	1955	11-75	8	T	107	198	91	.650	22.88	12.36	54.0	4.29	24.87	60s	1.9	1.8	2.6	3.00	.20	89.5	88.3
110	1965	12-75	3	T	100	238	138	.986	22.36	13.75	61.5	4.56	22.93	62s	2.2	1.8	1.4	2.92	.20	120.2	121.3
111	1966	12-75	4	T	100	213	113	.807	18.76	10.59	56.4	4.39	23.46	62s	1.0	2.0	1.2	3.36	.20	100.5	104.1
112	1993*	2-76	6	T	91	225	134	.957	21.33	11.08	51.9	3.85	22.73	62s	1.5	2.1	2.1	3.72	.20	104.2	110.5
Ave.					99.5	218.5	119.0	.850	21.33	11.95	56.0	4.27	23.50		1.7	1.9	1.8	3.25	.20	103.6	106.1
Pen 29. Jack Brown, Del Rio. Sire: (113-7923) (114&116-R597) (115-8256) (Feed per lb. gain - 8.8)																					
113	1908	10-75	2	S	160	235	75	.536	20.56	13.13	63.9	5.37	19.49	70s	1.5	1.6	1.2	4.40	.40	96.9	72.2
114	6105	3-76	3	S	80	168	88	.629	16.71	9.33	55.8	5.02	19.82	70s	1.1	1.6	1.5	2.64	.30	85.8	94.9
115	6115	3-76	3	S	85	176	91	.650	18.51	9.89	53.5	4.19	18.40	80s	1.0	1.6	1.7	2.40	.10	85.5	92.7
116	6213	3-76	3	S	74	188	114	.814	17.22	9.28	53.9	5.67	21.62	64s	3.2	2.1	1.3	2.40	.10	93.8	101.1
Ave.					99.8	191.8	92.0	.657	18.25	10.41	56.8	5.06	19.83		1.7	1.7	1.4	2.95	.23	90.5	90.2
Pen 30. James Wittenburg Co., Rocksprings. Sire: CJW1123 (Feed per lb. gain - 8.3)																					
117	1505	3-76			74	175	101	.721	15.42	9.25	54.5	4.66	20.41	70s	2.5	2.1	1.5	2.20	.20	85.4	94.1
118	1509	3-76			79	188	109	.779	20.56	10.04	48.9	4.56	21.11	64s	1.3	1.6	1.7	2.68	.24	94.4	103.5
119	1563	3-76			77	169	92	.657	17.74	8.76	49.4	4.28	21.50	64s	1.2	2.1	1.8	2.00	.30	80.8	90.9
120	1566	3-76			81	186	105	.750	20.05	10.13	50.5	4.48	19.61	70s	1.3	1.6	1.7	3.20	.20	92.7	101.0
Ave.					77.8	179.5	101.8	.727	18.44	9.55	50.8	4.50	20.66		1.6	1.9	1.7	2.52	.24	88.3	97.4
Lot 1. Sonora Expt. Sta. Sire: R469 (Feed per lb. gain - 9.7)																					
121	308	3-76	5	S	96	193	97	.693	20.19	10.41	51.5	4.34	23.66	60s	1.2	2.1	1.4	3.68	.20	91.4	93.6
122	311	3-76	5	T	94	190	96	.686	15.53	8.23	53.0	5.13	19.34	70s	1.7	2.5	1.1	3.20	.20	85.1	89.7
123	319	3-76	7	S	121	230	109	.779	21.74	11.39	52.4	4.63	21.07	64s	1.2	1.9	1.4	4.56	.10	101.6	93.6
124p	325	3-76	4	S B'scurs	95	186	91	.650	18.38	10.49	57.0	4.36	22.15	62s	2.7	2.5	1.3	3.40	.10	85.1	84.7
130	431	3-76	7	S	114	230	116	.829	20.97	10.23	48.2	4.26	21.34	64s	2.3	1.7	1.5	3.68	.20	94.8	87.5
131	436	3-76	3	S	112	229	117	.836	23.30	11.96	51.3	4.43	20.52	70s	1.0	2.0	1.4	3.64	.12	107.1	103.2
132	437	3-76	7	T	105	183	78	.557	18.12	9.94	54.9	4.47	19.48	70s	1.2	1.7	1.1	2.80	.30	83.1	84.1
135	490*	3-76	5	T	112	219	107	.764	23.82	13.23	55.5	4.94	24.55	60s	1.7	1.6	1.3	2.80	.30	108.2	105.4
142	519	3-76	5	T	133	240	107	.764	22.52	10.85	48.2	4.15	21.67	64s	1.0	1.8	1.4	4.68	.24	97.2	87.2
Ave.					109.1	211.1	102.0	.729	20.51	10.75	52.4	4.52	21.53		1.6	2.0	1.4	3.60	.20	94.8	92.1

* - By test number indicates polled ram.

* - By flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

Test No.	Flock	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data					Scores			Ultrasonic		Indexes	
					Initial	Final	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM

RAMBOUILLETS

pt 1. Sonora Expt. Sta. (Continued) Sire: 8123

25p	393	3-76	3	S	118	219	101	.721	20.97	10.61	50.6	4.43	20.81	64s	1.2	2.0	1.2	3.48	.10	95.0	88.2
26	407	3-76	3	S	104	191	87	.621	19.41	11.81	60.8	4.81	19.76	70s	1.2	1.4	1.5	4.80	.20	94.1	93.1
ve.					111.0	205.0	94.0	.671	20.19	11.21	55.7	4.62	20.29		1.2	1.7	1.3	4.14	.15	94.6	90.7

Sire: 7923

27	413	3-76	3	S	106	202	96	.686	19.41	10.72	55.2	4.76	21.19	64s	2.2	1.3	1.4	2.80	.20	90.9	87.0
28p	419	3-76	5	S	108	199	91	.650	20.97	12.76	60.9	4.89	21.79	64s	2.0	1.6	1.4	4.00	.20	98.0	93.7
29	425	3-76	4	S	106	200	94	.671	20.97	12.09	57.6	4.70	22.51	62s	1.2	1.4	1.6	3.68	.30	97.4	95.6
33	439	3-76	4	S	104	209	105	.750	16.31	9.55	58.6	5.21	18.17	80s	1.0	2.3	1.2	3.80	.16	96.2	95.6
34	443	3-76	5	S	106	209	103	.736	20.19	11.39	56.4	5.07	23.20	62s	1.8	1.6	1.6	4.40	.20	98.2	95.2
36p	493	3-76	5	T	85	170	85	.607	18.64	9.73	52.2	4.41	20.41	70s	2.3	1.8	1.3	3.20	.20	80.9	88.0
37p	494	3-76	2	S	112	200	88	.629	20.71	12.63	61.0	4.58	21.97	64s	2.2	1.8	1.3	3.60	.30	94.8	88.5
38p	496	3-76	3	T	98	206	108	.771	23.30	13.05	56.0	4.71	19.87	70s	1.6	1.4	1.6	3.64	.16	106.1	109.2
39p	497	3-76	5	S	123	221	98	.700	19.67	11.39	57.9	5.12	22.08	62s	1.0	1.8	1.3	2.28	.20	99.8	91.4
40p	505	3-76	3	S	117	214	97	.693	22.00	12.43	56.5	4.22	22.31	62s	2.0	1.3	1.5	4.56	.30	96.2	88.2
41p	506	3-76	6	S	99	202	103	.736	20.71	11.54	55.7	4.55	21.44	64s	1.5	1.8	1.3	3.68	.20	98.9	99.3
ve.					105.8	202.9	97.1	.694	20.26	11.57	57.1	4.75	21.36		1.7	1.6	1.4	3.60	.22	96.1	93.8

on Angelo Research and Extension Center¹

43p	360	3-76			99	208	109	.779	16.57	9.71	58.6	4.68	20.84	64s	1.6	2.5	1.2	3.36	.20	94.7	94.9
44	467	3-76			102	209	107	.764	19.16	10.49	54.7	4.47	20.28	70s	1.0	2.0	1.8	4.00	.20	95.5	95.6
45p	392	3-76	1" scurs		97	211	114	.814	20.97	11.11	53.0	4.56	21.46	64s	1.7	1.8	1.6	3.20	.26	100.0	100.9
ve.					99.3	209.3	110.0	.786	18.90	10.44	55.4	4.57	20.86		1.4	2.1	1.5	3.52	.22	96.7	97.1

pt 2. Clinton Hodges, Sterling City. Sire: 8444 (Feed per lb. gain - 13.4)

46	235	12-75	4	S	107	164	57	.407	16.83	9.17	54.5	4.15	23.15	62s	1.6	1.8	1.2	3.40	.10	68.1	65.0
47	309	12-75	4	S	113	190	77	.550	21.74	10.67	49.0	4.20	23.91	60s	1.6	1.4	1.3	4.00	.20	82.5	77.0
48	354	12-75	4	T	121	225	104	.743	23.30	12.95	55.6	5.38	24.58	60s	1.1	1.8	1.4	4.52	.20	109.0	103.6
49	469	12-75	4	T	97	174	77	.550	15.53	8.62	55.5	4.80	23.17	62s	2.2	1.3	1.1	2.20	.36	75.7	78.0
52	526	12-75	4	T	118	202	84	.600	20.45	11.18	54.7	4.47	26.66	56s	2.3	1.2	1.2	4.40	.20	86.9	80.4
ve.					111.2	191.0	79.8	.570	19.57	10.52	53.9	4.60	24.29		1.8	1.5	1.2	3.70	.22	84.4	80.8

- By test number indicates polled ram.

- These rams were implanted with Ralgro on an experimental basis and were not considered eligible for sale or for ROM.

- By flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

Test No.	Flock No.	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data						Scores			Ultrasonic		Indexes	
					Initial 9-29-76	Final 2-16-77	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spin-ning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.in.	Fat Thick-ness In.	ROM	TAMU

RAMBOUILLETS

Lot 2. Clinton Hodges (Continued) Sire: WH8

153	728	2-76	4	T	116	185	69	.493	17.86	10.56	59.1	4.77	23.99	60s	1.1	1.6	1.3	4.00	.20	82.4	79.1
155	738	2-76	5	T	125	212	87	.621	18.12	10.95	60.4	4.40	24.18	60s	1.0	1.4	1.1	4.00	.38	91.3	84.5
156	912*	2-76	4	S	110	203	93	.664	22.52	14.91	66.2	5.26	26.20	58s	1.0	1.6	1.1	4.40	.10	113.1	110.0
Ave.					117.0	200.0	83.0	.593	19.50	12.14	61.9	4.81	24.79		1.0	1.5	1.2	4.13	.23	95.6	91.2

Lot 3. Leo and Rod Richardson, Iraan. Sire: 19 (Feed per lb. gain - 10.4)

157	979	3-76	5	S	112	225	113	.807	25.63	14.27	55.7	4.69	24.03	60s	2.3	1.6	1.4	4.80	.30	111.8	105.2
158	983	3-76	3	S	90	200	110	.786	22.78	12.69	55.7	5.47	22.97	62s	1.0	1.8	1.5	4.08	.38	110.8	115.9
159	994	3-76	3	S	118	222	104	.743	22.00	12.04	54.7	5.07	19.25	70s	1.6	2.4	1.2	4.40	.20	103.4	95.8
160	1000	3-76	3	S	114	215	101	.721	24.07	12.27	51.0	4.63	21.30	64s	1.0	1.4	1.4	3.20	.30	102.3	97.5
165	1018	3-76	3	S	111	208	97	.693	20.45	11.03	54.0	4.36	21.96	64s	1.0	1.4	1.3	4.40	.20	94.9	91.4
168	1116	3-76	5	S	106	211	105	.750	28.22	14.81	52.5	5.42	21.97	64s	1.0	1.9	1.4	4.48	.16	117.3	115.9
Ave.					108.5	213.5	105.0	.750	23.86	12.85	53.9	4.94	21.91		1.3	1.8	1.4	4.23	.26	106.8	103.6

Sire: 50

161	1002	3-76	6	S	100	181	81	.579	16.83	10.33	61.4	5.15	21.48	64s	1.2	2.1	1.2	4.56	.24	88.3	88.9
162	1010	3-76	3	S	120	211	91	.650	19.93	11.70	58.7	5.34	17.38	80s	1.0	1.4	1.3	4.68	.22	99.0	91.8
163	1015	3-76	3	S	125	225	100	.714	18.38	10.72	58.3	4.38	24.27	60s	2.5	1.8	1.1	4.52	.24	91.3	79.1
164	1016	3-76	6	S	103	198	95	.679	30.55	17.24	56.4	6.49	20.05	70s	2.0	1.4	1.3	4.72	.36	124.5	122.2
Ave.					112.0	203.8	91.8	.655	21.42	12.50	58.7	5.34	20.80		1.7	1.7	1.2	4.62	.27	100.8	95.5

Sire: 9

166	1055	3-76	3	S	100	214	114	.814	22.00	11.99	54.5	4.65	21.93	64s	2.3	1.6	1.4	4.48	.20	103.0	101.3
167	1058	3-76	3	S	109	199	90	.643	17.86	9.63	54.0	4.77	21.80	64s	1.0	1.6	1.3	4.12	.30	88.0	85.3
Ave.					104.5	206.5	102.0	.729	19.93	10.81	54.3	4.71	21.87		1.7	1.6	1.3	4.30	.25	95.5	93.3

Lot 4. L.W. Wittenburg, San Angelo. Sire W804 (Feed per lb. gain - 10.1)

169	1006	11-75		Tr	140	245	105	.750	21.74	11.81	54.3	4.75	21.73	64s	2.6	1.9	1.3	4.56	.20	98.2	82.1
170	1013	4-76		Tr	111	225	114	.814	29.77	13.49	45.3	4.61	21.09	64s	1.7	2.0	1.8	3.84	.10	108.9	106.5

p - By test number indicates polled ram.

* - By flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

Test No.	Flock No.	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data						Scores			Ultrasonic		Indexes	
					Initial 9-29-76	Final 2-16-77	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM	TAMU
RAMBOUILLETS																					
Lot 4. L.W. Wittenburg (Continued)																					
171	1014	4-76		Tr	99	198	99	.707	22.00	9.97	45.3	4.02	22.09	62s	1.8	1.8	2.5	3.80	.20	83.0	85.3
172	1015	4-76		T	77	184	107	.764	23.04	10.61	46.1	4.06	21.23	64s	2.6	1.7	1.7	3.12	.30	89.9	99.7
173	1017	11-75		Tr	128	212	84	.600	23.56	12.06	51.2	5.25	20.66	64s	2.6	1.6	1.4	3.68	.20	91.8	80.6
174	1019	4-76		T	92	190	98	.700	25.63	11.47	44.7	4.72	21.52	64s	1.4	1.8	1.5	3.88	.30	96.6	102.6
175	1024	4-76		T	98	218	120	.857	23.04	10.98	47.6	4.79	21.62	64s	2.5	2.0	1.3	3.28	.22	101.8	103.1
176	1035*	4-76		T	90	208	118	.843	23.56	11.86	50.3	4.11	21.17	64s	2.0	1.7	2.3	3.00	.20	99.3	104.9
177	1036	4-76		T	67	162	95	.679	17.86	8.85	49.6	4.52	18.75	80s	1.8	1.7	1.4	3.20	.10	83.2	98.7
178	1037	4-76		T	81	197	116	.829	21.74	10.98	50.5	4.54	20.51	70s	1.4	1.8	1.5	2.80	.20	101.6	112.2
Ave.					98.3	203.9	105.6	.754	23.19	11.21	48.5	4.54	21.04		2.0	1.8	1.7	3.52	.20	95.4	97.6
Lot 6. James Hunt, Sonora. Sire: (Feed per lb. gain - 10.7)																					
188p	5	5" SCURS			93	180	87	.621	25.89	9.71	37.5	4.04	20.59	70s	1.8	1.5	1.7	2.40	.10	80.1	82.4
189p	6				92	173	81	.579	18.64	10.07	54.0	4.84	22.93	62s	1.0	1.9	1.2	2.80	.24	86.6	90.9
190p	7				81	152	71	.507	20.45	10.25	50.1	4.85	20.26	70s	1.1	1.5	1.2	3.64	.20	82.7	91.4
191p	8	1" SCURS			90	151	61	.436	19.67	10.98	55.8	5.16	21.01	64s	1.0	2.3	1.2	2.48	.36	82.9	88.1
192p	9				103	196	93	.664	20.45	10.38	50.8	5.59	19.64	70s	1.0	1.9	1.1	3.60	.30	96.3	96.1
193	10				100	188	88	.629	28.48	13.10	46.0	5.42	23.11	62s	1.3	1.6	1.3	2.96	.40	102.7	103.1
194	11*				102	198	96	.686	22.78	11.96	52.5	5.50	20.84	64s	1.0	1.5	1.2	3.28	.26	103.2	103.4
Ave.					94.4	176.9	82.4	.589	22.34	10.92	49.5	5.06	21.20		1.2	1.7	1.3	3.02	.27	90.6	93.6
Lot 7. Jerry Allen, Leaday. Sire: 411 (Feed per lb. gain - 9.5)																					
195	191	3-76	5	S	97	199	102	.729	17.34	8.70	50.1	4.07	20.60	64s	1.8	2.1	1.2	4.60	.36	84.6	85.3
196	193	3-76	4	S	90	203	113	.807	21.23	9.92	46.7	4.38	22.95	62s	2.5	1.4	1.3	4.40	.30	92.9	95.0
197	195	3-76	3	S	82	201	119	.850	17.09	8.05	47.1	3.77	22.72	62s	3.9	1.9	1.3	3.60	.20	81.4	84.0
198	200	3-76	2	S	107	204	97	.693	17.86	9.53	53.3	4.01	23.68	60s	3.1	2.1	1.3	4.12	.10	81.2	75.2
Ave.					94.0	201.8	107.8	.770	18.38	9.05	49.3	4.06	22.49		2.8	1.9	1.3	4.18	.24	85.0	84.9
Johnny Jamison, Voss. Sire: R735 (Feed per lb. gain - 9.5)																					
199	J212	4-76	3	S	94	187	93	.664	20.97	9.63	45.9	3.88	22.58	62s	3.6	2.2	1.4	2.80	.20	77.5	75.8
200	J242	3-76	4	T	91	192	101	.721	18.90	8.44	44.7	3.80	20.34	70s	1.1	1.9	1.6	5.00	.22	82.5	89.5
201	J244	3-76	3	S	120	215	95	.679	17.60	9.71	55.1	4.90	20.84	64s	1.3	1.6	1.2	4.52	.40	90.5	82.7
202	J259	4-76	8	S	69	188	119	.850	15.27	7.20	47.1	3.45	21.42	64s	3.7	2.0	1.5	2.80	.20	76.5	84.9
Ave.					93.5	195.5	102.0	.729	18.19	8.75	48.2	4.01	21.30		2.4	1.9	1.4	3.78	.26	81.8	83.2
Ave. for feedlot Rambouillets					107.4	206.1	98.7	.705	20.48	11.23	54.6	4.58	22.35		1.7	1.8	1.5	3.52	.26	94.3	91.6

p - By test number indicates polled ram.

* - By the flock number indicates that this ram was in top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.

Test No.	Flock No.	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data					Scores			Ultrasonic		Indexes			
					Initial 9-29-76	Final 2-16-77	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM	TAMU	
SUFFOLK																						
Pen 6. Hawley Pfluger, Eden. Sire: 8774N (Feed per lb. gain - 11.1)																						
24	77	12-75	4	S	124	235	111	.793	10.54		3.68	35.57	44s	1.0	2.0	1.2	4.84	.10				
Pen 13. John Cargile, San Angelo. Sire: (Feed per lb. gain - 10.2)																						
49	1				125	240	115	.821	14.65		4.65	36.86	40s	1.0	2.0	1.0	5.28	.30				
50	2				150	299	149	1.064	14.14		3.40	37.40	40s	1.0	2.0	1.0	5.92	.20				
51	3				144	262	118	.843	10.02		3.61	30.65	50s	1.0	2.0	1.0	6.04	.60				
Ave.					139.7	267.0	127.3	.909	12.94		3.89	34.97		1.0	2.0	1.0	5.75	.37				
Lot 5. Spanish Farms, Spanish Fork, Utah. Sire: (180-RFW74) (181-183-Collins 001) (182-RFW73) (Feed per lb. gain - 10.4)																						
180	1442	3-76		S	129	241	112	.800	11.31		4.02	39.14	36s	1.0	2.0	1.0	5.20	.40				
181	1476	4-76		S	131	232	101	.721	15.68		5.04	37.99	40s	1.0	2.0	1.1	4.00	.20				
182	1551	3-76		T	128	240	112	.800	13.11		3.89	40.01	36s	1.0	2.0	1.0	4.60	.50				
183	1686	3-76		S	134	267	133	.950	15.68		4.45	36.20	40s	1.0	2.0	1.1	5.00	.40				
Ave.					130.5	245.0	114.5	.818	13.95		4.35	38.34		1.0	2.0	1.0	4.70	.38				
Ave. for Suffolks					133.1	252.0	118.9	.849	13.14		4.09	36.73		1.0	2.0	1.0	5.11	.34				
SUFFOLK X HAMPSHIRE																						
Pen 6. C.W. Hunter, Blanco. Sire: (Feed per lb. gain - 11.1)																						
21	1613				134	222	88	.629	11.31		3.53	32.58	48s	1.0	2.0	1.1	5.00	.50				
22	1614				171	263	92	.657	11.31		3.29	34.07	46s	1.0	2.0	1.1	5.40	.40				
23	1615				171	277	106	.757	11.05		3.49	35.26	44s	1.0	2.0	1.1	4.60	.50				
Ave.					158.7	254.0	95.3	.681	11.22		3.44	33.97		1.0	2.0	1.1	5.00	.47				
Lot 5. Spanish Farms, Spanish Fork, Utah. Sire: 1501 (Feed per lb. gain - 10.4)																						
184	1251	2-76		T	119	223	104	.743	11.05		4.39	37.17	40s	1.0	2.0	1.0	4.40	.30				
185	1321	2-76		S	120	252	132	.943	12.85		3.69	39.26	36s	1.0	2.0	1.1	4.00	.40				
186	1509	3-76		T	116	232	116	.829	12.60		4.37	34.56	44s	1.0	2.0	1.1	4.00	.40				
187	1555	3-76		T	107	248	141	1.007	17.48		4.85	37.49	40s	1.0	2.0	1.1	5.20	.40				
Ave.					115.5	238.8	123.3	.880	13.50		4.33	37.12		1.0	2.0	1.1	4.40	.38				
Ave. for Suffolk X Hampshire					134.0	245.3	111.3	.795	12.52		3.94	35.77		1.0	2.0	1.1	4.66	.41				

p - By test number indicates polled ram.

* - By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make cert. in minimum requirements.

Test No.	Flock No.	Date of Birth	Age of Dam	Type of Birth	Weights		Gain in Lbs.		Fleece Data					Scores			Ultrasonic		Indexes		
					Initial 9-29-76	Final 2-16-77	Total	ADG	Grease Wt.Lbs.	Clean Wt.Lbs.	% Clean Yield	Staple Length In.	Fiber Diam. Micr.	Spinning Count	Face Cover	Belly Wool	Body Fold	Rib-eye Area Sq.In.	Fat Thickness In.	ROM	TANU
<u>RAMBOUILLETS</u>																					
Pasture Group. Sonora Expt. Sta. Sire: 7923																					
205	424	3-76	3	T	97	155	58	.414	16.05	9.81	61.1	4.09	21.20	64s	1.2	2.0	1.6	2.40	.10	70.4	74.8
207p ^r	492	3-76	3	S	68	116	48	.343	15.79	8.36	53.0	4.06	20.20	70s	1.2	1.8	1.4	1.80	.22	61.1	74.8
214	433	3-76	5	S	85	112	27	.193	10.61	6.71	63.2	4.06	16.00	80s	1.5	1.9	1.2	3.68	.10	45.4	51.5
Ave.					83.3	127.7	44.3	.317	14.15	8.29	59.1	4.07	19.13		1.3	1.9	1.4	2.63	.14	59.0	67.0
Sire: 8009																					
209	367	3-76	4	T	107	149	42	.300	15.01	8.18	54.5	4.66	17.92	80s	1.2	2.2	1.1	2.40	.20	61.4	61.6
211	365	3-76	3	S	113	180	67	.479	16.83	9.73	57.9	4.43	16.95	80s	2.1	2.2	1.2	3.28	.20	74.3	67.8
Ave.					110.0	164.5	54.5	.389	15.92	8.96	56.2	4.55	17.44		1.7	2.2	1.1	2.84	.20	67.9	64.7
Sire: 8123																					
210p ^r	458	3-76	2	S	96	149	53	.379	13.20	7.61	57.7	4.35	19.23	70s	1.1	1.6	1.1	2.80	.20	62.9	65.3
212	406	3-76	2	S	103	132	29	.207	10.61	6.68	62.9	3.47	18.30	80s	1.2	1.8	1.3	2.00	.10	44.2	43.6
Ave.					99.5	140.5	41.0	.293	11.91	7.15	60.3	3.91	18.81		1.2	1.7	1.2	2.40	.15	53.6	54.5
Sire: R469																					
208 ^r	330	3-76	5	S	122	187	65	.464	17.09	10.33	60.5	5.64	19.44	70s	1.0	1.8	1.2	3.36	.14	83.9	75.9
213	323	3-76	5	Tr	88	149	61	.436	13.72	7.64	55.7	4.04	20.36	70s	1.3	2.2	1.3	3.20	.10	63.8	69.1
Ave.					105.0	168.0	63.0	.450	15.41	8.99	58.1	4.84	19.90		1.2	2.0	1.2	3.28	.12	73.9	72.5
Ave. for pasture fed Rambouillets					97.7	148.8	50.0	.357	14.32	8.34	58.5	4.31	18.85		1.4	1.9	1.3	2.77	.15	63.0	64.9

o - By test number indicates polled ram.

- - These rams were implanted with Ralgro on an experimental basis.

* - By the flock number indicates that this ram was in the top 40%, but did not certify because he was sifted or failed to make certain minimum requirements.